

U.S.D.A. Reg. No. 9159-94

may result in serious injury.

RECOMMENDATION: This material contains Borax and is manufactured for use only on peanuts for Boron deficiency and the control of leaf spot. The application of 15 pounds per acre of this material will supply ½ pound of Boron per acre. Use in excess of 15 pounds per acre may injure the crop. It should not be used more than one time in a single growing season. Its use on other crops

DIRECTIONS FOR USI: Apply as a dust without dilution. Adequate and uniform coverage of the entire plant is essential. Dust should be applied with the wind velocity is less than 5 miles per hour. The best hours are usually between 5:00 P.M. and 9:00 A.M.

KAISER AGRICULTURAL CHEMICALS

3.34% BORON 4% COPPER-65% SULPHUR

ACTIVE INGREDIENTS:

Copper (expressed as	Metaffic from
Copper Oxide)	4.00%
Sulphur	65.00°?
INERT INGREDIENTS	
ADDED INGREDIENTS: ingredients)	(Included in inert
	3.347
Total	

CAUTION: KEEP OUT OF REACH OF CHILDREN

Guaranteed fineness 95% passing 200 mesh screen

SEE OTHER CAUTIONS ON SIDE PANELS

KAISER AGRICULTURAL CHEMICALS
SAVANNAH, GEORGIA

Harmful if swallowed. Sulphur may burn foliage when temperatures are excessively high (90°F, or above). Do not apply any sprays containing oil, dinitro materials or Captan within 30 days to foliage dusted with sulphur.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.