PARTMENT OF AGRICULTURE REGISTRICIONINO 9167-9 AGRICULTURAL RESEARCH SERVICE DATE OF ISSUANCE PESTICIDES REGULATION DIVISION June 22, 1972 NAME OF ECONOMIC POISON NOTICE OF REGISTRATION UNDER THE FEDERAL DYNASEPT INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT JUN 22 1972 NAME AND ADDRESS OF REGISTRANT Dynasurf Chemical Corporation 1426 Fleet Street Baltimore, Maryland 21231 NOTE: Changes in labeling or formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Pesticides Regulation Division prior to use of the label in interstate commerce. In any correspondence on this product always refer to the above registration number. On the basis of the information furnished by the registrant, the above named economic poison is hereby registered under ion 4 of the Federal Insecticide, Fungicide, and Rodenticide Acta A copy of the labeling accepted in connection with this registration is returned herewith. Registration is in no way to be construed as an endorsement or approval of this product by this Department. In order to protect the public, the Secretary, on his own motion, may at any time cancel the registration of an economic poison in accordance with Section 4 (c) of the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by a trademark held by others. The following paragraphs are applicable only when checked: [To expedite registration, this notice is being issued on the basis of the draft submitted with the application. Certain defects, given below, have been noted. These corrections must be incorporated when the printed labeling is prepared. Five copies of the printed labeling must be submitted to complete the file on this product. The registration for this product is being issued with the understanding that certain defects in the labeling which are noted below will be corrected as soon as possible. Objection is not raised to the use of the present labeling for a teasonable period of time while fully corrected labeling is being prepared. Five copies of the corrected labeling must be submitted. ICF S5 Joseph M. Tavano Attachment is applicable. Head Disinfectant Control Section SIGNATURE OURNAL RECOGNICATION AND RECENTANCE X PESTICIDES REGULATION DIVISION FORM 9-225 EXISTING STOCK OF PR FORM 9-225, MAR. 1962, WILL BE USED UNTIL EXHAUSTED OCT, 1964



. الر`


DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

in case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

Rinse empty container thoroughly with water and discard.



Dynasept is a cleaner, disinfectant, and sanitizer designed for general household and light industrial cleaning. For use on walls, floors and any ir nate hard surfaces. When used as directed, D. ept will also deodo, those areas which generally are hard to keep sh smelling, such as GARBAGE PAILS, SINK TOPS, AND BATHROOM AREAS which are prone to odors caused by the growth of some microorganisms. Effective against Staphylococcus aureus and Salmonella choleraesis at 2 ounces per gallon. Also effective against pathogenic fungi, Trichophyton interdigitate, at this use dilution.

At 3 ounces per gallon, a hospital disinfecting claim against Pseudo-

monas aeruginosa can be made.

When used for sanitization of food processing and food contact items, limit the active quaternary to 200 ppm. at this level, No Potable Water Rinse is required.

USE DIRECTIONS:

Use at 2 ounces per gallon. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing.

If a pseudomonicidal product is needed, then 3 ounces per gallon

will be required.

For best results, use Dynasept with a cloth or mop and apply to walls, floors, and other hard surfaces. If used on food contact items, limit the level of active quaternary to 200 ppm (4 ounces per 5 gallons). For heavy soil a precleaning step is recommended before using Dynasept.

Guaranteed
S. aureus
S. typhosa

EPA Reg. No. 9167-9

Minimum
30
FREEZING

FREEZING

ACCEPTED

UNDER THE FEDERAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. JUNA 2 1972