DYNASAN is a concentrated non-phosphate detergent, disinfectant, sanitizer, fungicide and deodorizer. It is specifically designed for Institutional use such as Hospitals, Nursing Homes, and schools, where housekeeping will be of prime importance in controlling the hazard of cross-infections from environmental surfaces.

DYNASAN is for use on floors, walls and other hard surfaces in Hospitals, Nursing Homes, Hotels, Public Areas, Industrial Areas and in Institutions. It is excellent for Operating Rooms, Rest Rooms, Nurseries and Food Service Areas.

When used as directed, **DYNASAN** is effective against Staphylococcus aureaus, Salmonella choleraesuis and Pseudomonas aeruginosa. **DYNASAN** is also effective against pathogenic fungi, Trichophyton interdigitale.

If used for sanitization of food processing equipment or food contact items, the rinse with potable water is vired.

## **JSE DIRECTIONS:**


Use at  $\frac{1}{2}$  ounce per gas, of water. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level.

At ½ ounce per gallon of water, this product is fungicidal against pathogenic fungi. For best results, use **DYNASAN** with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or other food contact items, the rinse with potable water is required.

For heavy soil or organic matter, a precleaning step is recommended.







Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Harmful or fatal if swallowed. Wear goggles or face shield and rubber gloves when handling.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician. Note to physician: Probable mucosal damage may contraindicate the use of gastric Savage. Measures against circulatory shock, respiratory depression and convulsion may be needed.