

DEC 16 1988

Royal Bond, Inc.
1919 North Broadway
St. Louis, MO 63102

Attention: Barry Murphey

Gentlemen:

Subject: STERILE DISINFECTANT
EPA Registration No. 9195-2
Your Submission dated October 11, 1988
EPA Received Date October 17, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you submit five (5) copies of your final printed labeling before you release the product for shipment.

However, at the next printing of your labels relocate the statement "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" and place it directly below the Directions For Use heading.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

50344: I:Leavy:L-1:KEMCO:11/22/88:1/5/89:CL:VO:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

8/3
-2-

A stamped copy of the labeling is enclosed for your records.

If you have any questions, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,

John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosure

USE DIRECTIONS:

For instruments, use **STERILE DISINFECTANT** 4 ounces per gallon if contaminated with blood or heavy organic matter, pre-clean and immerse in the 4 ounce per gallon dilution for one hour.

For inanimate environmental hard surfaces in the preparation room, such as preplables, floors, walls, doors, counter tops and cabinets, a 2 ounce per gallon dilution of **STERILE DISINFECTANT** applied with cloth or mop with a total contact time of fifteen minutes before rinsing and drying is recommended.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STERILE DISINFECTANT demonstrates Bactericidal activity at 2 ounces per gallon against *Staphylococcus aureus* ATCC #6538, *Salmonella choleraesuis* ATCC #10708, and *Pseudomonas aeruginosa* ATCC #15422.

Confirmed by the A.O.A.C. Use Dilution method.

STERILE DISINFECTANT demonstrates Fungicidal activity at 2 ounces per gallon against *Trichophyton interdigitale* Strain #640.

Confirmed by the A.O.A.C. Fungicidal Test.

DISPOSAL

Do not reuse empty container. Rinse container thoroughly and discard in wash.

STERILE DISINFECTANT is a cleaner, disinfectant and sanitizer designed for Mortuary preparation rooms where good housekeeping is of prime importance in controlling the hazard of cross infection from environmental surfaces. **STERILE DISINFECTANT**, can provide the assurance you need in this area when used as directed.

STERILE DISINFECTANT, when used on environmental inanimate hard surfaces at 2 ounces per gallon is effective against *Influenza A₂, *Herpes Simplex, *Adenovirus type 2, and *Vaccinia.

WARNING

KEEP OUT OF REACH OF CHILDREN. CAUSES EYE AND SKIN IRRITATION. DO NOT GET ON EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED.

FIRST AID

IN CASE OF CONTACT FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR 15 MINUTES. FOR EYES CALL A PHYSICIAN. REMOVE AND WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED DRINK MILK, EGG WHITES, OR IF THESE ARE NOT AVAILABLE, LARGE QUANTITIES OF WATER. CALL A PHYSICIAN.