

10F3

Pm 21

REG. # 9198-16

AUG 13 1985

Cheryl L. Moritz
 The Andersons, Lawn Fertilizer Section
 P.O. Box 119
 Maumee, OH 43537

Dear Ms. Moritz:

Subject: Amendment - Label Revisions, Revised
 Formula Statement
 Frank's Garden King Weed and Feed
 EPA Registration No. 9198-16
 Your Submissions Dated June 17, and July 31, 1985

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable. The revised formula statement dated July 31, 1985 has been incorporated in our files. It is our understanding that this basic formula replaces the one dated April 29, 1976.

A stamped copy of labeling is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *ffm*
 Product Manager (23)
 Fungicide-Barbicide Branch
 Registration Division (TS-767)

Enclosure

P.S. - Revise 3.2 lbs - 4 lbs to 3-4 lbs per 1000 sq. ft.
 Add the product and establishment registration numbers to the bag.

RD/FHB-JOR:89543:Mountfort:RD-47:Kendrick:898-1270+8/9/85+Del. 8/21/85:ab


CONCURRENCES

SYMBOL ►								
SURNAME ►								
DATE ►								
EPA Form 1320-1 (4-81)								

OFFICIAL FILE COPY




LEADER HERBICIDE



WEED & FEED

BEST AVAILABLE COPY



LEADER HERBICIDE 20% W.P.

2,4-DIMETHYLAMINE SALT OF 2,4-DICHLOROPHOXYACETIC ACID

HERBICIDE

ACTIVE INGREDIENTS

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 1.44%

INERT INGREDIENTS 98.56%

Equivalent to:

2,4-Dichlorophenoxyacetic Acid 1.19%

*Isomer Specific by AOAC Method 6.D01-5.v

KEEP OUT OF THE REACH OF CHILDREN

NET WT. 20 LBS.

3053



Garden King WEED & FEED

20-10-5

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	20%
Available Phosphoric Acid (P ₂ O ₅).....	10%
Soluble Potash (K ₂ O).....	5%

WEED CONTROL

2, 4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed.
For Use on Turfs Except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using.
Avoid breathing dust. Do not contaminate feed or foodstuffs. DO NOT HAND SPREAD.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment, or disposal of wastes. Drift of dust or vapors may cause injury to nearby susceptible plants, such as vegetables, flowers, fruit trees and ornamentals.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
For use on ornamental turf.

WHEN TO APPLY:

Use anytime weeds are actively growing and temperature is above 60°F. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2, 4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not over or under apply.

HOW TO APPLY:

Apply evenly over entire lawn area at the rate of 3.2-4.0 lbs per 1000 sq ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Age and condition of spreader will affect application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. DO NOT HAND SPREAD.

Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application.

SUGGESTED SPREADER SETTINGS

Central.....	6 1/2	Oriho Drop.....	7 1/2
Central Broadcast.....	3 1/4	Oriho Broadcast.....	1
Cyclone.....	4 1/4-4 1/2	Scotts Drop.....	6 1/2
Greenview.....	6 1/2	Scotts Broadcast.....	0-E
Precision Drop.....	6 1/2	Sears Drop.....	9 9/16
Precision Broadcast.....	3 1/4	Sears Broadcast.....	3 1/4

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. This bag should cover approximately 8,000 square feet (example, 50' x 160 ft.). Calculate the size of area to be treated and do not over or under apply. Close spreader when filling, stopping or turning.

when applied at 4.0 lbs. per 1000 square feet.

STORAGE AND DISPOSAL

Do not store near feed, foodstuffs, seeds, fertilizers, insecticides or fungicides. Store in a dry place. Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag. Discard bag in trash.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

Distributed by
FRANK'S NURSERY