

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 1 3 1994

Daniel Paradiso, Jr. THE ANDERSONS LAWN FERTILIZER DIVISION dba/FREE FLOW FERTILIZER P. O. Box 119 Maumee, OH 43537

OFFICE OF OXIC SUBSTANCES

SUBJECT:

Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7

EPA Reg. No.: SEE ATTACHED 9/18-30

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stampedaccepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period. and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief

Enclosures

BEST COPY AVAILABLE

Registration Division (7505W)

THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93

Original Submissions

```
WEED N' FEED 10-6-4 - 9198-8
FRANK S GARDEN KING WEED AND FEED - 9198-16
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND
  INSECTICIDE - 9198-26
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92%
  DURSBAN BRAND INSECTICIDE - 9198-30
TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
TURF-CARE FOR LAWN MAINTENANCE 38-C-0 WITH DURSBAN - 9198-32
TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
TURF-CARE DURSBAN 2.5G - 9198-39
TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9
  - 9198-45
ANDERSONS WEED AND FEED - 9198-46
ANDERSONS WEED KILLER - 9198-47
ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER
  - 9198-50
ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER
  16-4-8 - 9198-51
ANDERSONS CRABGRASS PREVENTER - 9198-52
ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
GREEN THUMB WEED AND FEED 12-3-5 - 9198-70
CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
TEE TIME 25-3-8 PLUS TEAM - 9198-79
TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82
```

BEST COPY AVAILABLE

TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83 TFE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84 TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85 ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86 ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88 TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89 TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90 TEE TIME 25-3-8 PLUS TEAM - 9198-91 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS GREEMSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS - 9198-93 TEE TIME 20-4-10 PLUS TEAM - 9198-94 TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98 TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99 TEE TIME INSECTICIDE WITH DYLOX - 9198-100 TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 3 0 1994

9198-30 Page 1 of 4

Under the Fodoral Insecticide, Fundicide, and Redesticide Act as amended, for the posticide registered under EPA Reg. No.

(FRONT PANEL)

TURF CARE FOR PROFESSIONAL LAWN MAINTENANCE

20-4-10

WITH 0.92% BENEFIN

ACTIVE INGREDIENTS:		
N-butyl-n-ethyl-alpha, alpha, alpha-trifl 6-Dinitro-p-Toludine		0.92%
INERT INGREDIENTS		99.08%
***	TOTAL	100.00%
GUARANTEED .	ANALYSIS	
Total Nitrogen (N)		20%
Available Phosphoric Acid (P2O5) Soluble Potash (K2O)		
Primary Plant Foods Derived from: Ammoni. Potash.	ated Phosphates, Urea, Mu	riate of
Potential Acidity 200 pounds Calcium Carb	onate Equivalent per ton	

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

NET WT. 50 LBS (22.7 Kg)

TREATS UP TO 10,000 Sq.Ft.

EPA Reg. No. 9198-30

EPA Est. 9198-OH-1

9198-30 Page 2 of 4

(BACK PANEL)

NET WEIGHT 50 LBS. (22.7 kg)

TREATS UP TO 10,000 Sq.Ft.

TURF CARE FOR PROFESSIONAL LAWN MAINTENANCE

20-4-10

WITH BENEFIN

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. In case of contact, flush with water. Do not contaminate foodstuffs or feeds.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Should "turd"

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is a pre-emergence herbicide with added growth promoting fertilizer ingredients, which is applied to established turf for the control of annual bluegrass (Poa annua), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowsfoot), watergrass (barnyardgrass) and yellow and green foxtail. This product controls these annual weeds by killing their seeds as they germinate. Apply before these annual weeds begin to germinate since it does not control established weeds. When this product is applied as directed, the following established turfgrasses are tolerant: perennial bluegrasses, perennial ryegrass, centipedegrass, fescue, zoysiagrass, bermudagrass, St. Augustinegrass, and bahiagrass. This product will not harm nearby established ornamental trees and shrubs.

Apply to turf before the germination of annual grass weeds. General times of application are discussed below for each type of weed. Precise time of application for a specific area will vary because of climate and individual cultural practices. Consult your extension service turf grass specialists for additional information regarding specific weed germination times in your area.

Any cultural practices that disturb the soil, such as aerification or verticutting should be done prior to applying this product.

- 1. ANNUAL BLUEGRASS (Poa annua) CONTROL: In areas of heavy infestation of annual bluegrass (Poa annua) its elimination will temporarily result in thin turf areas. Proper fertilization with this product and irrigation will encourage the existing turf grasses to fill in these thin areas formerly occupied by annual bluegrass (Poa annua).
- 2. NORTHERN (cool season) TURF GRASSES: For pre-emergence control of Poa annua apply 50 pounds to 10,000 sq.ft. (2 pounds active ingredient) of Benefin per acre in late summer to early fall (mid-July to mid-September); or in early spring prior to annual bluegrass (Poa annua) seed germination.
- 3. CRA3GRASS, GOOSEGRASS, WATERGRASS AND FOXTAIL CONTROL: NORTHERN (cool season) TURF GRASSES: For pre-emergence control apply 50 pounds to 10,000 sq.ft. (2 pounds active ingredient) of Benefin per acre in the spring 2 to 4 weeks prior to expected annual weed grass seed germination. In the southern half of Ohio, Illinois, Indiana, and all points south apply 50 pounds to 10,000 sq.ft. (2 pounds active ingredient of Benefin per acre) in the spring 2 to 4 weeks prior to expected annual weed grass seed germination.

RESEEDING

Delay reseeding at least 6 weeks after application of this product.

PRECAUTIONS

Apply this product to the turf prior to the germination of weed grasses, since it will not control established weeds. This product may thin established annual bluegrass (Poa annua) turfs and fine-leaved fescues at rates above 218 pounds per acre (2 lbs. active ingredient). This product should not be applied in the spring to turfgrass planted the previous fall. Apply the product evenly over the turf area, avoiding skips of missed spots. Do not overlap or over apply. Over application can weaken turf grass during stress periods, allowing fungus or insects to cause damage. In bermudagrass that has been overseeded with winter grasses, a spring application of this product may thin the overseeded glasses. Because of varying cultural practices, this product should not be used on putting greens. It should not be used on dichondra or bentgrass turf or applied to newly sprigged areas of bermudagrass, St. Augustinegrass, or centipedegrass until these turfs are well established.

9198-30 Page 4 of 4

STORAGE AND DISPOSAL

Store in a dry place. Do not contaminate water, food or feed by storage or disposal. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

MANUFACTURER Warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons

Lawn Fertilizer Division

P.O. Box 119 Maumee, OH 43537

Date Printed: 11/23/93

Date Approved: Supersedes: Label Change: