(front panel)

TURF CARE

DURSBAN(R) 2.5 G BRAND INSECTICIDE

Active Ingredient: Chlorovrifos [0.0-Diethvl	0-(3,5,6-trichloro-2-pyri	dv1)
•		
Inert Ingredients:		<u>97.5%</u>
į,	•	Total 100.00%
Dursban(R) Trademark of Dow	El anco	

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT __ Lbs.

Treats Up To ____ Sq.Ft.

ACCEPTED

MAY 8 1940

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9198-30

EPA Est. No. 9198-0H-1

EPA Reg. No. 7198-39

(back panel)

Net Weight __ Lbs.

Treats Up To ____ Sq.Ft.

TURF CARE

DURSBAN(R) 2.5 G BRAND INSECTICIDE

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Avoid contact with eyes. If in eyes, flush with planty of water. Get prompt medical attention if irritation persists. Do not take internally. Wash thoroughly after using. Wash contaminated clothing before reuse. Do not treat vegetable gardens or other plants used for food purposes.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink two classes of water and induce vomiting by touching back of throat with (inger. Do not induce vomiting or give anothing by mouth to an unconscious person. Get medical attention.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

I IN EYES: Flush eyes with plenty of water and get prompt medical attention. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Bees exposed to direct treatment or residues on plants are highly susceptible. Do not apply directly to water. Keep out of lakes, streams and ponds. Do not contaminate water by disposing of equipment washings. Do not apply when weather conditions favor drift form areas treated. Do not apply where runoff is likely to occur.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SURFACE INSECT CONTROL

Apply at the rate of 1 lb. per 1000 square feet, or the equivalent of 1 lb. actual active ingredient per acre. At this rate, the product will control chinch bugs, sod webworms (lawn moths), ants, brown dog ticks, crickets, cutworms, earwigs, grasshoppers, armyworms, centipedes, clover mites, fiery skipper, fleas, greenbugs, June bettles, leafhoppers, millipedes, mites, mosquitoes, sowbugs and ticks.

Treat when insects first appear, re-treat as necessary. For best results, and should be watered in after application.

GRUB CONTROL

Apply at the rate of 2.0-3.7 lbs. per 1000 square feet, or the equivalent of 2-4 lbs. actual active ingredient per acre. At this rate, the product will control certain white grubs (larvae of European chaffer and Japanese beetle).

Treat when grubs are young and actively feeding near the soil surface. Consult your local agricultural extension service for proper time to treat in your area. For best results, product should be thoroughly watered in to wash the insecticide into the zone of insect infestation.

To control (Typerodes (turfgrass) weevils, uniformly apply 2 pounds of granules per 1,000 sq. ft. as directed above. Theat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialists for best time to treat in your area.

SUGGESTED SPREADER SETTINGS

(available at final printing)

Important: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

FUR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic which supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse baq. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess paticide, spray mixture, or rinsate, is a violation of Federal Lawn and may distaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact you State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completel, empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay our of smoke.

WARRANTY STATEMENT

MANUFACTURES warmants that this product (1) conforms to the indredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. E(CEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MARKS NO OTHER WARRANTY EXPRESS OF IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By:

THE ANDERSONS
LAWN FERTILIZER DIVISION
P.O. BOX 119
MAUMEE, DH 43537

BEST AVAILABLE COPY

:9198-39R **0**4/03/90