

TREATS 5,000 SQ. FT.

TO OPEN:
Pull Narrow Tape



**PREMIUM
CRABGRASS PREVENTER
& PLANT FOOD**

18-4-10

GUARANTEED ANALYSIS

Total Nitrogen (N)	18%
16.6% Urea Nitrogen	
1.4% Ammoniacal Nitrogen	
Variable Phosphoric Acid (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	10%
Primary Plant Food derived from Urea, Diammonium Phosphate, Muriate of Potash	
Potential Acidity 330 pounds Calcium Carbonate Equivalent per ton	
ACTIVE INGREDIENTS	
N-butyl-n-ethyl-alpha, alpha, alpha-trifluoro-2,6-pyridine	0.92%
INERT INGREDIENTS	
	99.08%
	100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 9198-40


SEE REVERSE SIDE FOR
ADDITIONAL CAUTIONS

EPA Est. No. 9198 OH-1

NET WT. 20 LBS.

TREATS 5,000 SQ. FT.

TO OPEN:
Pull Narrow Tape



PREMIUM

**CRABGRASS PREVENTER
& PLANT FOOD**

18-4-10

GUARANTEED ANALYSIS

CAUTION - KEEP OUT OF REACH OF CHILDREN

NET WT. 20 LBS.

NET WT. 20 LBS.

Fortify

CRABGRASS PREVENTER AND PLANT FOOD

18 - 4 - 10

Treats 5,000 Sq. Ft.

ADVANTAGES

Fortify is a crabgrass preventer and plant food. It is safe for use on lawns, golf courses, and other areas where crabgrass is a problem. It is also safe for use on plants and shrubs. Fortify is easy to apply and lasts for several months.




WHEN TO APPLY

Fortify should be applied in the fall, before the crabgrass seeds have had a chance to germinate. It can also be applied in the spring, before the crabgrass has had a chance to grow. Fortify should be applied every 6 to 8 weeks.



HOW TO APPLY

Fortify can be applied with a broadcast spreader or a cyclone type spreader. The application rate is 1/2 lb. per 1,000 sq. ft. of area to be treated.

CYCLONE TYPE SPREADERS



DRCP TYPE SPREADERS



DIRECTIONS FOR USE

Fortify should be applied in the fall, before the crabgrass seeds have had a chance to germinate. It can also be applied in the spring, before the crabgrass has had a chance to grow. Fortify should be applied every 6 to 8 weeks.

PRECAUTIONS