30T 28 1991

Mr. Daniel Paradiso, Jr. Agent for The Andersons Lawn Fertilizer Division DBA Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

Subject: Fortify Fertilizer with 0.92% Balan

EPA Reg. No. 9198-40 RE: Label amendment.

Your submission dated September 14, 1994.

Dear Mr. Paradiso:

)

The above mentioned amendment submitted in connection with registration under FIFRA is conditionally accepted provided that you adhere to the following comments.

 Delete "use on parks and golf courses" from the "home use" label. Delete "use on home lawns" from the "commercial use" label.

A stamped copy is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

Robert J. Taylor Product Manager (25) Fungicide-Herbicide Branch Registration Division (7505C)

	CONCURRENCES	
SYMBOL N 1505C		
SURNAME HICKS		
DATE \$ 10-28-94		
EDA Form 4000 44 44 000	D. Carlotte Day of A.D.	OFFICIAL FILE COPY

EPA Form 1320-1A (1/90)

(FRONT PANEL)

HOMEOWNER USE ONLY

FORTIFY FERTILIZER

WITH 0.92% BALAN

ACTIVE INGREDIENTS:

N-bu	utyl-n-ethyl-a	ılpha,alp	oha, a	1 ph	a-tr	ifl	uor	co - 2	2.6	-Di	nit	ro	- p -	Tol	lui	idi	ne	•	0	. 92
INERT	INGREDIENTS:			•								•		•				•	99	. 08
													To	ta]					100	00

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions


with COMMUNICATION EPA Petter Late 2

OCT 28 1994 Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the posticide particular EPA Roy. No.

Net Wt. 20 lbs.

Treats 5,000 sq. ft.

EPA Reg. No. 9198-40



9198-40H Page 2 of 4

(BACK PANEL)

HOMEOWNER USE ONLY

FORTIFY FERTILIZER

WITH 0.92% BALAN

GUARANTEED ANALYSIS

Total Nitrogen	18%
Available Phosphoric Acid (P2O5)	4%
Soluble Potash (K20)	10%
Primary Plant Food derived from: Urea, Diammonium Phosphate, Muriate of F	otash?

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Avoid breathing dust. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate feed, foodstuffs or ponds. Do not store near seed, other fertilizer, insecticides or fungicides. Do not apply to vegetable crops. Do not hand spread.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to water. Do not contaminate water when disposing of equipment washwaters. Drift of dust may cause in jury to nearby susceptible plants.



9198-40H Page 3 of 4

(BACK PANEL)

HOMEOWNER USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Fortify Fertilizer with 0.92% Balan is an effective pre-emergence herbicide. Apply this product to established turf for the control of crabgrass and certain other annual weeds by killing them as they germinate. It's easy to apply with standard seed and fertilizer spreaders. Use on home lawns, parks and golf courses.

CONTROLS Annual smooth and hairy crabgrass, goosegrass (silver crabgrass or crowsfoot), annual bluegrass (Poa Annua), watergrass (barnyardgrass), and yellow and green foxtail. When applied as directed the following established turfgrasses are tolerant: Perennial bluegrasses, perennial tyegrass, centipedegrass, fescue, zoysiagrass, bermudagrass, St. Augustine grass and bahaigrass. Fortify Fertilizer with 0.92% Balan will not harm nearby established ornamental trees and shrubs when used as directed.

WHEN TO APPLY

Apply Fortify Fertilizer with 0.92% Balan to turf prior to germination of weed grasses in the spring. Precise time of application for a specific area will vary because of climate and individual cultural practices. Generally, application during March or April will give best results although control can be expected by application up to the time that forsythia blooms fall. If in doubt, check with your local cooperative extension service.

HOW TO APPLY

For best control, Fortify Fertilizer with 0.92% Balan must be applied evenly with no skips or misses. First determine the correct amount for your lawn area. For established lawns, apply at 4 pounds per 1000 square feet. For example, a bluegrass lawn 50 ft. by 100 ft. would equal 5000 square feet, 5 x 4 lbs. equals 20 pounds.

IMPORTANT: Fortify Fertilizer with 0.92% Balan may thin established annual bluegrass (Poa Annua) turfs and fine leaved fescues when applied at rates above 1 1/2 bags per 5000 sq.ft. Over application can weaken turfgrasses during hot and dry or overwet stress periods allowing fungus or insects to cause damage. Because of varying cultural practices, Fortify Fertilizer with 0.82% Balan should not be used on dichondra or bentgrass turf or applied to newly sprigged areas of bermudagrass, St. Augustine grass or centipedegrass until these turfs are well established.

BEST AVAILABLE COPY

9198-40H Page 4 of 4

(BACK PANEL)

HOMEOWNER USE ONLY

SUGGESTED SPREADER SETTINGS

(Available before final print)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OF IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: THE ANDERSONS

LAWN FERTILIZER DIVISION

P.O. BOX 119

MAUMEE, OHIO 43537.

Date Printed:

08/30/94

Date Approved: Supersedes: Label Change:

9198-40C Page 1 of 4

(FRONT PANEL)

COMMERCIAL USE ONLY

FORTIFY FERTILIZER

WITH 0.92% BALAN

ACTIVE INGREDIENTS:

TM
BALFIN the trademark for Elanco Products Company Benefin

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions

with COTTAINS T In EPA Better Smell OCT 28 1804

Under the Federal Insecticide, Fungicide, and Rodenticide Act on amended, for the pesticide resourced times EPA Rog. No.

Net wt. 20 lbs.

Treats 5,000 sq. ft.

EPA Reg. No. 9198-40

EPA EST. 9198-OH-1



9198-40C Page 2 of 4

(BACK PANEL)

COMMERCIAL USE ONLY

FORTIFY FERTILIZER

WITH 0.92% BALAN

GUARANTEED ANALYSIS

)	Total Nitrogen	18%								
	Available Phosphoric Acid (P205)	4%								
	Soluble Potash (K20)	10%								
	Primary Plant Food derived from: Urea, Diammonium Phosphate, Muriate of	Potash								
	PRECAUTIONARY STATEMENTS									

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Avoid breathing dust. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate feed, foodstuffs or ponds. Do not store near seed, other fertilizer, insecticides or fungicides. Do not apply to vegetable crops. Do not hand spread.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Drift of dust may cause injury to nearby susceptible plants.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a marner inconsistent with its labeling.

Fortify Fertilizer with 0.92% Balan is an effective pre-emergence herbicide. Apply this product to established turf for the control of crabgrass and certain other annual weeds by killing them as they germinate. It's easy to apply with standard seed and fertilizer spreaders. Use on home lawns, parks and golf courses.



9198-40C Page 3 of 4

(BACK PANEL)

COMMERCIAL USE ONLY

CONTROLS Annual smooth and hairy crabgrass, goosegrass (silver crabgrass or crowsfoot), annual bluegrass (Poa Annua), watergrass (barnyardgrass), and yellow and green foxtail. When applied as directed the following established turfgrasses are tolerant: Perennial bluegrasses, perennial tyegrass, centipedegrass, fescue, zoysiagrass, bermudagrass, St. Augustine grass and bahaigrass. Fortify Fertilizer with 0.92% Balan will not harm nearby established ornamental trees and shrubs when used as directed.

WHEN TO APPLY

Apply Fortify Fertilizer with 0.92% Balan to turf prior to germination of weed grasses in the spring. Precise time of application for a specific area will vary because of climate and individual cultural practices. Generally, application during March or April will give best results although control can be expected by application up to the time that forsythia blooms fall. If in doubt, check with your local cooperative extension service.

HOW TO APPLY

For best control, Fortify Fertilizer with 0.92% Balan must be applied evenly with no skips or misses. First determine the correct amount for your lawn area. For established lawns, apply at 4 pounds per 1000 square feet. For example, a bluegrass lawn 50 ft. by 100 ft. would equal 5000 square feet, 5 x 4 lbs. equals 20 pounds.

IMPORTANT: Fortify Fertilizer with 0.92% Balan may thin established annual bluegrass (Poa Annua) turfs and fine leaved fescues when applied at rates above 1 1/2 bags per 5000 sq.ft. Over application can weaken turfgrasses during hot and dry or overwet stress periods allowing fungus or insects to cause damage. Because of varying cultural practices, Fortify Fertilizer with 0.92% Balan should not be used on dichondra or bentgrass turf or applied to newly sprigged areas of bermudagrass, St. Augustine grass or centipedegrass until these turfs are well established.

SUGGESTED SPREADER SETTINGS

(Available before final print)

BEST AVAILABLE COPY

9198-40C Page 4 of 4

(BACK PANEL)

COMMERCIAL USE ONLY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OF IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: THE ANDERSONS

LAWN FERTILIZER DIVISION

P.O. BOX 115

MAUMEE, \$\text{\$0H10} \text{\$43537}

Date Printed: 09/22/94

Date Approved: Supersedes: Label Change:

