

(FRONT PANEL)


ANDERSONS WEED

AND FEED

XX-XX-XX

Contains 2,4-D and MCPP

TREATS 5,000 Sq. Ft.



ACTIVE INGREDIENTS:

- Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 1.01%
- Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) Propionic Acid 1.01%

EQUIVALENT TO:

- 2,4-Dichlorophenoxyacetic Acid 0.84%
- 2-(2-methyl-4-chlorophenoxy) propionic acid..... 0.84%

INERT INGREDIENTS.....		37.93%
	TOTAL	100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION


See Back Panel for Additional Precautions

Net Wt. 20 lbs.

(9.1 Kg.)

EPA Reg. No. 9158-46

EPA Est. 9158-OH-1



(BACK PANEL)

ANDERSONS

WEED AND FEED

XX-XX-XX

Contains 2,4-D and MCPP

GUARANTEED ANALYSIS

Total Nitrogen (N).....	%
% Ammonical Nitrogen	
% Urea Nitrogen	
% Coated Slow Release Urea Nitrogen	

Available Phosphoric Acid (P ₂ O ₅).....	%
---	---

Soluble Potash (K ₂ O).....	%
Sulfur (S) B	%

Primary Plant Foods Derived From: Ammonium Phosphate, Muriate of Potash and Sulfur derived from Sulfur Coated Urea.

Potential Acidity Equivalent to lbs. of Calcium Carbonate Per Ton.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with clothing, skin or eyes. Avoid breathing dust. Wash thoroughly after handling. Avoid contamination of feed or foodstuffs. **DO NOT HAND SPREAD.**

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by disposing of equipment washings.

WEED CONTROL

2, 4-D for control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. MCPP for control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed. For use on Turfs except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 50 degrees. Control is slower if weather is cool. Application in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 2 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lb per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader settings at the beginning of the application. Age and condition of spreader will affect application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread. Rain, sprinkling or mowing within 24 hours may reduce effectiveness. Wait at least two weeks before making a second application.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.



SUGGESTED SPREADER SETTINGS

(AVAILABLE AT FINAL PRINTING)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons
Lawn Fertilizer Division
P.O. Box 119
Maumee, OH 43537

:3193-45

3-10-88

