

P423  
9198-47  
M 2 11

(FRONT PANEL)

ANDERSONS

WEED KILLER

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid ..... 1.01%  
2,4-Dichlorophenoxyacetic Acid Equivalent: ..... 0.84%

Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)  
Propionic Acid ..... 1.01%  
2-(2-methyl-4-chlorophenoxy) propionic acid Equivalent: ... 0.84%

INERT INGREDIENTS..... 97.92%  
TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight \_\_\_ lbs.

Treats \_\_\_ Sq. Ft.

EPA Reg. No. 9198-47

EPA Est. 9198-OH-1

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAY 22 1990

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

9198-47

(BACK PANEL)

Net Weight \_\_\_ Lbs.

Treats \_\_\_ Sq. Ft.

ANDERSONS

WEED KILLER

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust. Wash thoroughly after handling. Avoid contamination of feed or foodstuffs. DO NOT HAND SPREAD. Wear long pants, long-sleeved shirt, shoes and gloves when handling and applying this product. Do not reenter or permit others to reenter treated areas until dusts have settled.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with it's labeling.

**BEST AVAILABLE COPY**

## WEED CONTROL

2, 4-D for control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. MCPP for control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed. For use on Turfs except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

## WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees. Control is slower if weather is cool. Application in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

## HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lb. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application.

Most Cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Placement of the spreader on an impervious pad to contain spills will help prevent groundwater contamination.

**IMPORTANT:** Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

## SUGGESTED SPREADER SETTINGS

**BEST AVAILABLE COPY**

(AVAILABLE AT FINAL PRINTING)

**NOTE:** Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

7. 1. 84

## STORAGE AND DISPOSAL

### FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage or disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

### FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

## WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

:9198-47  
4/5/90

**BEST AVAILABLE COPY**