FEB 1 ibbs

Mr. Daniel Paradiso, Jr.
The Andersons Lawn Fertilizer Division
DBA Pree Flow Fertilizer
P.O. Box 119
Maumee, Od. 43537

Dear Mr. Paradiso:

ì

Subject: The Andersons Weed and Feed I
EPA Registration No. 9198-49
Application Dated March 25, 1994, Request To
Market as Bither Homeowner or Commercial,
Compliance with Required Labeling for
2,4-B Products as Stated in Agency's Letters
Dates October 30, 1992 and January 14, 1993

The proposed labeling mathitted with your application dated march 25, 1994 has been reviewed and found acceptable under the Pederal Insecticide, Pungicide and Rodenticide Act (FIFRA) as amended, provided that:

- 1. Revise the statement under "dazards to Humans and bomestic Animals" on the "Commercial Use Only" label which reads: "dhen using this product wear long-sleeved shirt, long pants, socks and shoes." to correctly reflect the required statement for this product that was stated in the January 14, 1993 certified mailed letter on the subject of required labeling for 2,4-b pesticide products, such as this product.
- 2. On both proposed labels "Commercial Use Only" and "Homeowner Use Only" add a "Use Precaution" section directly under the violation statement and place under that statement all use precautions or restrictions such as the statement: "The maximum number of broadcast applications per treatment site is 2 per year."
- 3. Submit one (1) copy of the final printed label before releasing the product for shipment under the subject labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA,

Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copies of the labeling are enclosed for your records.

Sincerely yours,

Joanne I. Hiller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C) 2 7 12.

Enclosure

3

E.wilson:Diskette ABC17:U2-01-95

3 4 12

9198-49H Page 1 of 5

(FRONT PANEL)

HOMEOWNER USE ONLY

ACCEPTED
with COSMICNEY
in EPA Land to the

THE ANDERSONS WEED

AND FEED I

FEB 1 1995

United the Vederal Inscenside, Europeade, and Redestrate Act as aircraded, for the perturble registered under EPA Reg. No. 9198-49

ACTIVE INGREDIENTS

)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight __ Lbs.

Treats ___ Sq. Ft.

EPA Reg. No. 9198-49

EPA Est. 9100 OH-1

HOMEOWNER USE ONLY

NET WEIGHT LBS.

TREATS ___ SQ. FT.

THE ANDERSONS

WEED AND FEED I

GUARANTEED ANALYSIS

Total Nitrogen (N)

Available Phosphoric Acid (P205)

Soluble Potash (K20)

Primary Plant Foods Derived from:

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust and contamination of food and feedstuffs. Do not hand spread. Do not allow people (other than application) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

HOMEOWNER USE ONLY

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply to water. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

)

2, 4-D for control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. MCPP for control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed. For use on Turfs except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees. Control is slower if weather is cool. Application in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lb. per 100b sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

HOMEOWNER USE ONLY

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

SUGGESTED SPREADER SETTINGS

•

)

(AVAILABLE AT FINAL PRINTING)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

HOMEOWNER USE ONLY

The manufacturer's directions regarding use of this product are based upon tests believed to reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

> Manufactured by: The Andersons

> > Lawn Fertilizer Division

P.O. Box 119 Maumee, OH 43537

01/24/94 Date Printed:

Date Approved: Supersedes: Label Change:

7 4 12-

(FRONT PANEL)

COMMERCIAL USE ONLY

ACCEPTED with Charles of the Charles

THE ANDERSONS WEED

FEB 1 1995

AND FEED I

Forger on not the horse for the region of th

ACTIVE INGREDIENTS

| Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid | (| 0.76% |
|---|------|-------|
| 2,4-Dichlorophenoxyacetic Acid Equivalent 0 | .63% | |
| Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid | | 0.73% |
| 2-(2-methyl-4-chlorophenoxy) propionic acid Equivalent 0 | .60% | |
| INERT INGREDIENTS | 9 | 8.51% |
| TOTAL | 10 | 0.00% |

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight __ Lbs.

Treats ____ Sq. Ft.

EPA Reg. No. 9198-49

EPA Est. 9198-0H-1

9198-49C Page 2 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

NET WEIGHT LBS.

TREATS ___ SQ. FT.

THE ANDERSONS

WEED AND FEED I

GUARANTEED ANALYSIS

)

Total Nitrogen (N)

Available Phosphoric Acid (P2O5)

Soluble Potash (K2O)

Primary Plant Foods Derived from:

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust and contamination of food and feedstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

9198-49C Page 3 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

)

2, 4-D for control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. MCPP for control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed. For use on Turfs except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees. Control is slower if weather is cool. Application in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from neat, moisture or drought. Do not cover or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lb. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

COMMERCIAL USE ONLY

Most Cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Placement of the spreader on an impervious pad to contain spills will help prevent groundwater contamination.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

SUGGESTED SPREADER SETTINGS

(AVAILABLE AT FINAL PRINTING)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to tabel instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State or local authorities, by burning. If burned, stay cut of smoke.

9198-49C Page 5 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons

Lawn Fertilizer Division

P.O. Box 119 Maumee, OH 43537

Date Printed: 01/24/94

Date Approved: Supersedes: Label Change:

)