# (FRONT PANEL)

# THE ANDERSONS PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER

ACTIVE INGREDIENT:	
Siduron (1-(2-methylcyclohexyl)-3-pheny	lurea) 3.5%
INERT INGREDIENTS:	
	TOTAL 100.0%

# KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT \_\_\_ LBS.

TREATS \_\_\_\_\_ SQ. FT.

ACCEPTED
with COMMENTS
un EPA Letter Datest

EPA Reg. No. 9198-50

JAH - 3 600

EPA Est. 9198-OH-1

: ....

ne Act pesticide, ne Act pesticide regular under EPA Reg. Na. 9/98-50

## (BACK PANEL)

# NET WEIGHT \_\_ LBS.

TREATS \_\_\_\_\_ SQ. FT.

## THE ANDERSONS PRE-EMERGENT CRABGRASS KILLER

#### PLUS FERTILIZER

## **GUARANTEED ANALYSIS**

Total Nitrogen (N)	XX F
Available Phosphoric Acid (P205)	. XX
Soluble Potash (K20)	. XX
Primary Plant Food derived from:	

and wethods ip out of reach of children caution

Add Statent of practical Westernt TO HUMANS AND DOMESTIC ANIM.

Harmful if swallowed. ... iid contact with skin, eyes an thoroughly after using. Avoid breathing dust. Do not for irrigation or domestic purposes. Do not contaminate Lord, foodstuffs or ponds. Do not store seed, other fertilizers, insecticides or fungicides. Do not apply to vegetable cross

MENTAL HAZARDS

This product is to olympicate out of lakes, streams and ponds. Do not contaminate water pment or disposal of wastes. Drift of dust may cause in tible plants. BEST AVAILABLE COPY

. JNS FOR USE

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.

# WHEN TO APPLY

Apply prior to germination of weed grasses in the spring. Precise time of application for a specific area will vary due to climate and individual cultural practices. Generally, application during February or March will give best results. Control can be expected by applications up to the time that Forsythias bloom in fall. If in doubt, check with your Agricultural Extension Service. For newly seeded areas, apply as the last step before watering.

#### HOW TO APPLY

For best results, this product must be applied without skips or misses. Determine the correct amount for your lawn area. For freshly seeded grass apply at the rate of 2.6-3.3 pounds per 1,000 square feet. For established turf apply at 5.2-6.6 pounds per 1,000 square feet. The best results are obtained by using the two-step procedure at the recommended half rate settings. Apply half the required amount in one direction and the other half at right angles to the first application. This procedure will minimize the chances of color streaking and erratic crabgrass control. Use the suggested spreader settings as a guide, being sure to check the application rate at the start of each application. At lease ½ inch of water must be provided by rainfall or watering within 3 days of treatment in order to carry the chemical into the root zone of germinating needs.

### SUGGESTED SPREADER SETTINGS

(available at final printing)

Important: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

## STORAGE AND DISPOSAL

#### FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

## FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesiticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Frizironmental Control agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

### WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Anderson-

Lawn Fertilizer Division

P.O. Box 119

Maumee, OH 43537

9198-50 10/24/89