

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-50	2. EPA Product Manager Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Fertilizer with 3.5% Tupersan	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JAN 27 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of Alternate Brand Name per PR Notice 98-10 : Fortify Seed Starter plus Crabgrass Preventer with Tupersan Herbicide
 This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
<i>Certification must submitted</i>		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 16.5 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 334-262-2766
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Dawn L. Walters</i>	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 1/14/03	

Fortify

With Tupersan Herbicide

Seed Starter
Crabgrass Preventer 16·21·5

Covers 5,000
Square Feet

Fortify® Seed Starter *plus* Crabgrass Preventer with Tupersan® Herbicide

NOTIFICATION
JAN 27 2003

16 21 5

Essential for
plant growth
and a thick,
green lawn

To promote
root growth
and grass
multiplication

To help grass
resist the
elements and
stay strong

COVERS 5,000 SQUARE FEET

Contains Tupersan[®] for
Preemergent Control of
Crabgrass

For Thick, Green, Crabgrass-
Free Lawns

Extended Greening from
Controlled Release Nitrogen

KEEP OUT OF REACH OF CHILDREN CAUTION	
This Product is Restricted to Agricultural Use Only	
EPA Reg. No. 225-036-01	
EPA Est. No. 225-036-01-0001	
This Product is to be used only as directed on the label.	
ACTIVE INGREDIENTS	16.00%
Inert (N-P-K) Controlled Release Nitrogen	1.00%
OTHER INGREDIENTS	83.00%
TOTAL	100.00%

16.5 Lbs

Seed Starter
Crabgrass
Preventer

16·21·5

Covers 5,000
Square Feet
Seed Starter
Crabgrass Preventer 16·21·5
with Tupersan Herbicide

Fortify

Fortify. Seed Starter plus Crabgrass Preventer with Tupersan® Herbicide

16 21 5

Essential for
lawn growth
and a thick,
green lawn

To promote
root growth
and grass
multiplication

To help grass
resist the
elements and
stay strong

GUARANTEED ANALYSIS

Total Nitrogen (N)	16.00%
8.22% Ammoniacal Nitrogen	
7.78% Urea Nitrogen*	
Available Phosphate (P ₂ O ₅)	21.00%
Soluble Potash (K ₂ O)	5.00%
Sulfur (S)	1.00%
1.00% Free Sulfur (S)	

*Plant nutrients derived from ammoniacal phosphate, urea, potassium chloride and polymer coated sulfur coated urea.
*10% Slowly Available Nitrogen from Polymer Coated Sulfur Coated Urea Chloride (SCU) Nut.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info.com>.

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing 0.5 pounds of nitrogen per 1,000 square feet. Please consult your local extension office for questions regarding a regular fertilizer program.

KEEP OUT OF REACH OF CHILDREN CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Harmful if swallowed. Avoid contact with skin, eyes, and clothing. Wash thoroughly after using. Avoid breathing dust. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate feed, foodstuff, or ponds. Do not store near seed, other fertilizers, insecticides, or fungicides. Do not apply to vegetable crops.

FIRST AID

IF IN EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
IF SWALLOWED: No specific intervention is indicated as the compound is not likely to be hazardous by ingestion. However, consult a physician if necessary.
IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift of dust may cause injury to nearby susceptible plants.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WHEN TO APPLY

Apply prior to germination of weed grasses in the spring. Precise time of application for a specific area will vary due to climate and individual cultural practices. Generally, application during February or March will give best results. Control can be expected by applications up to the time that Forsythias bloom in Spring. If in doubt, check with your Agricultural Extension Service. For newly seeded areas, apply as the last step before watering.

HOW TO APPLY

For best results, this product must be applied without slope or mists. Determine the correct amount for your lawn area. For freshly seeded grass, apply at the rate of 3.9 pounds per 1,000 square feet. For established turf, apply at 6.6 pounds per 1,000 square feet. The best results are obtained by using the two-step procedure at the recommended half rate settings. Apply half the required amount in one direction and the other half at right angles to the first application. This procedure will minimize the chances of color streaking and erratic crabgrass control. Use the suggested spreader settings as a guide, being sure to check the application rate at the start of each application. At least 1/2 inch of water must be provided by rainfall or watering within 3 days of treatment in order to carry the chemical into the root zone of germinating weeds.

Storage & Disposal

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

SPREADER SETTINGS

Important: It is important to follow the directions as indicated so that injury will not occur to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to check spreader at the beginning of the application; adjust spreader if necessary.

To determine how much you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, etc.). One bag covers 5,000 sq. ft.

STANDARD SPREADER SETTINGS

(One Pass Application)
For best results, apply in a circular path starting on the outside and working toward the center (see Broadcast Spreader Path diagram at left). A fine strip of product will ensure complete coverage.

	3.9 Rate	6.6 Rate
Earthway 2400	11-12	13-14
Precision 8000	6-7	8-9
Republic EZ340/5400	2 1/2-3	3-4
Scotts SpeedGreen 803	4-5	5 1/2-6 1/2
Scotts EasyGreen 200	25-26	30-35
Scotts EdgeGuard	4-5	5 1/2-6 1/2


STEP SPREADER SETTINGS

(One Pass Application)
First apply 1/2 border stripe along the edge of each strip of the lawn (see Drop Spreader Path diagram at left). Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border stripe.

	3.9 Rate	6.6 Rate
Earthway 7350	4 1/2-5	7-8
Precision 7000	7-8	9-10
Republic EZ330/5300	5 1/2-6 1/2	7 1/2-8
Scotts PF4	4-5	6 1/2-7 1/2
Scotts Acculawn 400	4 1/2-5	6 1/2-7 1/2

Sweep (do not wash) all fertilizer materials from surfaces immediately after application because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

Manufactured by:
PIRELLA GÖTTSCHE LOWE
P. O. Box 110, Maumee, OH 43537



FRT16CPT1

Fortify is a registered trademark of The Andersons AgriScience, Inc.; Tupersan is a registered trademark of the Gowan Company

with Tupersan® Herbicide