

WEED AND FERTILIZER

20-3-9

Contains 2,4-D and MCPP

GUARANTEED ANALYSIS

Total Nitrogen (N) 28%
 0.6% Ammoniacal Nitrogen
 9.0% Water Insoluble Nitrogen
 27.4% Urea Nitrogen

Available Phosphoric Acid (P₂O₅) 3%

Soluble Potash (K₂O) 9%

Additional Plant Nutrients

Sulfur 1.0% Iron 0.5%
 Primary Plant Foods Derived from:
 Ammonium Phosphate, Muriate of Potash, Urea, and Ureaformaldehyde
 Potential Acidity Equivalent to 590 lbs. of Calcium Carbonate Per Ton
FREE FLOW FERTILIZER P.O. Box 119, Maumee, Ohio 43537

WEED CONTROL

2,4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed
 MCPP for Control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed.

For Use on Turfs except Desirable Clovers, Bent, St. Augustine, Inchonbra and Carpet Grass

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid breathing dust. Do not contaminate feed or foodstuffs. Do Not Hand Spread.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment, or disposal of wastes. Drift of dust or vapors may cause injury to nearby susceptible plants, such as vegetables, flowers, fruit trees and ornamentals.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

WHEN TO APPLY:

Use anytime weeds are actively growing and temperature is above 60°. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

HOW TO APPLY:

Apply evenly over entire lawn area at the rate of 3.6 lbs. per 1000 sq. ft. Use the suggested spreader settings as a guide, being sure to check your spreader at the beginning of the application. Area and condition of spreader will affect application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application.

SUGGESTED SPREADER SETTINGS

Central	5 1/2"
Cyclone	3 1/2"
Greenview	5 1/2"
Orho 3000	7-7 1/2"
Orho 4500	Not Recommended
Scotts Drop	4 1/2"
Scotts Broadcast	1 1/2"
Sears	7 1/2-8"

STORAGE AND DISPOSAL

Do not reuse container. Wrap container and put in trash collection. Do not store near seed, fertilizer, insecticides or fungicides.

WARRANTY STATEMENT

"Seller warrants that the material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with any directions provided with proper equipment in good working order and under normal conditions of use. Buyer assumes the risk of any contrary use. Seller makes no other express or implied warranty including the warranty of fitness for a particular purpose, and no agent of seller is authorized to do so except in written agreement with the seller. In no event shall seller's liability for any loss or damage exceed the purchase price of the material to which a claim is made."

9198-53

25

BEST DOCUMENT AVAILABLE