


(FRONT PANEL)

THE ANDERSONS  
WEED AND FEED III

28-3-9

Contains 2,4-D and MCPP

TREATS 5,000 Sq. Ft.



## ACTIVE INGREDIENT

\* Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid ..... 1.12%

\*\* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)  
Propionic Acid ..... 1.12%

INERT INGREDIENTS..... 97.76%

TOTAL 100.00%

\* Equivalent to 0.93% 2,4-Dichlorophenoxyacetic Acid

\*\* Equivalent to 0.93% 2-(2-Methyl-4-chlorophenoxy) Propionic Acid

KEEP OUT OF THE REACH OF CHILDREN


CAUTION

See Back Panel for Additional Precautions

Net Wt. 18 lbs.  
(8.2 Kg.)

EPA Reg. No. 9198-53

EPA Est. 9198-OH-1



294

(BACK PANEL)

THE ANDERSONS

WEED AND FEED III

28-3-9

Contains 2,4-D and MCPP

GUARANTEED ANALYSIS

Total Nitrogen (N)..... 28%

0.6% Ammonical Nitrogen  
5.0% Water Insoluble Nitrogen  
22.4% Urea Nitrogen

Available Phosphoric Acid (P2O5)..... 3%

Soluble Potash (K2O)..... 9%

Primary Plant Foods Derived From: Ammonium Phosphate, Muriate of Potash, Urea, and Ureaformaldehyde

Potential Acidity Equivalent to 500 lbs. of Calcium Carbonate Per Ton.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

CAUTION

Harmful if swallowed. Avoid contact with skin eyes and clothing. Wash thoroughly after using. Avoid breathing dust. Do not contaminate feed or foodstuffs. DO NOT HAND SPREAD.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by disposing of equipment washings. Drift of dust or vapors may cause injury to nearby susceptible plants, such as vegetables, flowers, fruit trees and ornamentals.

## WEED CONTROL

2,4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed.

MCPP for Control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed.

For Use on Turfs Except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


### WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

### HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lbs. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader settings at the beginning of the application. Age and condition of spreader will affect application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application.



## SPREADER SETTINGS

(AVAILABLE AT FINAL PRINTING)

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

## WARRANTY

MANUFACTURER Warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

:9198-53  
3-10-88

