



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION
dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7
EPA Reg. No.: SEE ATTACHED 9198-54

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures

BEST COPY AVAILABLE



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93

Original Submissions

- WEED N' FEED 10-6-4 - 9198-8
- FRANK S GARDEN KING WEED AND FEED - 9198-16
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30
- TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
- TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
- TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
- TURF-CARE DURSBAN 2.5G - 9198-39
- TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45
- ANDERSONS WEED AND FEED - 9198-46
- ANDERSONS WEED KILLER - 9198-47
- ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
- ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
- ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50
- ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51
- ANDERSONS CRABGRASS PREVENTER - 9198-52
- ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
- ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
- ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
- PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
- PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
- PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
- PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
- EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
- TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
- TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
- LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
- LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
- LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
- K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
- THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
- GREEN THUMB-WEED AND FEED 12-3-5 - 9198-70
- CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
- CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
- TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
- TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
- TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
- TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
- TEE TIME 25-3-8 PLUS TEAM - 9198-79
- TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
- TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
- TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

BEST COPY AVAILABLE

- TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
- TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84
- TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85
- ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
- ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
- TEE TIME 25-3-8 PLUS TEAM - 9198-91
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS
- 9198-92
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS
- 9198-93
- TEE TIME 20-4-10 PLUS TEAM - 9198-94
- TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98
- TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99
- TEE TIME INSECTICIDE WITH DYLOX - 9198-100
- TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

ACCEPTED
with COMMENTS
In EPA Letter Dated

JUN 30 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9198-54

9198-54
Page 1 of 4

(FRONT PANEL)

NET WEIGHT ___ LBS.

TREATS ___ SQ. FT.

THE ANDERSONS

WEED AND FEED II

28-3-9

ACTIVE INGREDIENT

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	0.84%
2,4-Dichlorophenoxyacetic Acid Equivalent:	0.70%
Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) Propionic Acid	0.81%
2-(2-methyl-4-chlorophenoxy) propionic acid Equivalent: ...	0.67%
INERT INGREDIENTS.....	98.35%
TOTAL	100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight ___ Lbs.

Treats ___ Sq. Ft.

(BACK PANEL)

NET WEIGHT __ LBS.

TREATS __ SQ. FT.

THE ANDERSONS

WEED AND FEED II

28-3-9

GUARANTEED ANALYSIS

Total Nitrogen (N).....	28%
Available Phosphoric Acid (P O).....	3%
Soluble Potash (K O).....	9%

Primary Plant Foods Derived From: Ammonium Phosphate, Muriate of Potash, Urea, and Ureaformaldehyde

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust and contamination of food and feedstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants *should be "turf"* being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

2, 4-D for control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. MCPP for control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed. For use on Turfs except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees. Control is slower if weather is cool. Application in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lb. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

Most Cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Placement of the spreader on an impervious pad to contain spills will help prevent groundwater contamination.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately.

SPREADER SETTINGS

(AVAILABLE AT FINAL PRINTING)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage or disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact you State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY

MANUFACTURER Warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons
Lawn Fertilizer Division
P.O. Box 119
Maumee, OH 43537

Date Printed: 11/26/93
Date Approved:
Supersedes:
Label Change:



**COMPANY
NUMBER** _____

9198

**PRODUCT
SERIAL NO.** _____

53

**LABEL
APPROVAL
DATE** _____

6-30-94



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION
dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7
EPA Reg. No.: SEE ATTACHED 9198-53


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures

BEST COPY AVAILABLE



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93

Original Submissions

- WEED N' FEED 10-6-4 - 9198-8
- FRANK S GARDEN KING WEED AND FEED - 9198-16
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30
- TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
- TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
- TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
- TURF-CARE DURSBAN 2.5G - 9198-39
- TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45
- ANDERSONS WEED AND FEED - 9198-46
- ANDERSONS WEED KILLER - 9198-47
- ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
- ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
- ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50
- ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51
- ANDERSONS CRABGRASS PREVENTER - 9198-52
- ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
- ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
- ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
- PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
- PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
- PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
- PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
- EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
- TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
- TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
- LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
- LOFTS CRABGRASS PREVENTER WITH TUPERAN - 9198-65
- LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
- K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
- THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
- GREEN THUMB WEED AND FEED 12-3-5 - 9198-70
- CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
- CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
- TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
- TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
- TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
- TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
- TEE TIME 25-3-8 PLUS TEAM - 9198-79
- TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
- TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
- TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

BEST COPY AVAILABLE

- TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
- TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84
- TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85
- ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
- ANDERSON'S TEE TIME WITH 1.5% OPTANOL - 9198-88
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
- TEE TIME 25-3-8 PLUS TEAM - 9198-91
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS
- 9198-92
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS
- 9198-93
- TEE TIME 20-4-10 PLUS TEAM - 9198-94
- TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98
- TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99
- TEE TIME INSECTICIDE WITH DYLOX - 9198-100
- TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

5.79

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 30 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9198-53

9198-53
Page 1 of 5

(FRONT PANEL)

NET WEIGHT ___ LBS.

TREATS ___ SQ. FT.

THE ANDERSONS

WEED AND FEED III

28-3-9

ACTIVE INGREDIENT

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 1.12%

2,4-Dichlorophenoxyacetic Acid Equivalent: 0.93%

Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)
Propionic Acid 1.12%

2-(2-methyl-4-chlorophenoxy) propionic acid Equivalent: ... 0.93%

INERT INGREDIENTS..... 97.76%

TOTAL 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight ___ lbs.

Treats ___ Sq. Ft.

5

(BACK PANEL)

NET WEIGHT __ LBS.

TREATS __ SQ. FT.

THE ANDERSONS

WEED AND FEED III

28-3-9

GUARANTEED ANALYSIS

Total Nitrogen (N).....	28%
Available Phosphoric Acid (P2O5).....	3%
Soluble Potash (K2O).....	9%

Primary Plant Foods Derived From: Ammonium Phosphate, Muriate of Potash, Urea, and Ureaformaldehyde

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust and contamination of food and feedstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants ^{should be "turf"} being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

2, 4-D for control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. MCPP for control of Common Chickweed, Mouse-ear Chickweed, Red Clover, White Clover, Ground Ivy, Stitchwort and Knotweed. For use on Turfs except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees. Control is slower if weather is cool. Application in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not cover or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lb. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

Most Cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Placement of the spreader on an impervious pad to contain spills will help prevent groundwater contamination.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately.

SPREADER SETTINGS

(AVAILABLE AT FINAL PRINTING)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage or disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact you State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY

MANUFACTURER Warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons
Lawn Fertilizer Division
P.O. Box 119
Maumee, OH 43537

Date Printed: 11/24/93
Date Approved:
Supersedes:
Label Change: