



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION
dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7
EPA Reg. No.: SEE ATTACHED 9/98-58


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures

BEST COPY AVAILABLE



Recycled/Recyclable
Printed with Soy/Candela Ink on paper that
contains at least 50% recycled fiber

1089

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93

Original Submissions

- WEED N' FEED 10-6-4 - 9198-8
- FRANK S GARDEN KING WEED AND FEED - 9198-16
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30
- TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
- TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
- TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
- TURF-CARE DURSBAN 2.5G - 9198-39
- TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45
- ANDERSONS WEED AND FEED - 9198-46
- ANDERSONS WEED KILLER - 9198-47
- ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
- ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
- ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50
- ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51
- ANDERSONS CRABGRASS PREVENTER - 9198-52
- ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
- ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
- ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
- PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
- PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
- PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
- PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
- EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
- TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
- TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
- LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
- LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
- LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
- K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
- THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
- GREEN THUMB WEED AND FEED 12-3-5 - 9198-70
- CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
- CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
- TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
- TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
- TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
- TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
- TEE TIME 25-3-8 PLUS TEAM - 9198-79
- TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
- TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
- TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

- TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
- TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84
- TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85
- ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
- ANDERSON'S TEE TIME WITH 1.5% OPTANOL - 9198-88
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
- TEE TIME 25-3-8 PLUS TEAM - 9198-91
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS
- 9198-92
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS
- 9198-93
- TEE TIME 20-4-10 PLUS TEAM - 9198-94
- TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98
- TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99
- TEE TIME INSECTICIDE WITH DYLOX - 9198-100
- TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

ACCEPTED
with COMMENTS
in EPA Letter Dated

9198-58
Page 1 of 5

JUN 30 1987

(FRONT PANEL)

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

23 Lbs. Net Wt.

9198-58

PELTECH

BENEFIN CONCENTRATE 20

23-0-0

ACTIVE INGREDIENT

N-butyl-N-ethyl-alpha,alpha,alpha,-trifluoro - 2,6-dinitro-p-toluidine	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 23 LBS. (10.4 kg)

EPA Reg. No. 9198-58

EPA Est. No. 9198-OH-1

(BACK PANEL)

NET WEIGHT 23 LBS. (10.4 kg)

PELTECH

BENEFIN CONCENTRATE 20

23-0-0

GUARANTEED ANALYSIS

Total Nitrogen (N)	23%
23% Urea Nitrogen	

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid breathing of dust or spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. Harmful if swallowed. May be absorbed through skin.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply where runoff is likely to occur. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters. Use with care when applying in areas adjacent to any body of water. Do not apply when weather condition favor drift or runoff from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on ~~plants~~ ^{tree} being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For use on: Established turfs listed below which are tolerant to the herbicide in this product when applied as directed.

- | | |
|---------------------------------|--------------------|
| Bluegrass (perennial) | Bermudagrass |
| Ryegrass (perennial) | Centipedegrass |
| Fescue (except the fine-leaved) | St. Augustinegrass |
| Bahiagrass | Zoysiagrass |

WHEN TO APPLY

Apply to established turf before germination of annual weeds listed below. The general times of application are covered below. The precise time of application for a specific area will vary significantly because of climate and individual cultural practices. Consult State Agricultural Experiment Station Weed Specialists or Local Turf Authorities for any additional information regarding specific weed germination dates in your area.

APPLICATION DIRECTIONS

Application Equipment

Pel-Tech Benefin Concentrate is to be mixed with water and applied as spray. Allow Peltech Benefin Concentrate pellets to dissolve for 30 minutes prior to pumping solution through any restricted opening or strainer. Apply in 100 to 250 gallons of water per acre (Broadcast basis) using any properly calibrated spray unit. This product requires continuous agitation to avoid settling out of suspension. Mechanical agitation is the recommended method. If fluid recirculation is used for agitation it must be vigorous enough at times to allow for proper distribution; consult an Andersons Lawn Fertilizer sales representative before using this product in such a system to ensure good results.

COMPATIBILITY

Do not use Peltech Benefin Concentrate in solutions containing oil-based pesticides or spreader/sticker agents.

Weeds Controlled

Pel-Tech Benefin Concentrate controls Poa annua (Annual Blue Grass), smooth crabgrass, hairy crabgrass, goosegrass (Silver Crabgrass or Crowfoot), water grass (Barnyardgrass), yellow and green Foxtail. It will not control established weeds.

Application Rates

Southern (warm season) Grasses

1. For pre-emergence control of annual bluegrass (*Poa annua*), apply in late summer to early fall, prior to annual bluegrass seed germination. Additional applications at the same rate can be made 4 to 6 months later in early spring, prior to soil warming and subsequent germination, in areas heavily infested in thin turf areas.
2. For pre-emergence control of crabgrass, foxtail, barnyardgrass and goosegrass, apply in late winter or early spring prior to annual weed grass germination. A second application may be made 4 to 6 months after initial treatment for continued control of annual weeds which may germinate into the summer or early fall.

AMOUNT TO APPLY: Use .34 lbs. per 1000 sq. ft. or 15 lbs. per acre (equivalent to 3 lbs. of benefin per acre). Mix with sufficient water for adequate coverage.

Northern (cool season) Grasses

1. For pre-emergence control of annual bluegrass (*Poa annua*), apply in late summer to early fall (mid-July to mid-September), or in early spring prior to annual bluegrass germination.
2. For pre-emergence control of crabgrass, foxtail, barnyardgrass and goosegrass, apply in early spring prior to annual weed grass germination.

AMOUNT TO APPLY: Use .23 lbs. per 1000 sq. ft. or 10 lbs. per acre (equivalent to 2 lbs. of benefin per acre). Mix with sufficient water for adequate coverage.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions For Use. EXCEPT SO AS WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured by:

THE ANDERSONS
LAWN FERTILIZER DIVISION
P.O. BOX 119
MAUMEE, OH 43537

Date Printed: 11/26/93
Date Approved:
Supersedes:
Label Change: