



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.  
THE ANDERSONS LAWN FERTILIZER DIVISION  
dba/FREE FLOW FERTILIZER  
P. O. Box 119  
Maumee, OH 43537

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7  
EPA Reg. No.: SEE ATTACHED 9198-60


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

  
James Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Enclosures

**BEST COPY AVAILABLE**



Recycled/Recyclable  
Printed with Soy/Canola Ink on paper that  
contains at least 50% recycled fiber

THE ANDERSONS LAWN FERTILIZER DIVISION  
9198 11/22/93

Original Submissions

- WEED N' FEED 10-6-4 - 9198-8
- FRANK S GARDEN KING WEED AND FEED - 9198-16
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30
- TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
- TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
- TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
- TURF-CARE DURSBAN 2.5G - 9198-39
- TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45
- ANDERSONS WEED AND FEED - 9198-46
- ANDERSONS WEED KILLER - 9198-47
- ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
- ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
- ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50
- ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51
- ANDERSONS CRABGRASS PREVENTER - 9198-52
- ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
- ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
- ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
- PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
- PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
- PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
- PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
- EASY WEEDEE FLOWER AND GARDEN WEED PREVENTER - 9198-60
- TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
- TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
- LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
- LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
- LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
- K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
- THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
- GREEN THUMB WEED AND FEED 12-3-5 - 9198-70
- CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
- CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
- TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
- TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
- TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
- TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
- TEE TIME 25-3-8 PLUS TEAM - 9198-79
- TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
- TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
- TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

BEST COPY AVAILABLE

- TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
- TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84
- TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85
- ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
- ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
- TEE TIME 25-3-8 PLUS TEAM - 9198-91
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS  
- 9198-92
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS  
- 9198-93
- TEE TIME 20-4-10 PLUS TEAM - 9198-94
- TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98
- TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99
- TEE TIME INSECTICIDE WITH DYLOX - 9198-100
- TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION  
9198 11/22/93  
Original Submissions

Exclusionary Statement should be corrected to read: "Not for  
use on turf being grown for sale....."

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

9198-60  
Page 1 of 5

JUN 30 1994  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
9198-60

(FRONT PANEL)

EASY WEEDER

FLOWER AND GARDEN WEED PREVENTER

ACTIVE INGREDIENT:

Trifluralin:alpha, alpha, alpha-trifluoro-1, 6-dinitro-N, N-dipropyl-o-toluidine. . . . .	1.47%
--	-------

INERT INGREDIENTS: . . . . .	98.53%
------------------------------	--------

TOTAL	100.00%
-------	---------

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_ LBS.

TREATS \_\_\_\_\_ SQ. FT.

EPA Reg. No. 9198-60

EPA Est. 9198-OH-1

5

(BACK PANEL)

NET WEIGHT \_\_ LBS.

TREATS \_\_\_\_\_ SQ. FT.

**EASY WEEDER**

**FLOWER AND GARDEN WEED PREVENTER**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of contact with skin or eyes, flush with water.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, or marshes). Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by disposing of equipment washings.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

**EASY WEEDER PREVENTS THE FOLLOWING WEEDS:**

Annual Grassy Weeds: Annual Bluegrass, Barnyard Grass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Foxtail, Goosegrass, Johnsongrass (from seed), Junglerice, Sandbur, Stinkgrass, Sprangletop, Texas Panicum, Wildcane.

Annual Broadleaf Weeds: Carelessweed, Carpetweed, Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kocchia, Lambsquarter, Pigweed (Spiney and Redroot), Purslane, Russian Thistle, Stinging Nettle.

**USE EASY WEEDER AS DIRECTED FOR THE FOLLOWING:**

**Vegetables from Seed:** cantaloupes, cucumbers, carrots, okra, southern or cow peas, field peas, black-eyed peas, lima beans, snap beans.

**Vegetables before Transplanting:** (2-3" Tall) broccoli, brussel sprouts, cabbage, cauliflower, peppers, tomatoes.

**Vegetables after Transplanting:** (2-3" Tall) Irish potatoes

**Lettuce:** use after transplanting or once plants have emerged and are 2-3 weeks old.

**Established Flowers:** (2-3" Tall) Achillea, African Daisy, Ageratum, Arcototis, Aster (Perennial), Balsam, Blackeyed Susan, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Coreopsis, Cornflower, Cosmos, Dahlia, Dianthus, Dimorphetheca, Dusty Miller, Floss Flower, Forget-Me-Not, Four O'Clock, Gaillardia, Gladiolus (Corms at least 1" diameter), Hollyhock, Impatiens, Ixora (Coccinea), Lobelia, Lupines, Marigold, Morning Glory, Nasturtium, Nicotania, Periwinkle, Petunia, Phlox, Portulaca, Rudbeckia, Rose, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Stocks, Snow On The Mountain, Sunflower, Sweet Alyssum, Sweet Pea, Sweet William, Vinca, Yarrow, Zinnia.

**Groundcovers:** Aaronsbeard, Asparagus Fern, Bellflower (Adriatic), Bellflower (Poscharsky), Bigblue Lilyturf, Ceanothus, Coreopsis, Cotoneaster, Coyote Brush, Crown Vetch, Daisy Trailing African, Gazania, Germander, Largeleaf Ice Plant, Ivy (Algerian), Ivy (English), Lily-of-the-Nile, Marigold, Myoporum, Plumbago (Dwarf), Rockrose, Rosemary, Rupturewort, Snow-in-Summer, Speedwell, St. Johnswort, Stonecrop (Sedum), Strawberry (Beach), Thrift, Verbena, Wirevine (Creeping), Yarrow (Woolly), Zoysiagrass


**Shrubs and Trees:** Use around most common varieties for season-long weed prevention.

**When to Apply:** Early application is best for easy weed control all season long. Or, apply any time around shrubs, trees and established plants. Before sowing listed vegetables by seed, apply product no earlier than 10 weeks prior to planting.


**Use spreader in garden beds only.** Do not use Easy Weeder Flower and Garden Weed Preventer on lawns. Never use when planting seed except for the vegetables listed. Do not use with flower seeds.

**How to Apply:** Since Easy Weeder works by preventing weed seed germination, existing weeds must be removed before applying. Avoid over-application to prevent carryover problems with sensitive plants the following season. Do not use in enclosed areas.

Established Plants, at lease 2-3" Tall: Flowers, listed vegetables, ornamentals and trees: sprinkle on soil surface (wearing gloves or with a spreader) to match Example A (this is 1 oz. per 10 sq. ft.)



Before Planting: Prior to transplanting 2-3" listed flowers, or less than 10 weeks prior to planting vegetable seed: apply in medium soil to match Example B and mix in (this equals 1 oz. per 60 sq. ft.) Mix into soil with rake or roto-tiller 1-3" deep. Place transplant. Do not apply after transplanting, except on Irish potatoes. (See chart below for light [sandy] or heavy [clay] soil.)



Application Rates for Mixing into Soil:

Soil Texture Rates*	Light (Sandy)	Medium	Heavy (Clay)
Use 1 ounce per	80 sq. ft.	60 sq. ft.	40 sq. ft.
Or 1 cup per	1,280 sq. ft.	960 sq. ft.	640 sq. ft.

\*1 cup (tightly packed) equals 1/2 pound.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. Do not store near seed or products used on turf. Avoid prolonged exposure to sunlight before use. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Discard container in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. Do not store near seed or products used on turf. Avoid prolonged exposure to sunlight before use. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured By:

FREE FLOW FERTILIZER  
P. O. BOX 119  
MAUMEE, OH 43537

Date Printed: 11/26/93  
Date Approved:  
Supersedes:  
Label Change: