

PM 23

9198-60

15

9198-60H  
Page 1 of 5

(FRONT PANEL)

HOMEOWNER USE ONLY

EASY WEEDER

FLOWER AND GARDEN WEED PREVENTER

- Stop weeds as they sprout
- For season long weed control around your flowers, vegetables, roses, trees, shrubs and groundcovers
- Easy top-dispensing canister
- Stops weeds as they start for larger, stronger and healthier plants

#1  
#2

ACTIVE INGREDIENT:

Trifluralin: alpha, alpha, alpha-trifluoro-2, 6-dinitro-N, N-dipropyl-o-toluidine. . . . . 1.47%

INERT INGREDIENTS. . . . . 98.53%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_\_ LBS.

TREATS A MINIMUM \_\_\_ SQ. FT.

EPA Reg. No. 9198-60

**ACCEPTED**

JAN 27 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9198-60

EPA Est. 9198-QH-1

2/5

9198-60H  
Page 2 of 5

(BACK PANEL)

HOMEOWNER USE ONLY

NET WEIGHT \_\_\_ LBS.

TREATS A MINIMUM OF \_\_\_\_\_ SQ. FT.

EASY WEEDER

FLOWER AND GARDEN WEED PREVENTER

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of contact with skin or eyes, flush with water.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by disposing of equipment washings.

**What Easy Weeder Does:**

Easy Weeder prevents many broadleaf and grassy weeds from becoming started around listed flowers, vegetables, roses, trees, shrubs and ground covers. It provides all-season weed control, eliminating difficult and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger, and healthier. Do not apply to Aiuqa, Myrtle or Pachysandra as injury may result.

**Easy Weeder Prevents the Following Weeds:**

Annual Bluegrass, Barnyard Grass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Foxtail, Goosegrass, Johnsongrass (from seed), Junglerice, Sandbur, Stinkgrass, Sprangletop, Texas Panicum, Wildcane. Also controls these broadleaf weeds: Carelessweed, Carpetweed, Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kocchia, Lambsquarter, Pigweed (Spirley and Redroot), Purslane, Russian Thistle, Stinging Nettle.

(BACK PANEL)

HOMEOWNER USE ONLY

Easy Weeder is Recommended for These Established Flowers, Shrubs, Trees, and Ground Covers:

Flowers - Achillea, African Daisy, Ageratum, Arcototis, Aster (Perennial), Balsam, Black-eyed Susan, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Coreopsis, Comflower, Cosmos, Daffodils, Dahlia, Dianthus, Dimorphetheca, Dusty Miller, Floss Flower, Forget-Me-Not, Four O'Clock, Gaillardia, Gladiolus (Corms at least 1" diameter), Hollyhock, Impatiens, Ixora (Coccinea), Lobelia, Lupines, Marigold, Morning Glory, Nasturtium, Nicotania, Periwinkle, Petunia, Phlox, Portulaca, Rose, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Snow On The Mountain, Stock, Sunflower, Sweet Alyssum, Sweet Pea, Sweet William, Tulips, Vinca, Yarrow, Zinnia.

Shrubs - American Arborvitae, American Cherry Laurel, Azalea, Barberry, Boxwood, Camellia, Cinquefoil, Common Lilac, Cotoneaster, Deutzia, Elaeagnus, Euonymus, Forsythia, Holly, Honeysuckle, India, Hawthorn, Juniper, Mock-Orange, Mountain Laurel, Pieris Japonica, Pineapple Guava, Privet, Pyracantha, Rhododendron, Robira, Sakaki, Spiraea, Viburnum, Weigela Bristol Ruby, Willow, Yew

Trees - Apple, Bald Cypress, Balsam Fir, Black Gum, Black Locust, Black Walnut, Canada Hemlock, Chinese Chestnut, Cottonwood, Dogwood Flowering, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane-Tree, Maple, Oak, Pine, Redbud, Spruce, Colorado Blue Spruce, Stone-Fruits, Sweetgum, Sycamore, Tuliptree, White Ash.

Groundcovers - Aaronsbeard, Asparagus Fern, Bellflower (Adriatic), Bellflower (Poscharsky), Bigblue Lilyturf, Bunge, California Ivy, Ceanothus, Coreopsis, Cotoneaster, Crown Vetch, Daisy Trailing African, Dwarf Coyote Brush, Dwarf Peter Pan, Gazania, Germander, Largeleaf Ice Plant, Ivy (Algerian), Ivy (English), Lily-of-the-Nile, Marigold, Mascarene grass, Myoporum, Plumbago (Dwarf), Rockrose, Rose of Sharon, Rosemary, Rupturewort, Snow-in-Summer, Speedwell, St. Johnswort, Stonecrop (Sedum), Strawberry (Beach), Thrift-Sea-Pink, Tickseed, Verbena, Wirevine (Creeping), Yarrow (Woolly), Zoysiagrass

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

\*4 Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf course or lawns.

When to Apply Easy Weeder in Home Gardens:

Early application is best for easy weed control all season long. Or, apply any time around shrubs, trees and established plants. Before sowing listed vegetables by seed, apply product no earlier than 10 weeks prior to planting.

Use spreader in garden beds only. Do not use Easy Weeder Flower and Garden Weed Preventer on lawns. Never use when planting seed except for the vegetables listed. Do not use with flower seeds.


(BACK PANEL)

HOMEOWNER USE ONLY


**How to Apply Easy Weeder:**

Since Easy Weeder works by preventing weed seed germination, existing weeds must be removed before applying. Avoid over-application to prevent carryover problems with sensitive plants the following season. Do not use in enclosed areas such as greenhouses.

**For Established Plant Application:** Flowers, listed vegetables, ornamentals and trees: sprinkle on soil surface (wearing gloves or with a spreader) to match Example A (this is 1 oz. per 10 sq. ft.) For best results, lightly water into soil after application.



**For Pre-Planting Application:** Prior to transplanting 2-3" listed flowers, or, less than 10 weeks prior to planting vegetable seed; apply in medium soil to match Example B and mix in (this equals 1 oz. per 60 sq. ft.) Mix into soil with rake or roto-tiller 1-3" deep.



#3 **Transplant.** Do not apply after transplanting, except on Irish potatoes. (See chart below for light [sandy] or heavy [clay] soil.)

Application Rates for Mixing into Soil:			
Soil Texture Rates*	Light (Sandy)	Medium	Heavy (Clay)
Use 1 weight ounce (1/4 cup) per	80 sq. ft.	60 sq. ft.	40 sq. ft.
Or 1 lb.(4 cups)per	1,280 sq. ft.	960 sq. ft.	640 sq. ft.

\*1 cup (tightly packed) equals 1/4 pound.

**For Use In Home Vegetable Gardens**

**(1) From Seed:** Carrots, Celery, Okra, Southern or Cow Peas, Field Peas, Black-Eyed Peas, Green Peas, Lima Beans, Snap Beans, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Turnip Greens, Mustard Greens, Collard, Kale. Treat prior to seeding.

**(2) Post Emergent:** Cantaloupe, Cucumber, Watermelon. Apply after plants are in 3 to 4 true leaf stage.

**(3) Asparagus:** Established only. Apply after ferns are removed, but prior to spear emergence.

**(4) Before Transplanting:** Celery, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes. Make application to prepared soil and incorporate into soil prior to transplanting.

5/5

(BACK PANEL)

HOMEOWNER USE ONLY

(5) Potato (except Maine): May be applied after planting, before emergence or after emergence. Use care not to damage seed pieces in cultivating, nor to allow treated soil to contact emerged plant foliage.

In all cases, cultivate the Easy Weed 'n Green into the soil after application, using care not to damage emerged crops.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured By: Free Flow Fertilizer  
P. O. Box 119  
Maumee, OH 43537

Date Printed: 11/25/96  
Date Approved:  
Supersedes: 04/06/95  
Label Change:

