

PM 23

9198-60

11-30-99

10/13



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:

9198-60

Date of Issuance:

NOV 30 1999

NOTICE OF PESTICIDE:
____ Registration
 X Reregistration

Term of Issuance:

Unconditional

Name of Pesticide Product:

Easy Weeder Flower and
Garden Weed Preventer

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

The Andersons, Inc.
P.O. Box 119
Maumee, OH 43537

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Trifluralin Reregistration Eligibility Decision (RED) document, EPA has reregistered the product listed above. The following revisions must be incorporated into the labeling before the product is released for shipment:

1. On the Commercial label **only**, delete the redundant user safety recommendations from the paragraph under Hazards to Humans and Domestic Animals ("Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.")
2. On the Commercial label **only**, move the "User Safety Requirements" section to a position immediately below the PPE section.
3. On **both** the Commercial and Homeowner labels, correct the second sentence of the ocular First Aid statement to read as follows: "Remove contact lenses, if present, after the first 5 minutes, then continue rinsing."

Signature of Approving Official:

Date:

NOV 30 1999

Page 2
 EPA Reg. No. 9198-60

4. On **both** the Commercial and Homeowner labels, insert the word "and" into the first sentence of the Environmental Hazards section so that it reads: "This pesticide is extremely toxic to freshwater marine and estuarine fish and aquatic invertebrates including shrimp and oyster."

Enclosed are copies of your labels (Commercial and Homeowner) stamped "Accepted with Comments". This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain registration of your product.

Joanne I. Miller
 Product Manager (23)
 Herbicide Branch
 Registration Division (7505C)

Enclosures

RD:STANTON:PM Team 23:Rm. 239:CM-2:305-5218:Disk #11:9198-60.rrc

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	S. Stanton							
DATE ▶	Nov 30, 1999							

(FRONT PANEL)
COMMERCIAL USE ONLY
(for internal use only, will not appear on final label)

EASY WEEDER FLOWER AND GARDEN WEED PREVENTER

- Stop weeds as they sprout
- For season long weed control around your flowers vegetables, roses, trees, shrubs and groundcovers,
- Stops weeds as they start for larger, stronger and healthier plants
- For all season weed control in perennial & annual flower beds, in mulch beds, around shrubs & trees, in flowering bulb gardens, in vegetable gardens
- For use around flowers, vegetables, trees and shrubs

ACTIVE INGREDIENT:

Trifluralin 1.47%

INERT INGREDIENTS 98.53%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

HERBICIDE


NET WEIGHT __ LBS.

TREATS A MINIMUM ____ SQ. FT.

EPA Reg. No. 9198-60
EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter used is first letter in run code

**ACCEPTED
with COMMENTS
In EPA Letter Dated
NOV 30 1999**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9198-60**



(BACK PANEL)
COMMERCIAL USE ONLY
(for internal use only, will not appear on final label)

NET WEIGHT ___ LBS.
TREATS A MINIMUM OF _____ SQ. FT.

EASY WEEDER FLOWER AND GARDEN WEED PREVENTER

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Socks and shoes
- Goggles or face shield

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 15 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
-------------	---

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water by disposing of equipment, washwaters.

(BACK PANEL)
COMMERCIAL USE ONLY
(for internal use only, will not appear on final label)

GENERAL INFORMATION

What Easy Weeder Does:

Easy Weeder prevents many broadleaf and grassy weeds from becoming started (or germinating) around listed flowers, vegetables, roses, trees, shrubs and ground covers. It provides all-season weed control, eliminating difficult and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger, and healthier. Do not apply to Ajuga, Myrtle or Pachysandra as injury may result.

Easy Weeder Prevents the Following Weeds (From Germinating):

{Grassy Weeds:} Annual Bluegrass, Barnyard Grass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Foxtail, Goosegrass, Johnsongrass (from seed). Junglerice, Sandbur, Stinkgrass, Sprangletop, Texas Panicum, Wildcane. Also controls these broadleaf weeds or {Broadleaf Weeds:}: Carelessweed, Carpetweed, Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kocchia, Lambsquarter, Pigweed (Spiny and Redroot), Purslane, Russian Thistle, Stinging Nettle.

Easy Weeder is Recommended for (Use Around) These Established Flowers, Shrubs, Trees, and Ground Covers:

Flowers - Achillea, African Daisy, Ageratum, Arcototis, Aster (Perennial), Balsam, Black-eyed Susan, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Coreopsis, Cornflower, Cosmos, Daffodils, Dahlia, Dianthus, Dimorpheteca, Dusty Miller, Floss Flower, Forget-Me-Not, Four O'Clock, Gaillardia, Gladiolus (Corms at least 1" diameter), Hollyhock, Impatiens, Ixora (Coccinea), Lobelia, Lupines, Marigold, Morning Glory, Nasturtium, Nicotania, Periwinkle, Petunia, Phlox, Portulaca, Rose, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Snow On The Mountain, Stock, Sunflower, Sweet Alyssum, Sweet Pea, Sweet William, Tulips, Vinca, Yarrow, Zinnia.

Shrubs - American Arborvitae, American Cherry Laurel, Azalea, Barberry, Boxwood, Camellia, Cinquefoil, Common Lilac, Cotoneaster, Deutzia, Elaeagnus, Euonymus, Forsythia, Holly, Honeysuckle, India, Hawthorn, Juniper, Mock-Orange, Mountain Laurel, Pieris Japonica, Pineapple Guava, Privet, Pyracantha, Rhododendron, Robira, Sakaki, Spiraea, Viburnum, Weigela Bristol Ruby, Willow, Yew


Trees - Apple, Bald Cypress, Balsam Fir, Black Gum, Black Locust, Black Walnut, Canada Hemlock, Chinese Chestnut, Cottonwood, Dogwood Flowering, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane-Tree, Maple, Oak, Pine, Redbud, Spruce, Colorado Blue Spruce, Stone-Fruits, Sweetgum, Sycamore, Tuliptree, White Ash.

Groundcovers - Aaronsbeard, Asparagus Fern, Bellflower (Adriatic), Bellflower (Poscharsky), Bigblue Lilyturf, Bunge, California Ivy, Ceanothus, Coreopsis, Cotoneaster, Crown Vetch, Daisy Trailing African, Dwarf Coyote Brush, Dwarf Peter Pan, Gazania, Germander, Largeleaf Ice Plant, Ivy (Algerian), Ivy (English), Lily-of-the-Nile, Marigold, Mascarene grass, Myoporum, Plumbago (Dwarf), Rockrose, Rose of Sharon, Rosemary, Rupturewort, Snow-in-Summer, Speedwell, St. Johnswort, Stonecrop (Sedum), Strawberry (Beach), Thrift-Sea-Pink, Tickseed, Verbena, Wirevine (Creeping), Yarrow (Woolly), Zoysia grass

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf course or lawns.



(BACK PANEL)
COMMERCIAL USE ONLY
(for internal use only, will not appear on final label)

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Use spreader in garden beds only. Do not use Easy Weeder Flower and Garden Weed Preventer on lawns. Never use when planting seed except for the vegetables listed. Do not use with flower seeds.

When to Apply Easy Weeder:

Early application is best for easy weed control all season long. Or, apply any time around shrubs, trees and established plants. Before sowing listed vegetables by seed, apply product no earlier than 10 weeks prior to planting.

How to Apply Easy Weeder:

Since Easy Weeder works by preventing weed seed germination, existing weeds must be removed before applying. Avoid over-application to prevent carryover problems with sensitive plants the following season. Do not use in enclosed areas such as greenhouses.

For Established Plant Application: Flowers, listed vegetables, ornamentals and trees: sprinkle on soil surface (wearing gloves or with a spreader) to match Example A (this is 1 oz. per 10 sq. ft.) For best results, lightly water into soil after application.

Example A



For Pre-Planting Application: Prior to transplanting 2-3" listed flowers, or, less than 10 weeks prior to planting vegetable seed; apply in medium soil to match Example B and mix in (this equals 1 oz. per 60 sq. ft.) Mix into soil with rake or roto-tiller 1-3" deep. Transplant. Do not apply after transplanting, except on Irish potatoes. (See chart below for light [sandy] or heavy [clay] soil.)

Example B



Application Rates for Mixing into Soil:			
Soil Texture Rates*	Light (Sandy)	Medium	Heavy (Clay)
Use 1 weight ounce (1/4 cup)** per	80 sq. ft.	60 sq. ft.	40 sq. ft.
Or 1 lb.(4 cups)** per	1,280 sq. ft.	960 sq. ft.	640 sq. ft.
*1 cup (tightly packed) equals 1/4 pound**.			
**Note: the weight/cup ratio may change due to the formulation used by subregistrant			

80413

(FRONT PANEL)
HOMEOWNER USE ONLY
(for internal use only, will not appear on final label)

EASY WEEDER FLOWER AND GARDEN WEED PREVENTER

- Stop weeds as they sprout
- For season long weed control around your flowers vegetables, roses, trees, shrubs and groundcovers,
- Stops weeds as they start for larger, stronger and healthier plants
- Easy top-dispensing canister
- Easy to use applicator
- Prevents weeds from growing
- Stops weeds before they start for a beautiful weed-free garden
- Apply Dry
- For all season weed control in perennial & annual flower beds, in mulch beds, around shrubs & trees, in flowering bulb gardens, in vegetable gardens
- For use around flowers, vegetables, trees and shrubs
- Made in the USA
- To open Tear Here, Easy Open, Reusable Bag
- For the best garden in town

ACTIVE INGREDIENT:

Trifluralin 1.47%

INERT INGREDIENTS 98.53%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Or for certain label types:

See side panel booklet for additional precautionary statements.

HERBICIDE

NET WEIGHT ___ LBS.

TREATS A MINIMUM _____ SQ. FT.

EPA Reg. No. 9198-60
EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter used is first letter in run code

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

NOV 30 1999

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9198-60**

90113

(BACK PANEL)
HOMEOWNER USE ONLY
(for internal use only, will not appear on final label)

NET WEIGHT __ LBS.

TREATS A MINIMUM OF ____ SQ. FT.

EASY WEEDER FLOWER AND GARDEN WEED PREVENTER

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 15 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
-------------	---

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water by disposing of equipment washwaters.

GENERAL INFORMATION

What Easy Weeder Does:

Easy Weeder prevents many broadleaf and grassy weeds from becoming started {or germinating} around listed flowers, vegetables, roses, trees, shrubs and ground covers. It provides all-season weed control, eliminating difficult and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger, and healthier. Do not apply to Ajuga, Myrtle or Pachysandra as injury may result.

100413

(BACK PANEL)
HOMEOWNER USE ONLY
(for internal use only, will not appear on final label)

Easy Weeder Prevents the Following Weeds {From Germinating}:

{Grassy Weeds:} Annual Bluegrass, Barnyard Grass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Foxtail, Goosegrass, Johnsongrass (from seed), Junglerice, Sandbur, Stinkgrass, Sprangletop, Texas Panicum, Wildcane. Also controls these broadleaf weeds or {Broadleaf Weeds:} Carelessweed, Carpetweed, Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kocchia, Lambsquarter, Pigweed (Spiney and Redroot), Purslane, Russian Thistle, Stinging Nettle.

Easy Weeder is Recommended for {Use Around } These Established Flowers, Shrubs, Trees, and Ground Covers:

Flowers - Achillea, African Daisy, Ageratum, Arcototis, Aster (Perennial), Balsam, Black-eyed Susan, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Coreopsis, Cornflower, Cosmos, Daffodils, Dahlia, Dianthus, Dimorphetheca, Dusty Miller, Floss Flower, Forget-Me-Not, Four O'Clock, Gaillardia, Gladiolus (Corms at least 1" diameter), Hollyhock, Impatiens, Ixora (Coccinea), Lobelia, Lupines, Marigold, Morning Glory, Nasturtium, Nicotiana, Periwinkle, Petunia, Phlox, Portulaca, Rose, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Snow On The Mountain, Stock, Sunflower, Sweet Alyssum, Sweet Pea, Sweet William, Tulips, Vinca, Yarrow, Zinnia.

Shrubs - American Arborvitae, American Cherry Laurel, Azalea, Barberry, Boxwood, Camellia, Cinquefoil, Common Lilac, Cotoneaster, Deutzia, Elaeagnus, Euonymus, Forsythia, Holly, Honeysuckle, India, Hawthorn, Juniper, Mock-Orange, Mountain Laurel, Pieris Japonica, Pineapple Guava, Privet, Pyracantha, Rhododendron, Robira, Sakaki, Spiraea, Viburnum, Weigela Bristol Ruby, Willow, Yew

Trees - Apple, Bald Cypress, Balsam Fir, Black Gum, Black Locust, Black Walnut, Canada Hemlock, Chinese Chestnut, Cottonwood, Dogwood Flowering, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane-Tree, Maple, Oak, Pine, Redbud, Spruce, Colorado Blue Spruce, Stone-Fruits, Sweetgum, Sycamore, Tuliptree, White Ash.

Groundcovers - Aaronsbeard, Asparagus Fern, Bellflower (Adriatic), Bellflower (Poscharsky), Bigblue Lilyturf, Bunge, California Ivy, Ceanothus, Coreopsis, Cotoneaster, Crown Vetch, Daisy Trailing African, Dwarf_Coyote Brush, Dwarf Peter Pan, Gazania, Germander, Largeleaf Ice Plant, Ivy (Algerian), Ivy (English), Lily-of-the-Nile, Marigold, Mascarene grass, Myoporum, Plumbago (Dwarf), Rockrose, Rose of Sharon, Rosemary, Rupturewort, Snow-in-Summer, Speedwell, St. Johnswort, Stonecrop (Sedum), Strawberry (Beach), Thrift_Sea-Pink, Tickseed, Verbena, Wirevine (Creeping), Yarrow (Woolly), Zoysiagrass

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf course or lawns.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after application, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application

Use spreader in garden beds only. Do not use Easy Weeder Flower and Garden Weed Preventer on lawns. Never use when planting seed except for the vegetables listed. Do not use with flower seeds.

(BACK PANEL)
HOMEOWNER USE ONLY
(for internal use only, will not appear on final label)

When to Apply Easy Weeder in Home Gardens:

Early application is best for easy weed control all season long. Or, apply any time around shrubs, trees and established plants. Before sowing listed vegetables by seed, apply product no earlier than 10 weeks prior to planting.

How to Apply Easy Weeder:

Since Easy Weeder works by preventing weed seed germination, existing weeds must be removed before applying. Avoid over-application to prevent carryover problems with sensitive plants the following season. Do not use in enclosed areas such as greenhouses.

For Established Plant Application: Flowers, listed vegetables, ornamentals and trees: sprinkle on soil surface (wearing gloves or with a spreader) to match Example A (this is 1 oz. per 10 sq. ft.) For best results, lightly water into soil after application.

Example A



For Pre-Planting Application: Prior to transplanting 2-3" listed flowers, or, less than 10 weeks prior to planting vegetable seed; apply in medium soil to match Example B and mix in (this equals 1 oz. per 60 sq. ft.) Mix into soil with rake or roto-tiller 1-3" deep. Transplant. Do not apply after transplanting, except on Irish potatoes. (See chart below for light [sandy] or heavy [clay] soil.)

Example B



Application Rates for Mixing into Soil:			
Soil Texture Rates*	Light (Sandy)	Medium	Heavy (Clay)
Use 1 weight ounce (1/4 cup)** per	80 sq. ft.	60 sq. ft.	40 sq. ft.
Or 1 lb.(4 cups)** per	1,280 sq. ft.	960 sq. ft.	640 sq. ft.
*1 cup (tightly packed) equals 1/4 pound**.			
**Note: the weight/cup ratio may change due to the formulation used by subregistrant			

For Use In Home Vegetable Gardens

- (1) **From Seed:** Carrots, Celery, Okra, Southern or Cow Peas, Field Peas, Black-Eyed Peas, Green Peas, Lima Beans, Snap Beans, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Turnip Greens, Mustard Greens, Collard, Kale. **Treat prior to seeding.**
- (2) **Post Emergent:** Cantaloupe, Cucumber, Watermelon. **Apply after plants are in 3 to 4 true leaf stage.**
- (3) **Asparagus:** Established only. Apply after ferns are removed, but prior to spear emergence.
- (4) **Before Transplanting:** Celery, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes. **Make application to prepared soil and incorporate into soil prior to transplanting.**

(BACK PANEL)
HOMEOWNER USE ONLY
(for internal use only, will not appear on final label)

(5) Potato (except Maine): May be applied after planting, before emergence or after emergence. Use care not to damage seed pieces in cultivating, nor to allow treated soil to contact emerged plant foliage.

In all cases, cultivate the Easy Weed 'n Green into the soil after application, using care not to damage emerged crops.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE:** Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

MANUFACTURERS STATEMENT

This product conforms to the ingredient statement on the label. Manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product.

THIS PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.
(AP12797/RVnot102699)

Optional information for subregistrants:

Now you can enjoy a beautiful weed-free garden. With {brand name}, it's never been easier to stop weeds before they start. The handy applicator makes it easy to dispense product exactly where you want it. And the patented overcap can be used as a funnel, along with our larger size bags, for easy refill with no spills, no mess!

EASY-TO-USE APPLICATOR

<i>[illus.]</i>	<i>[illus.]</i>	<i>[illus.]</i>
Remove top overcap.	Extend nozzle applicator and rotate until it clicks into place.	Apply to soil.

EASY-TO-REFILL

<i>[illus.]</i>	<i>[illus.]</i>	<i>[illus.]</i>
Pull tab to remove plastic circle from overcap.	Unscrew and remove nozzle. Place inverted overcap firmly onto opening of jug.	Refill jug by pouring product from {brand name} refill bag.

Questions?

130413

(BACK PANEL)
HOMEOWNER USE ONLY
(for internal use only, will not appear on final label)

Call our gardening hotline at 1-800-645-8166, Monday through Friday, 9 a.m. to 5 p.m. E.S.T. You'll find the answers you need and you'll feel as though you're talking to a friend over the back fence.

For gardening tips and information, visit Miracle-Gro on the World Wide Web at www.miracle-gro.com.

To prevent possible staining to non-labeled surfaces (i.e. concrete, stone walks, vinyl surfaces, etc.) remove stray granules as soon as possible.

SATISFACTION GUARANTEED OR YOUR MONEY BACK!

We are confident that you will love the superior results you get with Miracle-Gro Garden Weed Prevent. If you are not satisfied, please return the complete empty package with your store receipt to us within six months of purchase so that we can promptly refund your purchase price (limit one package per family). Send to: Miracle-Gro Lawn Products, Inc., P.O. Box 888, Port Washington, NY 11050.

Now you can enjoy a beautiful weed-free garden. With {brand name}, you can stop weeds before they start. It's easy to refill our convenient jug with the contents of this bag. Just use the patented funnel overcap on the jug and refill with no spills, no mess! Then, easily dispense product exactly where you want it with our handy jug applicator.

EASY-TO-REFILL
(For use with {brand name} 5 lb. Jug)

[illus.]

Pull tab to remove plastic circle from overcap.

[illus.]

Unscrew and remove nozzle. Place inverted overcap firmly onto opening of jug.

[illus.]

Refill jug by pouring product from {brand name} refill bag.

Visit our website www.jonathangreen.com

My pledge of satisfaction

We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our garden specialists will make every effort to assure your success.

Manufactured By:
The Andersons Lawn Fertilizer Division
Free Flow Fertilizer
P. O. Box 119
Maumee, OH 43537

Date Printed: 11/11/99
Date Approved:
Supersedes: 01/27/97
Label Change: RED
Filename: 9198-60h.doc