DU 70 1128 -110

0F-11

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Daniel Paradiso, Jr. The Andersons Lawn Products Group P.O. Box 119 Maumee, Ohio 43537

APR 2.0 1995

Dear Mr. Paradiso:

SUBJECT: Label Amendment

Green Thumb Weed and Feed 12-3-5 EPA Registration No. 9198-70

Your Application Dated March 25, 1994 Requesting

Split Labeling, Compliance with PRN 93-3,

WPS Exclusionary Statement, Label Format Revisions

and Minor Label Changes

The labeling referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

These comments apply to the homeowner and commercial labels:

- 1. Under the section on Precautionary Statements, replace the second sentence which begins with, "Avoid breathing dust...", with the following sentences: "Avoid breathing dust. Bo not contaminate feed or foodstuffs."
- 2. Under the section on "When to Apply", in the last sentence of the paragraph there is a typo. Replace the word "of" with the word "or", "Do not over or under apply."

Stamped copies are enclosed for your records. Please submit one (1) final printed labeling for the each label before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

	CONCLURRENCES											
SYMBOL .	7505C											
	Vijelan	, d	***************************************									
	4/19/35											

9198-70H Page 1 of 5

(FRONT PANEL)

HOMEOWNER USE ONLY

GREEN THUMB WEED & FEED

12-3-5

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	•			•			1.11%
2,4-Dichlorophenoxyacetic Acid Equivalent:			•		0.92	ŧ	
INERT INGREDIENTS							98.89%
		T	ota	1			100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET WEIGHT __ LBS.

TREATS __ SQ. FT.

ACCEPTED
with COMMENTS
In EPA Letter Dated

7 × 20 1995

Under the Federal Innecticide. Fundicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 9198-70

EPA Reg. No. 9198-70

EPA Est. 9198 • OH-1

/ //

9198-70H Page 2 of 5

(BACK PANEL)

HOMEOWNER USE ONLY

NET WEIGHT LBS.

TREATS SQ. FT.

GREEN THUMB WEED & FEED

12-3-5

GUARANTEED ANALYSIS

Total Ni	trogen.	(N)					•		•	•	•	•		•	•	•	•		•		•	. 1	2.0%
Availabl	e Phos	phori	c Acid	(P2	205)		•				•	•		•				•		•			3.0%
Soluble	Potash	(K2C)				•			•	•	•				•			•	•	•		5.0%
Primary	Plant	Food	Source	s:	Urea	a,	Di	amı	on	ium	ı P	hos	sph	ate	⊋,	an	d	Mu	ri	at	e	of	Potas

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust and contamination of food and feedstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply to water. Do not contaminate water when disposing of equipment washwaters.

(BACK PANEL)

HOMEOWNER USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

2,4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Pursiane, Pigweed and Smartweed. For Use on Turf except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees F. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may cemporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not over of under apply.

HOW TO APPLY

)

Apply evenly over entire lawn area at the rate of 3-4 lbs. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

9198-70H Page 4 of 5

(BACK PANEL)

HOMEOWNER USE ONLY

SUGGESTED SPREADER SETTINGS

(available at final printing)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

9198-70H Page 5 of 5

(BACK PANEL)

HOMEOWNER USE ONLY

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OF IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured by: The Andersons

Lawn Fertilizer Division

P.O. Box 119 Maumee, OH 43537

Date Printed: 01/25/94

Date Approved: Supersedes: Label Change:

)

ĺ

9198-70C Page 1 of 5

(FRONT PANEL)

COMMERCIAL USE ONLY

GREEN THUMB WEED & FEED

12-3-5

KEEP OUT OF RELCH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET WEIGHT __ LBS.

TREATS __ SQ. FT.

ACCEPTED
with COMMENTS
In EPA Letter Dated

APR 2 0 1995

Under the Federal Innecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

EPA Reg. No. 9198-70

ACTIVE INGREDIENTS:

EPA .ist. 9198-OH-1

* * *

9198-70C Page 2 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

NET WEIGHT __ LBS.

TREATS SQ. FT.

GREEN THUMB WEED & FEED

12-3-5

GUARANTEED ANALYSIS

Total Nitrogen (N)	12.0%
Available Phosphoric Acid (P2O5)	3.0%
Soluble Potash (K2C)	5.0%
Primary Plant Food Sources: Urea, Diammonium Phosphate, and Muriate of	Potash

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATZMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with clothing, skin or eyes. Avoid breathing dust and contamination of food and feedstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and ontarget plants. Do not apply directly to water, or to areas where surface * er is present or to intertigal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

9198-70C Page 3 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

2,4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Pursiane, Pigweed and Smartweed. For Use on Turf except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees F. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not over of under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lbs. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

Most Cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Placement of the spreader on an impervious pad to contain spills will help prevent groundwater contamination.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

/ |

9198-70C Page 4 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

SUGGESTED SPREADER SETTINGS

(available at final printing)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

9198-70C Page 5 of 5

(BACK PANEL)

COMMERCIAL USE ONLY

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OF IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured by: The Andersons

Lawn Fertilizer Division

P.O. Box 119 Maumee, OH 43537

Date Printed: 01/25/94

Date Approved: Supersedes: Label Change:

)

