

9198-70

04/15/2002

1/9

9198-70H
Page 1 of 5

(FRONT PANEL)
HOMEOWNER USE ONLY
(The above is for internal use only and will not appear on the final label copy)

GREEN THUMB WEED & FEED 12-3-5

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 1.11%

2,4-Dichlorophenoxyacetic Acid Equivalent: 0.92%

INERT INGREDIENTS 98.89%

Total 100.00%


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET WEIGHT __ LBS.

TREATS __ SQ. FT.



EPA Reg. No. 9198-70

EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

(BACK PANEL)
HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

NET WEIGHT ___ LBS.
TREATS ___ SQ. FT.

GREEN THUMB WEED & FEED 12-3-5

GUARANTEED ANALYSIS

Total Nitrogen (N) 12.0%
Available Phosphoric Acid (P2O5) 3.0%
Soluble Potash (K2O) 5.0%
Primary Plant Food Sources: Urea, Diammonium Phosphate, and Muriate of Potash

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with clothing, skin or eyes. Avoid breathing dust. Do not contaminate feed or foodstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse. Wash thoroughly with soap and water after handling.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing Call a poison control center or doctor for treatment advice
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to by a poison control center or doctor Do not give anything by mouth to an unconscious person.
If on skin	<ul style="list-style-type: none"> Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply to water. Do not contaminate water when disposing of equipment washwaters.

(BACK PANEL)
HOMEOWNER USE ONLY
(The above is for internal use only and will not appear on the final label copy)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

2,4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. For Use on Turf except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees F. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not over or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lbs. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

SUGGESTED SPREADER SETTINGS

(available at final printing)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

OPTIONAL APPLICATION INSTRUCTIONS:

SPREADING HINTS

Determine how much fertilizer you need. Using the chart below as a reference, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, etc.) One bag of this product covers approximately 5,000 sq. ft. Next, using a clean, properly adjusted spreader, apply the material evenly. (A drop-type or broadcast-type spreader may be used. See charts below for suggested settings.) Avoid skipping areas.

(BACK PANEL)
HOMEOWNER USE ONLY
(The above is for internal use only and will not appear on the final label copy)

_____ Length (Diagram of property)
x _____ Width
= _____ Total Sq. Ft.
- _____ Non-Lawn Areas
= _____ Total Sq. Ft. Coverage You Need

Drop spreaders - First, apply 2 border strips along the edge of each end of the lawn (see diagram). Then apply product along the length of the lawn, overlapping slightly, shutting off the spreader before turning as you reach the edge of the border strips.
(Diagram of drop spreader path-Path A)

Broadcast Spreaders - For best results, apply in a circular path starting on the outside and working toward the center (see diagram). A little overlap of products will ensure complete coverage.
(Diagram of broadcast spreader path-Path B)

IMPORTANT: The spreader settings listed above are approximate. Age and condition of your spreader can cause wide variation. Be sure to calibrate your spreader with each application.

Spreading Hints

It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Refer to the table and picture below to determine the size of your lawn.

Close spreader hopper and adjust the spreader setting using the suggested spreader settings chart below. Fill spreader on driveway or sidewalk to eliminate the chance of spillage on the lawn. Refer to "Path A" when using a broadcast spreader and "Path B" when using a drop spreader. Close the spreader hopper when ever spreader stops or turns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

(BACK PANEL)
HOMEOWNER USE ONLY
(The above is for internal use only and will not appear on the final label copy)

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.(RVamr111601)

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119
Maumee, OH 43537

Optional Marketing Text:

Feeds grass for thick green lawns and controls damaging weeds such as Dandelion, Plantain, Henbit, Spurge, and many other broadleaf weeds.

For best results, use in conjunction with (product name).

Controls broadleaf weeds while feeding

Date Printed	11/16/01
Date Approved	
Supersedes	4/20/95
Label Changes	Amedment - first aid and harmful if swallowed
Filename	9198-70
Label Code	RVamr111601

6/9

(FRONT PANEL)
COMMERCIAL USE ONLY
(for internal use only-will not appear on final label)

GREEN THUMB WEED & FEED 12-3-5

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	1.11%
2,4-Dichlorophenoxyacetic Acid Equivalent:	0.92%

INERT INGREDIENTS	<u>98.89%</u>
------------------------------------	---------------

Total	100.00%
-------	---------

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET WEIGHT __ LBS.

TREATS __ SQ. FT.

EPA Reg. No. 9198-70
 EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
 Underlined letter is first letter used in run code on bag

(BACK PANEL)
COMMERCIAL USE ONLY
(for internal use only-will not appear on final label)

NET WEIGHT ___ LBS.
TREATS ___ SQ. FT.

GREEN THUMB WEED & FEED 12-3-5

GUARANTEED ANALYSIS

Total Nitrogen (N) 12.0%
Available Phosphoric Acid (P2O5) 3.0%
Soluble Potash (K2O) 5.0%
Primary Plant Food Sources: Urea, Diammonium Phosphate, and Muriate of Potash

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with clothing, skin or eyes. Avoid breathing dust. Do not contaminate feed or foodstuffs. Do not hand spread. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust have settled. When using this product wear long-sleeved shirt, long pants, socks, and shoes. After using this product, remove clothing and launder separately before reuse. Wash thoroughly with soap and water after handling.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing • Call a poison control center or doctor for treatment advice
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to by a poison control center or doctor • Do not give anything by mouth to an unconscious person.
If on skin	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible • Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to

(BACK PANEL)
COMMERCIAL USE ONLY
(for internal use only-will not appear on final label)

intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WEED CONTROL

2,4-D for Control of Broadleaf Plantain, Buckhorn Plantain, Dandelion, Purslane, Pigweed and Smartweed. For Use on Turf except Desirable Clovers, Bent, St. Augustine, Dichondra and Carpet Grass.

WHEN TO APPLY

Use anytime weeds are actively growing and temperature is above 60 degrees F. Control is slower if weather is cool. Applications in Spring and Fall provide most effective kill. Apply when lawn is wet from rain, dew or sprinkling. On newly seeded areas, wait until grass has been cut two or three times. Delay planting new grass for at least 3 weeks as 2,4-D may temporarily inhibit seed germination or plant growth. Do not apply when turf is under stress from heat, moisture or drought. Do not over or under apply.

HOW TO APPLY

Apply evenly over entire lawn area at the rate of 3-4 lbs. per 1000 sq. ft. Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Use only when there is no hazard of drift. Rain, sprinkling, or mowing within 24 hours may reduce effectiveness. Wait at least 2 weeks before making a second application. The maximum number of broadcast applications per treatment site is 2 per year.

Most Cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Placement of the spreader on an impervious pad to contain spills will help prevent groundwater contamination.

IMPORTANT: Drift of dust or vapors may cause injury to nearby susceptible plants such as vegetables, flowers, fruit trees and ornamentals. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs hose off immediately. Do not use on crops that will be used for food or forage purposes. Do not graze animals on treated areas. Do not contaminate water used for irrigation or domestic purposes.

SUGGESTED SPREADER SETTINGS
(available at final printing)

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calculate the size of area to be treated and do not over or under apply. Be sure to shut off spreader while turning or stopping to prevent accidental

(BACK PANEL)
COMMERCIAL USE ONLY
(for internal use only-will not appear on final label)

over-application and burning of grass. Fill spreader on driveway or sidewalk to eliminate chance of spillage on grass. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119
Maumee, OH 43537

Date Printed	8/22/01
Date Approved	
Supersedes	4/20/95
Label Changes	Amendment - first aid, hazards
Filename	9198-70
Label Code	RVamd111601