9198-			0.	7-11- 2	200	3		1/3		
SEPA	Environmenta	United States				OMB No. 2 Registrat Amendn Other	tion	O. Approvál expires 2- OPP Identifier Numbe		
		Applicatio	n for Pes	ticide - Sec	tion l					
1. Company/Product Number 9198-75			2. EPA Product Manager Miller		nager			3. Proposed Classification		
4. Company/Product (Name) The Andersons Fertilizer with			РМ 23							
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free F Fert. PO Box 119 Maumee, OH 43537			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.							
Check if this	is a new address		Pr	oduct Name						
			Section	ı - [[
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.				Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.			to	NOTIFICATION JUL 1 1 2003		
This notification is consistent labeling or the confidential st to EPA. I further understand FIFRA and I may be subject	atement of formula of the that if this notification is	his product. I un s not consistent	derstand that i with the terms	t is a violation of 1 of PR Notice 98-1 and 14 of FIFRA	8 U.S.C 0 and 4	. Sec. 1001 to	willfully n	nake any false statemen	it of	
1. Material This Product Will	Be Packaged In:									
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. container		Water Solut Yes No If "Yes" Package wg	Yes" No. per		2. Type of C	Metal			
3. Location of Net Contents I	nformation ontainer	4. Size(s) Reta	il Container 50 lbs.		5. Loc	ation of Labe	l Direction	ns		
6. Manner in Which Label is		Lithogra Paper of Stencile	eoh	✓ Other	r Poo	cket				
			Section	- IV		<u> </u>				
1. Contact Point <i>(Complete)</i>	items directly below f	or identification	of individual	to be contected,	if neces	sary, to proc	ess this e	application.)		
Name Dawn L. Walters			Title Regulatory Administrator			Telephone No. (Include Area Code) 334-262-2766				
certify that the states acknowledge that any both under applicable i	y knowlinglly false or		ill attachment			•	plete.	6. Oate Application Received (Stamped)	5	
2. Signeture Dawn & Walters			3. Title Regulatory Administrator				E E E E E E E E E E E E E E E E E E E	7		
Typed Name Dawn L. Walters		5	. Date	113103				्रे स्वाप्त हरू १ स्वयात	ar G	
PA Form 8570-1 (Rev. 3-94)	Presione aditions are	obsolete		VA.		Sile Conv. (Valteur Applicant	A	



Fertilizer

22-4-10

with RONSTAR® Herbicide

ACTIVE INGREDIENT	4 204
Oxadazon*	1.38%
OTHER INGREDIENTS	98.62%
TOTAL	100.00%
*CAS NO. 19666-30-9	
GUARANTEED ANALYSIS	
Total Nitrogen (N)	22.00%
1.56% Ammoniacal Nitrogen	-
20.44% Urea Nitrogen*	
Available Phosphale (P,O,)	4.00%
Soluble Potash (K,D)	10.00%
Total Sulfur (S)	5.30%
Total Custo (O)	3.30 %
5.30% Free Sulfur (S)	
Plant nutrients derived from diammonium phosphate, urea, potassium chloric	ie and
polymer coated sulfur coated urea.	
Chlorine (CI) Max	8.45%
*13.20 Slowly available nitrogen from polymer coated sulfur coated urea.	F292
EPA Reg. No. 9198-75	
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A	
Underlined letter is first letter used in run code on bag	
Andersone Golf Products logo is a registered tradements of The Andersone Agricultures, Inc.; Ronater is a tradement of Aventic Environmental Solences.	
- Characterist in the Leading of a service of waying Characterist desirates	

NOT FOR USE ON HOME LAWNS KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye and skin Irritation. Avoid contact with skin, eyes or clothing. Avoid contamination of feed and foodstuffs. Keep opened containers away from children and animals. Weer protective clothing including long-sleeved shirt and gloves when handling. Wash thoroughly after handling. Wash clothing and equipment after handling this product.

FIRST AID		
If on skin		Take off contaminated clothing.
	•	Rinse skin immediately with plenty of water for 15-20 minutes
	•	Call a poison control center or doctor for treatment advice.
If in eyes	•	Hold eye open and rinse slowly and gently with water for 15- 20 minutes. Remove contacts, if present, after the first 5 minutes, then continue making.
	•	Call a poison control center or doctor for treatment advice.
if swallowed	•	Call a poison control center or doctor for treatment advice.
	•	Have a person sip a glass of water if able to swallow.
	•	Do not induce vomiting unless told to by a poison control center or doctor.
	•	Do not give anything by mouth to an unconscious person.
tf inhaled		Move person to fresh air.
	-	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if
		posnible.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment washings.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

GENERAL INFORMATION: This product is a selective preemergent herbicide for control of many annual grasses and broadleaf weeds in furf. This product controls weeds by killing the young weed seedlings as they come in contact with the herbicide during germination.

Do not apply to wet turf as discoloration may occur.

fertility and maintenance)

Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for impelion and domestic use.

ORNAMENTAL TURF INCLUDING GOLF COURSE FAIRWAYS, TEES AND PARKS -Established perennial Bluegrass, Bermudagrass, Perennial Ryegrass, Tall Fescue, Zoysia and St. Augustinegraes turf:

For most economical use, rates of this product should be based on anticipated weed population. from not work makes user, large or in a product around be used on a motion probability, time of application and length of growing season. A well-maintained furf with low weed infestations will require less herbicide for effective control than will a thin but with low fertility, minimum mainte-nance and heavy traffic. Geographic areas with longer growing seasons require higher rates. When cultural practices require application of this product well in advance of weed seed germinafion, rates should be adjusted upward to compansate for normal breakdown of the active ingredient.

Rake turf area free of leaves, mowing if necessary, so granules reach soit surface. Measure area to be treated and uniformly apply required amount, using a fertilizer spreader. Cross-treating with one-turf required amount in each direction will give best results, if rain is not expected shortly are application, waiter turf thoroughly to increase effectiveness. When using rates below 180 pounds of product per acre, thoroughly watering assures more even distribution of the harbicide and avoids CLEACH IN COVERBOR.

AMOUNT TO USE: Crabgrass, Goosegrass, Green and Yellow Fortall and Sendbur Control: Use the chert below to calculate the most economical rate for use in your furf maintenance program.

SUGGESTED APPLICATION RATES FOR GRASSY WEED CONTROL Anticipated Grassy Weed Population Davs of Control High (thin lurf, low fertility, etc.) 175 - 290 110 - 200 153 - 290 3.5 - 6.7 110 - 250 Low (dense kirf, history of good 130 - 290 110 - 270

"In seasons when heavy rains or other environmental factors would prolong weed seed germination, a supplemental application of this product may be made six to eight weeks after initial treatment. Total product applied should not exceed 290 Lbs./A (4 Lbs. active/A).

Annual Bluegrass (Pos annua) and Barnyardgrass Control: For preemergence control, apply 220 pounds per acre (3 pounds active ingredient) or 5 pounds per 1,000 eq. ft. in early spring prior

Broadlesf weeds such as Ozolle, Petty Spurge, Veronica Speedwell, Common Purslane, Florida Pursley, Common Groundsel, Carpeligrass, Pigweed, Stining Nette: For preemergent control of Sees weeds, apply 220 pounds per acre (3 pounds per acred one ingredient) or 5 pounds per 1,000 sq. ft. in spring prior to weed seed germination.

For St. Augustinegrass turf: do not exceed the rate of 175 pounds per acre (2.4 pounds active ingredient). This product may cause temporary discoloration of Bermudagrass and St. Augustinegraes. This is normally outgrown within 2-3 weeks.

Red Fescus and Bentgrass are not tolerant of this product. The use of this product on turi containing Red Fescus or Bentgrass should be limited to situations where they are undesirable prasses.

Do not apply to Dichondra, Centipedegrass or newly seeded areas.

Because of long residual activity of this product, seeding into treated areas should be delayed until four months after treatment.

Avoid contact with flowers and shrubs. This product should not be used on putting greens because of the varying cultural practices used. Apply with a properly calibrated granular applicator that will apply the granular uniformly (uniform application is essential for setisfactory weed control). Celibrate the applicator prior to use, according to the manufacturer's directions, and check frequently during the application to be certain that the equipment is working properly.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedshulfs, and domestic water supplies, PEBTICIDE DISPOSAL: Pestitide westes are took. Improper disposal of excess pesticide, spray hindure, or finate, is a violation of Federal Law and may contaminate groundwater. If these westes cannot be disposed of by use according to bote instructions, contact your State Pesticide or Environmental Control Agency, or the Hizzardous Waste representative at the nearest EPA regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landill or by incineration, or, if allowed by State or local sufficielts, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is resonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR MPLIED WAR-RANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEpermissible, it is Martinacturer's strient to Limit Aut i Experient Point of Europe QUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Marinfacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CON-TRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS.
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE
OTHER RIGHTS THAT VARY FROM STATEJURISDICTION TO STATEJURISDICTION.

Suggested Spreader Settings

Spreader	Rate: 3.00###	Rate: 5,00084	Rate: 6.798M	Pattern Setting	Width
Andersons (Acculto 2000)	_ K 1/2	W_	N	3	12
Andersons (SR-2000)	K 1/2	M	N	. 3	12
Andersona (AccePro 1000)	K 1/2	M	N	. 3	12
Andersons (\$5-2 Drop)	5 1/4	5 1/4	7	•	·
Scotts Broadcasi (R-SA)	K	L 1/2	N	3	12
Lely (W) Vicen (03)	7	9	10 3/4	1	36
Vicen (83)	30	39	48		28

IMPORTANT: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

> Manufactured by: The Andersons Lawn Fertilizer Division, Inc. PO Box 119, Maumee, OH 43537

> > Net Wt. 50 Lbs. (22.68 kg) Covers up to 16,600 Sq. Ft.

> > > AGC221R5



The Andersons, Inc.P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

June 13, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504C)
U. S. Environment Protection Agency
Ariel Rios Bulding
1200 Pennsylvania Ave., NW
Washington, D.C. 20460-001

Subject:

NOTIFICATION - Additional Brand Name

RE:

The Andersons Fertilizer with 1.38% Ronstar

EPA Reg. No 9198-75

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market an additional product under the subject basic registration. The additional brand name is:

Andersons Golf Products Fertilizer 22-4-10 with Ronstar Herbicide

One copy of the final printed label is enclosed.

It is understood that all precautionary labeling, manufacturing practices and ingredients will remain identical to that of the basic registration.

Enclosed is a stamped, self-addressed card indicating the acceptance or rejection of this notification. Please complete the card and return via mail.

If there are any questions, please call me at (334) 262-2766

Sincerely.

The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters

Regulatory Administrator

Dawn & Walters

enclosure