



The Andersons, Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

December 28, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504C)
U. S. Environment Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460-001

Subject: NOTIFICATION - Additional Brand Name

**RE: The Andersons Fertilizer with 1.38% Ronstar
EPA Reg. No. 9198-75**

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market an additional product under the subject basic registration. The additional brand name is:

Andersons Golf Products Turf Fertilizer 21-0-20 with Ronstar Herbicide

One copy of the draft label is enclosed.


Enclosed is a self-addressed card indicating the acceptance or rejection of this notification. Please complete the card and return via mail.

If there are any questions, please contact me.

Sincerely,
The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters
Dawn L. Walters
Regulatory Administrator
Phone 334-262-2766
Fax 334-265-5703
Email dawn_walters@andersonsinc.com

enclosure



NOTIFICATION
FEB 2 2006



Turf Fertilizer 21-0-20 with RONSTAR® Herbicide

Poly-S® maximizes slow release nitrogen for extended feeding.
Provides preemergent control or suppression of the following annual weeds:
goosegrass, crabgrass, barnyardgrass, Poa annua and foxtail.

NOT FOR USE ON HOME LAWNS
For Sale to, Use and Storage by Professional Turf Maintenance Personnel only.

GUARANTEED ANALYSIS	
Total Nitrogen (N)	21.00%
21.00% Urea Nitrogen*	
Soluble Potash (K ₂ O)	20.00%
Total Sulfur (S)	4.20%
4.20% Free Sulfur (S)	
Plant nutrients derived from polymer coated sulfur coated urea, urea and potassium chloride.	
Chlorine (Cl) Max.	16.91%
*10.50% Slowly available nitrogen from polymer coated sulfur coated urea.	F-292
ACTIVE INGREDIENT	
Oxadiazon†	1.39%
OTHER INGREDIENTS	
Total	98.62%
	100.00%

**CAS Number 19666-30-9
EPA Reg. No. 9198-75
EPA Est. No. 5198-OH-14, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag.
Ronstar is a trademark of Aventis; Poly-S is a registered trademark of OMS Investments, Inc.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Causes eye and skin irritation. Harmful if inhaled. Do not get on skin or on clothing. Avoid contact with eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applications and other handlers must wear coveralls over short-sleeved shirt and short pants, waterproof gloves, a chemical-resistant apron when cleaning equipment, protective eyewear, chemical resistant headgear for overhead exposure and chemical-resistant footwear plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and pull on clean clothing.

FIRST AID

If on skin	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contacts, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	• Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-4651 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment washings.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only authorized handlers may be in this area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.
Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical-resistant footwear plus socks and chemical-resistant headgear for overhead exposure.

Non-Agricultural Use Requirements
The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, and greenhouses.

GENERAL INFORMATION
This product is a selective, preemergent herbicide for control of many annual grasses and broadleaf weeds in turf. This product controls weeds by killing the young weed seedlings as they come in contact with the herbicide during germination. Do not apply to wet turf as discoloration may occur. Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.

ORNAMENTAL TURF INCLUDING GOLF COURSE FAIRWAYS, TEES, PARKS AND SOFT FARMS
Established perennial Bluegrass, Bermudagrass, Perennial Ryegrass, Tall Fescue, and Zoysa Grass.
Augustinegrass turf.

For most economical use, rates of this product should be based on anticipated weed population, time of application and length of growing season. A well-maintained turf with low weed infestations will require less herbicide for effective control than will a turf with low fertility, minimum maintenance and heavy traffic. Geographic areas with longer growing seasons require higher rates. When cultural practices require application of this product well in advance of weed seed germination, rates should be adjusted upward to compensate for normal breakdown of the active ingredients.

Rake turf area free of leaves, mowing if necessary, so grasses reach soil surface. Measure area to be treated and uniformly apply required amount, using a fertilizer spreader. Cross treating with one-half required amount in each direction will give best results. If rain is not expected shortly after application, water turf thoroughly to increase effectiveness. When using rates below 180 pounds of product per acre, thoroughly watering assures more even distribution of the herbicide and prevents gaps in coverage.

AMOUNT TO USE: Crabgrass, Goosegrass, Green and Yellow Foxtail and Sandbar Control. Use the chart below to calculate the most economical rate for use in your turf maintenance program.

Anticipated Grass Weed Population	Lbs./A	Lbs./M	Lbs./A/A	Anticipated Days of Control
High (thin turf, low fertility, etc.)	175-290	4-6.7	2.4-4	110-200
Medium	153-230	3.5-6.7	2.1-4	110-250
Low (dense turf, history of good fertility and maintenance)	130-230	3-6.7	1.8-4	110-270

*In seasons when heavy rains or other environmental factors would prolong weed seed germination, a supplemental application of this product may be made 2 to 8 weeks after initial treatment. Total product applied should not exceed 250 Lbs./A (4 Lbs. active).

Annual Bluegrass (Poa annua) and Barnyardgrass Control: For preemergence control, apply 220 pounds per acre (3 pounds active ingredient) or 5 pounds per 1,000 sq. ft. in early spring prior to weed seed germination.

Broadleaf weeds such as Oxalis, Petty Spurge, Veronica Speedwell, Common Purslane, Florida Pursley, Common Groundsail, Carpetgrass, Pigweed, Slender Nettle: For preemergent control of these weeds, apply 220 pounds per acre (3 pounds per active ingredient) or 5 pounds per 1,000 sq. ft. in spring prior to weed seed germination.

For St. Augustinegrass turf, do not exceed the rate of 175 pounds per acre (2.4 pounds active ingredient). This product may cause temporary discoloration of Bermudagrass and St. Augustinegrass. This is normally outgrown within 2-3 weeks.

Red Fescue and Bentgrass are not tolerant of this product. The use of this product on turf containing Red Fescue or Bentgrass should be limited to situations where they are undesirable grasses. Do not apply to Dichondra, Centipedegrass or newly seeded areas.

Because of long residual activity of this product, seeding into treated areas should be delayed until four months after treatment. Avoid contact with flowers and shrubs. This product should not be used on putting greens because of the varying cultural practices used. Apply with a properly calibrated granular applicator that will apply the granules uniformly (uniform application is essential for satisfactory weed control). Calibrate the applicator prior to use, according to the manufacturer's directions, and check frequently during the application to be certain that the equipment is working properly.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into local application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (Rvamd121903)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE	MEDIUM RATE	HIGH RATE
Andersons Accupro 1609	3 mph	12 feet	K 1/2	M	N
Andersons Accupro 2090, SA-2009 (cone 3)	3 mph	12 feet	K 1/2	M	N
Andersons BS-2 Drop	3 mph	overlap wheels	5 1/4	G 6 1/4	C 7
Scotts TurfMaster P-8, A-8A (cone 6)	3 mph	12 feet	K	L	N
Lely Models WTR, WFR, HR, 1230 (PTO at 450 rpm)	4.5 mph	36 feet	7 1	9 1	10 3/4 1
Vicon 63 Series	4.5 mph	36 feet	30	30	40

IMPORTANT: These settings are only approximate. Age and condition of spreader or cone cause wide variation. Be sure to calibrate your spreader with each application.

ATTENTION: This product contains a chemical that, if used in California in accordance with the label, is a restricted-use pesticide. Manufactured by: The Andersons Lawn Feeds, Division, Inc. PO Box 119, Maumee, OH 43537

Net Wt 50 Lbs (22.68 kg)
Treats Up To 16,000 Sq. Ft.

AGC211R5

NS (AGCBLKPRN;18)



Andersons
GOLF PRODUCTS

©2002

The Andersons Golf Products logo is a trademark of
The Andersons Agriservices, Inc.

AGCBLKPRED.1B

e o o o e
e c c c e
e c c c c e
e c c c c c e

e
e c c c e
e c c c c e
e c c c c e
e c c c c e

c c c c c
e c c c e
e c c c e
e c c c e
e c c c e

e
e c c c e
e c c c e
e c c c e
e c c c e

c c c c c