



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

September 26, 2007

Ms. Dawn L. Walters Regulatory Administrator THE ANDERSONS, INC. P.O. Box 119 Maumee, OH 43537

Subject: Label Notification

Dear Ms. Walters:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 8/28/07 for **EPA Registration 9198-75**. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Sherada Hobgood of my staff at 703-308-8893.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions o	n reverse before comple	ting form.		Form Approve	1. OMB No. 20	70-006	O. Approvel expires 2-28-9
≎EPA	Environmenta	Inited States I Protection Ington, DC 20		✓	Registrat Amendm Other	ion	OPP Identifier Number
	•	Application	on for Pesticio	de - Section	l	-	
1. Company/Product Numl 9198-75				Product Manager		3. Pr	oposed Classification
4. Company/Product (Nam The Andersons Fertilizer w		, -	РМ# 23	·			J. Color L. J. Macrinotas
5. Name and Address of A The Andersons Lawn d/b/a Free Flow Fertill PO Box 119 Maumee, OH 43537 Check if the	Fertilizer Division, In		(b)(i), m to: EPA F		nilar or identic	al in co	FIFRA Section 3(c)(3) mposition and labeling ATION 2007
			Section - I	l ·			
Amendment - Explain Resubmission in re Notification - Explain Explain Notification: Use additional Notification Explanation: Use addition Notification Explanation Notification Notification	sponse to Agency letter	,	n Land Section II)	Final printed labe Agency letter da "Me Too" Applic Other - Explain b	ted ation.	to	
Notification of Label change particles of the labeling or the confurther understand that if this notification of FIFRA and I may be	rith the guidance of PR Notice Ifidential statement of formula otification is not consistent wi	e 98-10 and the range of this product.	equirements of EPA's re I understand that it is a of PR Notice 98-10 and	egulations at 40 CFR violation of 18 U.S.C. the requirements of 4 4 of FIFRA.	Sec. 1001 to willf	ully make	
1. Material This Product V	/ill Be Packaged In:						
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Portion of the Portion	No. per container	2. Type of C	ontainer Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Content	s Information Container	4. Size(s) Re	tail Container	5. Lo	Ocation of Labe	l Directio	ons
6. Manner in Which Label	s Affixed to Product	Lithog Paper Stenc		Other			· · · · · · · · · · · · · · · · · · ·
			Section - I	<u>/</u>			
1. Contact Point Comple	te items directly below f	or identification	n of individual to be	contacted, if nec	essary, to pro	ess this	application.)
Name Dawn L. Walters		Title Regulatory Administrator			Telephone No. (Include Area Code) 419-897-6790		
•	tements I have made on any knowlinglly false or a e law.		all attachments the		urate and com		6. Dats: Αερθication Received (Stamped)
2. Signature			3. Title			0.0	0 0 0 0 0 0 0 0 0
Dawn Xukita	₩		Regulatory Adminis	trator		, c c c c c c c c c c c c c c c c c c c	
4. Typed Name Dawn L. Walters			5. Date	8/28/07			





The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

August 28, 2007

9/26

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505P) US Environmental Protection Agency One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

The Andersons Fertilizer with 1.38% Ronstar®

EPA Reg. No. 9198-75

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with the additions underlined and marked in blue.

- 1. We have added the following optional marketing information to the label:
 - Contains Ronstar® herbicide, which provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during Bermudagrass sprigging
 - Contains {brand name} herbicide, based on the active ingredient oxadiazon, which provides preemergent control or suppression of crabgrass, Poa annua, goosegrass and foxtail during Bermudagrass sprigging

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Dawn Livetus

Dawn L. Walters

Regulatory Administrator Phone: 419-897-6790

Fax: 419-891-2745

Email: dawn_walters@andersonsinc.com

Enclosures

SEP 2 6 2007

9198-750

Page 1 of 5

THE ANDERSONS FERTILIZER with 1.38% RONSTAR®

For Sale to, Use and Storage by Professional Turf Maintenance Personnel only. Not for sale to or use by homeowners/consumers.

Not for Use on Home Lawns

OPTIONAL FRONT PANEL CLAIMS

- Provides initial green-up
- Provides preemergent control or suppression of crabgrass, Poa annua, gooesegrass and foxtail during bermudagrass sprigging
- Provides a feeding of fertilizer, high in phosphorus to encourage turf establishment
- Scotts® Slow Release Polymer Encapsulated Fertilizer
- Controlled release Poly-S® nitrogen provides uniform growth and extended feeding
- Poly-S technology
- Provides preemergent control or suppression of crabgrass, Poa annua, goosegrass and foxtail
- Provides a feeding of fertilizer
- Provides a light nitrogen feeding
- Selective control of sprouting annual broadleaf weeds
- Provides a nitrogen feeding
- Utilizes SFT™ technology
- SFT™ technology will reduce the potential for turf discoloration and injury compared to conventional fertilizer & Ronstar products
- Contains {brand name} slow release nitrogen
- Contains Ronstar® pre-emergent herbicide
- **SGN XXX**
- Utilizes Ronstar® herbicide which can be used prior to sprigging warm season turf without "tacking down" concerns
- Uniformly sized granules minimize particle segregation, which contributes to more accurate distribution and better results
- Contains Ronstar® herbicide, which provides preemergent control or suppression of crabgrass, Poa annua, goosegrass and foxtail during Bermudagrass sprigging
- Contains (brand name) herbicide, based on the active ingredient oxadiazon, which provides preemergent control or suppression of crabgrass, Poa annua, goosegrass and foxtail during Bermudagrass sprigging

Net Weight XX lbs. (XX ka) Treats up to XX Sq. Ft.

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiquesta, busque a alguien para que se la explique a susted en detaile. (If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes moderate eve irritation. Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with eyes, skin or clothing Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilest Users should remove clothing/PPE immediately if pesticide gets inside. Then wash body thoroughly aກໍ່ປັ່ວputeon

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

υC 00 c

..... 6660 **FIRST AID**

If in eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

If inhaled

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Environmental Hazards: This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

ACTIVE INGREDIENT:

[‡]CAS No. 19666-30-9 EPA Reg. No. 9198-75

EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

Guaranteed Analysis

Total Nitrogen (N)	XX%.
Available Phosphate (P ₂ 0 ₅)	
Soluble Potash (K ₂ 0)	
Digit nutrients derived from:	

Plant nutrients derived from:

For products being sold into states requiring statement on fertilizer products:

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com./

Product of USA

Ronstar® is a Trademark of Bayer

GUSSETS (optional, depending on packaging):

logo

THE ANDERSONS FERTILIZER with 1.38% RONSTAR®

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly of through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls, shoes plus socks, and chemical resistant gloves made of any waterproof material.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, sod farms or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated areas (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

TURF USES

For use on established or sprigged Bermudagrass, Zoysiagrass, Seashore paspalum* (see precautions), Tropic Lalo (paspalum hieronymil), St. Augustinegrass, perennial Bluegrass, Perennial Ryegrass and Tall Fescue turf; such as fairways, parks, golf courses and sod farms. Use for preemergent control or suppression of sprouting:

Weed Grasses:

Crabgrass Goosegrass Yellow foxtail Green foxtail Barnyardgrass Carpetgrass Annual Bluegrass (Poa annua)*

Field Sandbur*

Annual Sedge*

Broadleaf Weeds:

Oxalis Florida Pusley Petty Spurge Stinging Nettle Common Purslane Pigweed

Veronica Speedwell Common Groundsel

Virginia Buttonweed

*Not currently registered in California

How to Use

- Apply prior to or after sprigging 109 to 145 lbs. of product per acre (1.5 to 2.0 lbs. Al/acre) for suppression or control of listed annual weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
- Apply 145 to 218 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre) for control of listed annual weeds during bermudagrass, zoysiagrass, seashore paspalum and tropic lalo (paspalum hieronymil) establishment from sprigs*
- After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass has filled in and the stolons have rooted down before application of other herbicides or growth regulator products.
- On Seashore paspalum make application 10-14 days after sprigging.
- For established turf, apply at 145 to 218 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre).

When to Use

Use this product to control or suppress the listed annual weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

- Bermudagrass make application immediately prior to or immediately after sprigging
- Zoysiagrass and St Augustinegrass make application prior to or after sprigging
- Seashore Paspalum make application 10 to 14 days after sprigging. Applications made close to the time of sprigging may cause objectionable Seashore Paspalum injury.
- Tropic Lalo application must be made 0-12 days after sprigging. Do not use in areas where endangered Hawaiian Goose or nene (*Branta sandvicensis*), Hawaiian duck (*Anas wyvilliana*), Hawaiian Stilt (*Himantopus mexicanus knudseni*) and Hawaiian Moorhen (*Gallinula chloropus sandvicensis*) may feed.

For best results, water-in the product as soon as practical after application.

*Not currently registered in California

PRECAUTIONS

Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.

Avoid contact with flowers and shrubs.

Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

This product should not be used on putting greens or tees because of the varied cultural practices used.

Do not apply to Bentgrass turf mowed less than 3/8 inch.

Do not apply to wet turf as discoloration may occur.

For St. Augustinegrass and Bentgrass turf, do not exceed the rate of 175 lbs. per acre (2.4 pounds ai/acre).

This product may cause temporary discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This is normally outgrown within 2-3 weeks.

On Seashore Paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.

Do not apply to Dichondra or Centipedegrass.

Do not apply more than 218 lbs. of product per acre (3.0 lbs. Al/acre) per single application.

Do not apply more than 435 lbs. of product per acre (6.0 lbs. Al/acre) per year except in areas where there is heavy weed infestation. If areas of heavy weed infestation, do not apply more than 580 lbs. of product per acre (8.0 lbs. Al/acre) per year.

Disturbance of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing. Keep container closed and away from food, feedstuffs, and domestic water supplies.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.(RVred07135)

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. P.O. Box 119 Maumee, OH 43537

T	Su hese suggested spreade Please calibrate		e not intende	d to replace		e
	lbs. treatsft ² lbs. treatsft lbs. treatsft ²	at the 145 lbs t^2 at the 181 l	s. product/aci bs. product/a	re – MEDIUM acre - HIGH F are – HEAVY	RATE RATE	
	Ground Speed	Width of Coverage	Low Rate 1.5 lbs. ai/A	Medium Rate 2.0 lbs. ai/A	High Rate 2.5 lbs. ai/A	Heavy Rate 3.0 lbs. ai/A
aa	X mph	XX ft/	Х	Х	Х	Х
bb	X mph	XX ft	Х	X	Х	Х
CC	X mph	XX ft	X	Х	Х	Х

IMPORTANT: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

	•	((, (
Date Printed	7/13/05	cecci in the
Date Approved	7/30/07	; ((
Supersedes	9/24/01	(((
Label Changes	RED	() () ()
Filename	9198-75.doc	(, (, (,
Label Code	RVred071305	

NOTIFICATION