

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR | 3 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION
dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF PREVENTION, PESTICIDES AND FOXIC SUBSTANCES

SUBJECT:

Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7

EPA Reg. No.: SEE ATTACHED 9/18-76

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements); the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

**Enclosures** 

BEST COPY AVAILABLE



Printed with Say/Canala Ink on paper that contains at least 50% recycled liber

44

THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93

Original Submissions

WEED N' FEED 10-6-4 - 9198-8 FRANK S GARDEN KING WERD AND FEED - 9198-16 'TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26 TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30 TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31 TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32 TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37 TURF-CARE DURSBAN 2.5G - 9198-39 TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43 TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44 TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45 ANDERSONS WEED AND FEED - 9198-46 ANDERSONS WEED KILLER - 9198-47 ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48 ANDERSONS WEED AND FEED XX-XX-XX - 9198-49 ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50 ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51 ANDERSONS CRABGRASS PREVENTER - 9138-52 ANDERSON'S WEED AND FRED III 28-3-9 - 9198-53 ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54 ANDERSON'S WEED AND FEED 20-6-10 - 9198-55 PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56 PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57 PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58 PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59 EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60 TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61 TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62 LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64 LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65 LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66 K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67 THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68 GREEN THUMB WEED AND FEED 12-3-5 - 9198-70 CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72 CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73 TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75 TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76 TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77 TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78 TEE TIME 25-3-8 PLUS TEAM - 9198-79 TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80 TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81 TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

# **BEST COPY AVAILABLE**

TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83 TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84 TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85 ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86 ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88 TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89 TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90 TEE TIME 25-3-8 PLUS TEAM - 9198-91 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS - 9198-92 GREEMSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS - 9198-93 TEE TIME 20-4-10 PLUS TEAM - 9198-94 TEE TIME 25-3-8 WITH TRAM/DURSBAN - 9198-98 TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99 TEE TIME INSECTICIDE WITH DYLOX - 9198-100 TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

**BEST COPY AVAILABLE** 

## ACCEPTED with COMMENTS In EPA Letter Dated

Under the Foderal Insecticide, Fundicide, and Redemicide Act as amended, for the posteide registered under EPA Reg. No.

9198-76 Page 1 of 6

(FRONT PANEL)

TEE TIME

**FERTILIZER** 

32-3-5

WITH OFTANOL\*

## **ACTIVE INGREDIENTS:**

1-Methylethyl 2-((ethoxy((1-methylethyl)amino)phophoxy)benzoate		. 1.5%
INERT INGREDIENTS	• • • • • • • • •	98.5%
	TOTAL	100.0%
OFTANOL <sup>®</sup> is a Reg. TM of the Patent Company of Farb Leverkusen	oeniabriken	Bayer GmbH
U.S. Patent No. 3.621.082 Canadian Patent No. 825.198		

STOP - READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR STATEMENT OF PRACTICAL TREATMENT AND ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_\_ LBS.

TREATS UP TO \_\_\_\_\_ SQ.FT.

EPA REG. NO. 9198-76

EPA EST. NO. 9198-OH-1

60T:

9198-76 Page 2 of 6

## (BACK PANEL)

NET WEIGHT \_\_\_ LBS. (22.7 Kg)

TREATS UP TO \_\_\_\_\_ SQ.FT.

#### TEE TIME FERTILIZER

32-3-5

#### WITH OFTANOL

#### **GUARANTEED ANALYSIS**

32%
38
5%

Primary Plant Foods Derived from Urea, Muriate of Potash, Ammoniated Phosphates, and Sulfur Coated Urea. Sulfur derived from Sulfur Coated Urea.

## KEEP OUT OF REACH OF CHILDREN

#### CAUTION

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.

## STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Give a glass or two of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Wash with soap and hot water.

IF IN EYES: Flush with plenty of water.

IF INHALED: Remove to fresh air. If not breathing, give artificial

respiration, preferably mouth-to-mouth. Get medical attention.

9198-76 Page 3 of 6

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and other wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

## **DIRECTIONS FOR USE**

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### RECOMMENDED APPLICATIONS

Use this product at the rate of 3 lbs. per 1,000 sq.ft. The timing of the applications vary dependent upon the insect which is being controlled. Follow the directions as specified below for control of the listed turf grass pests. Consult your local turf, State Agricu!tural Experiment Station, or State Extension Specialists for more specific information regarding the timing of applications.

White Grub larvae (such as Japanese Beetle, Black Turf Grass Alsenius, Northern Masked Chafer, European Chafer, June and May Beetle).

## PREVENTATIVE APPLICATIONS

To control the above listed pests apply this product at the rate of 3 lbs./1,000 sq.ft. in the Spring (April thru mid May) and immediately apply sufficient water to wet the soil 1 to 1½ inches deep without causing runoff.

#### CURATIVE APPLICATIONS

If visible damage of high Grub populations have been observed apply 3 lbs./1,000 sq.ft. and immediately apply sufficient water to wet the soil 1 to  $1\frac{1}{2}$  inches deep without causing runoff.

Billbug Larvae: Apply 3 lbs./1,000 sq.ft. when adult activity is observed in the Spring usually late March to mid May. Water in as for preventative White Grub control.

Hyperodes Weevil Larvae: Apply at the rate of 3 lbs. per 1,000 sq.ft. in the Spring between full bloom periods of forsythia and flowering dogwood, usually April 15 to May 15 and water in as for preventative White Grub control.

9198-76 Page 4 of 6

Mole Crickets: Apply at the rate of 3 lbs./1,000 sq.ft. preventively or when damage is observed. Apply 1/4 to 1 inches of water immediately after application if rainfall does not occur.

Area Fire Ant Control: Apply 3 lbs./1,000 sq.ft. uniformly over area to be treated for residual control. Water immediately after application using to 1 inch of water. If established fire ant mounds are present, use the mound drench treatment prior to area application. If a mound drench treatment is made only one area treatment may be made.

Established Fire Ant Mounds - Drench Treatments: Wet Conditions: Distribute 0.5 oz. evenly over 9 sq.ft. and immediately sprinkle gently with 3 gallons of water. Dry Conditions: Treat as noted for wet conditions, however, to insure penetration apply an additional 3 gallons of water to the treated mound area after treatment. Make only one Mound Drench Treatment.

Sod Webworm Larvae and Chinch Bugs: Apply 1.5 lbs. or 3 lbs. per 1,000 sq.ft. (use higher rate for severe infestations) when insect damage is first observed. Apply 1/4 to 1/2 inches of water immediately after treatment. Reapply as necessary for pest reinfestation (see restrictions).

#### SUGGESTED SPREADER SETTINGS

## (Available at Final Printing)

The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applies and roughness of terrain. Calculate the size of the area to be treated and do not over or under apply. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting, if necessary, in order to assure correct rate of application. Close spreader when filling, stopping or turning. Do not hand spread.

#### RESTRICTIONS

The maximum amount of this product which can be used is 6 lbs. per 1,000 sq. ft. per year. Applications at the rate of 1.5 lbs. per 1,000 sq.ft. must have a 15 day interval and applications at the rate of 3 lbs. per 1,000 sq. ft. must have a 30 day interval between applications. A maximum of 1.45 oz. of active ingredient per 1,000 sq.ft. per acre per year can be applied regardless of formulation.

Do not mow treated turf before rainfall or irrigation has been applied as per recommended applications. Keep children and pets off treated areas until dry. Do not use clippings from treated areas for feed or forage or allow food animals to graze treated areas.

#### STORAGE AND DISPOSAL

#### FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage or disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bay. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIES.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

MANUFACTURED BY:

the professional's partner

THE ANDERSONS

LAWN FERTILIZER DIVISION

P.O. BOX 119

MAUMEE, OH 43537

Date Printed:

11/26/93

Date Approved:

Supersedes:

06/12/90