



JAN 05 1995

M 14 9198-76

54658.27 $\frac{300}{17}$

12/8

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

The Andersons Lawn Fertilizer Division
dba Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

BEST AVAILABLE COPY

Dear Mr. Paradiso:

Subject: Homeowner Use Only
Andersons Tee Time 32-3-5 With Oftanol
EPA Registration No. 9198-76
Your Application of March 25, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided that you:

1. Submit your completed EPA Form 8570-1, Application for Pesticide Amendment verifying that the size(s) containers (item 4 on the form) are less than 50 pounds before you release the product for shipment. To qualify as a "Homeowner Use Only" product, it must be determined that the product qualifies as one primarily intended for use by the homeowner. Generally, the qualifying factors include use directions and container size(s) that are deemed appropriate for homeowner use. For a solid product such as the subject product, container sizes less than 50 pounds are normally considered appropriate for homeowner use.

2. Submit two(2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Your subject application also included a proposed labeling for the subject product with the restriction, "Commercial Use Only". This "Commercial Use Only" label is not acceptable under the subject registration number for the following reasons.

According to our records, you had elected to delete commercial uses from the subject product labeling in your response to the Worker Protection Standard (WPS) labeling requirements. Your proposed "Commercial Use Only" label, however, implies use of the product on commercial use sites that are within the scope of the WPS, and, as such, requires appropriate labeling to bring it into compliance with the WPS. Therefore, it cannot be accepted under the same registration number as your "Homeowner Use Only" label. Under the WPS, a product determined to be a homeowners use only product is not subject to the WPS labeling requirements. Refer to the discussion in item one above regarding the factors considered in making this determination.

For further consideration towards registration of your proposed commercial use only label, you must apply for a new registration. In doing so, it is recommended that you clarify the sites on which the product is to be used. The proposed label allows use of the product for turf insects without further qualification as to the specific site.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (7504C)

BEST AVAILABLE COPY

(FRONT PANEL)

HOMEOWNER USE ONLY

THE ANDERSONS

TEE TIME

FERTILIZER

WITH 1.5% OPTANOL

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 05 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9198-76

ACTIVE INGREDIENTS:

1-Methylethyl 2-((ethoxy((1-methylethyl)amino)phosphionthioyl)
oxy)benzoate 1.5%

INERT INGREDIENTS 98.5%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT ___ LBS.

TREATS UP TO _____ SQ. FT.

EPA REG. NO. 9198-76

EPA EST. NO. 9198-OH-1

10/8

(BACK PANEL)

HOMEOWNER USE ONLY

NET WEIGHT ____ LBS. (22.7 Kg)

TREATS UP TO _____ SQ. FT.

THE ANDERSONS

TEE TIME FERTILIZER

WITH 1.5% OPTANOL

GUARANTEED ANALYSIS

Total Nitrogen (N)	32%
1.2% Ammoniacal Nitrogen	
24.3% Urea Nitrogen	
6.5% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P2O2)	3%
Soluble Potash (K2O)	5%
Sulfur (S)	4.9%

Primary Plant Foods Derived from Urea, Muriate of Potash, Ammoniated Phosphates, and Sulfur Coated Urea.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Give a glass or two of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

(BACK PANEL)

HOMEOWNER USE ONLY

IF ON SKIN: Wash with soap and hot water.

IF IN EYES: Flush with plenty of water.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other wildlife. Do not apply to water. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

RECOMMENDED APPLICATIONS

Use this product at the rate of 3 lbs. per 1,000 sq.ft. The timing of the applications vary dependent upon the insect which is being controlled. Follow the directions as specified below for control of the listed turf grass pests. Consult your local turf, State Agricultural Experiment Station, or State Extension Specialists for more specific information regarding the timing of applications.

White Grub larvae (such as Japanese Beetle, Black Turf Grass Alsenius, Northern Masked Chafer, European Chafer, June and May Beetle).

PREVENTIVE APPLICATIONS

To control the above listed pests apply this product at the rate of 3 lbs./1,000 sq. ft. in the Spring (April thru mid May) and immediately apply sufficient water to wet the soil 1 to 1½ inches deep without causing runoff.

6.78

(BACK PANEL)

HOMEOWNER USE ONLY

CURATIVE APPLICATIONS

If visible damage of high Grub populations have been observed apply 3 lbs./1,000 sq.ft. and immediately apply sufficient water to wet the soil 1 to 1 1/2 inches deep without causing runoff.

Billbug Larvae: Apply 3 lbs./1,000 sq.ft. when adult activity is observed in the Spring usually late March to mid May. Water in as for preventative White Grub control.

Hyperodes Weevil Larvae: Apply at the rate of 3 lbs. per 1,000 sq.ft. in the Spring between full bloom periods of forsythia and flowering dogwood, usually April 15 to May 15 and water in as for preventative White Grub control.

Mole Crickets: Apply at the rate of 3 lbs./1,000 sq.ft. preventively or when damage is observed. Apply 1/2 to 1 inches of water immediately after application if rainfall does not occur.

Area Fire Ant Control: Apply 3 lbs./1,000 sq.ft. uniformly over area to be treated for residual control. Water immediately after application using 1/2 to 1 inch of water. If established fire ant mounds are present, use the mound drench treatment prior to area application. If a mound drench treatment is made only one area treatment may be made.

Established Fire Ant Mounds - Drench Treatments: Wet Conditions: Distribute 0.5 oz. evenly over 9 sq.ft. and immediately sprinkle gently with 3 gallons of water. Dry Conditions: Treat as noted for wet conditions, however, to insure penetration apply an additional 3 gallons of water to the treated mound area after treatment. Make only one Mound Drench Treatment.

Sod Webworm Larvae and Chinch Bugs: Apply 1.5 lbs. or 3 lbs. per 1,000 sq.ft. (use higher rate for severe infestations) when insect damage is first observed. Apply 1/2 to 1 inches of water immediately after treatment. Reapply as necessary for pest reinfestation (see restrictions).

SUGGESTED SPREADER SETTINGS

(Available at Final Printing)

The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applies and roughness of terrain. Calculate the size of the area to be treated and do not over or under apply. Accurately weigh a few pounds into your spreader and apply to a measured area.

7/27/8

(BACK PANEL)

HOMEOWNER USE ONLY

Then adjust the spreader setting, if necessary, in order to assure correct rate of application. Close spreader when filling, stopping or turning. Do not hand spread.

RESTRICTIONS

The maximum amount of this product which can be used is 6 lbs. per 1,000 sq. ft. per year. Applications at the rate of 1.5 lbs. per 1,000 sq.ft. must have a 15 day interval and applications at the rate of 3 lbs. per 1,000 sq. ft. must have a 30 day interval between applications. A maximum of 1.45 oz. of active ingredient per 1,000 sq.ft. per acre per year can be applied regardless of formulation.


Do not mow treated turf before rainfall or irrigation has been applied as per recommended applications. Keep children and pets off treated areas until dry. Do not use clippings from treated areas for feed or forage or allow food animals to graze treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.



8. NY

(BACK PANEL)

HOMEOWNER USE ONLY

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By: The Andersons
Lawn Fertilizer Division
P.O. Box 119
Maumee, OH 43537

Date Printed: 01/24/94
Date Approved:
Supersedes: 06/12/90
Label Change:

