



Specimen Label

Tee Time Sprayable Herbicide

contains



A selective preemergence herbicide for the control of crabgrass, goosegrass, and other annual weed grasses on lawns, golf courses and other turfgrass areas in established:

Bentgrass (nonputting green)
Bluegrass (perennial)
Fescues (fine and tall)
Ryegrass (perennial)
Bahagrass

Bermudagrass
Centipedegrass
St. Augustinegrass
Zoysiagrass

Active Ingredients:

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine.....21.8%
trifluralin: a,a,a-trifluoro-2,6,-dinitro-N,N-dipropyl-p-toluidine... 10.9%

Inert Ingredients.....67.3%

Contains 1/3 pound active ingredient per pound of product.

*Team™ - and the diagonal color bar are the registered trademarks of Elanco Products Company.

Keep Out of Reach of Children.

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed. Avoid contact with skin, eyes, or clothing.

First Aid: In case of contact, immediately flush eyes or skin with plenty of water. If swallowed, drink large quantity of water and induce vomiting by placing finger in back of throat. Never give anything by mouth to an unconscious person.

If accidentally swallowed, or if irritation persists, get medical attention.

Environmental Hazards.

This product is toxic to fish. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

Storage: Do not store in direct sunlight. Store in a cool dry place in original container only.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from use may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of overpack in a sanitary landfill or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Directions for Use Read All Directions Carefully Before Applying

It is a violation of Federal Law to use this product in a manner inconsistent with the label.

Tee Time Sprayable Herbicide is a preemergence herbicide which is applied to established turfgrasses for the control of crabgrass, foxtails, goosegrass, annual bluegrass and other annual weed grasses. Tee Time Sprayable Herbicide kills these weeds as they germinate. Apply Tee Time Sprayable Herbicide before these annual weeds begin to germinate. This product does not control emerged or established weeds.

Precautions: Tee Time Sprayable Herbicide may thin established annual bluegrass (*Poa annua*) turfs. Tee Time Sprayable Herbicide should not be applied in the spring to turfgrasses planted in previous fall unless the turf achieved full establishment and cover and was mowed at least 4 times during the fall. Tee Time Sprayable Herbicide may thin winter grasses overseeded to dormant bermudagrass areas if applied during the early spring.

Do not apply Tee Time Sprayable Herbicide to golf course putting greens, dischondra, newly sprigged areas of bermudagrass, St. Augustinegrass or centipedegrass.


APPLICATION DIRECTIONS

Rates, Frequency and Timing of Application.

Apply Tee Time Sprayable Herbicide one to two weeks prior to the germination of annual weed grasses.

Optimum weed control performance will be obtained if treated areas are irrigated soon after application.

Any cultural practices that disturb the soil such as aerification or verticutting, should be completed prior to application.



Rates:

<u>Cool Season Grasses</u>	<u>Warm Season Grasses</u>
4.5-9.0 lbs/acre	6-12 lbs/acre
(1.6-3.2 ounces/1000 sq. ft.)	(2.2-4.4 ounces/1000 sq. ft.)

Within the listed rate ranges, use the lowest rate in areas with a short growing season or if only 6 to 8 weeks of control is desired. In areas with a long growing season or where season long control is desired, use rates at the upper end to the maximum rate in the range.

Do not reseed treated areas with desirable perennial grasses for a minimum of 42 days following treatment. Areas treated at the maximum rates should not be reseeded for a minimum of 90 days.

APPLICATION EQUIPMENT AND DIRECTION

Tee Time Sprayable Herbicide should be mixed with water and applied as a spray. Apply in a minimum of 100 gallons of water per acre using any properly calibrated spray unit.

Vigorous, continuous agitation is required to keep Tee Time Sprayable Herbicide in suspension. Sparger pipe agitation generally provides the best agitation.

When mixing Tee Time Sprayable Herbicide with water, start by filling the spray tank 3/4 full of clean water. Start agitation and increase pump speed to operating pressure. Add the correct quantity of Tee Time Sprayable Herbicide, continue agitation and finish filling the tank with water.

Tank-Mixing Instructions

Tee Time Sprayable Herbicide is compatible with most commercially available turfgrass pesticides and sprayable plant nutrients. Compatibility between specific products should be determined by mixing a small quantity of each additive in an appropriate quantity of water. Any changes in color, an abnormal precipitate, or rapid settling may indicate incompatibility.

When tank mixing several products always add to the spray tank in the following order.

Dry Flowables--Wettable/Dispersable Powders--Aqueous
Suspensions--Flowables--Liquids--Solutions--Emulsifiable or Liquid
Concentrates.

Always add materials to the spray tank while the agitation is operating and ensure that all products are completely dispersed in water.

Do not allow spray mixtures to stand overnight. If agitation must be stopped for any period of time, be certain that all material in the bottom of the tank is resuspended prior to resuming spray operations.