

MAY 18 1994

Mr. Daniel Paradiso, Jr.  
The Andersons Lawn Fertilizer Division  
DEA Free Flow Fertilizer  
P.O. Box 119  
Maumee, OH 43537

Dear Mr. Paradiso:

Subject: Tee Time Sprayable Herbicide with Team  
EPA Registration No. 9198-77  
Application Dated March 25, 1994, RE: PR Notice  
93-3, WPS Exclusionary Statement and Labeling  
Format Revision and Minor Changes

The proposed amendments to the registration of the subject pesticide product have been reviewed and found to be acceptable for registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended provided that you:

- o Submit five(5) printed copies of the final printed label before releasing the product for shipment under the subject labeling.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(e). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (7505C)

Enclosure

EWilson:Diskette:ABC11:05-18-94

BEST AVAILABLE COPY

296

(FRONT PANEL)

Net Weight 24 Lbs. (10.9 kg)

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

THE TIME

MAY 18 1994

SPRAYABLE HERBICIDE

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

WITH TEAM<sup>TM</sup>

9198-77

A selective preemergence herbicide for the control of crabgrass, goosegrass, and other annual weed grasses on lawns, golf courses and other turfgrass areas in established:

Bentgrass (nonputting green)	Bermudagrass	bluegrass (perennial)
Centipedegrass	Fescues (fine & tall)	St. Augustinegrass
Ryegrass (perennial)	Zoysiagrass	Bahiagrass

**ACTIVE INGREDIENTS:**

Benefin: N-butyl-N-ethyl-alpha, alpha, alpha, -triflouro-2,6-dintro- p-toluidine .....	21.8%
Trifluralin: alpha, alpha, alpha-trifluro-2,6-dinitro-N,N-dipropyl- p-toluidine .....	10.9%
<b>INERT INGREDIENTS</b> .....	<b>67.3%</b>

Contains 1/3 pound active ingredient per pound of product.

Team<sup>TM</sup> -- and the diagonal color bar are the registered trademarks of Elanco Products Company.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

EPA Reg. No. 9198-77

EPA Est. 228-IL-1

**BEST AVAILABLE COPY**

396  
7

(BACK PANEL)

TEE TIME

SPRAYABLE HERBICIDE

WITH TEAM

**PRECAUTIONARY STATEMENTS**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**Hazards to Humans and Domestic Animals**

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Do not allow children or pets on lawn until 1/2" of water has been applied to lawn and the water has dried (or, if wet conditions persist, until 24 hours have passed).

First Aid: In case of contact, immediately flush eyes or skin with plenty of water. If swallowed, drink large quantity of water and induce vomiting by placing finger in back of throat. never give anything by mouth to an unconscious person. If accidentally swallowed, or if irritation persists, get medical attention.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by cleaning of equipment or disposal of waste.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

**BEST AVAILABLE COPY**

(BACK PANEL)

DIRECTIONS FOR USE

Read All Carefully Before Applying

It is a violation of Federal Law to use this product in a manner inconsistent with the label.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Tee Time Sprayable Herbicide is a preemergence herbicide which is applied to established turfgrasses for the control of crabgrass, foxtails, goosegrass, annual bluegrass and other annual weed grasses. Tee Time Sprayable herbicide kills these weeds as they germinate. Apply Tee Time Sprayable Herbicide before these annual weeds begin to germinate. This product does not control emerged or established weeds.

Precautions: Tee Time Sprayable Herbicide may thin established annual bluegrass (*Poa annua*) turfs. Tee Time Sprayable Herbicide should not be applied in the spring to turf grasses planted in previous fall unless the turf achieved full establishment and cover and was mowed at least 4 times during the fall. Tee Time Sprayable Herbicide may thin winter grasses overseeded to dormant bermudagrass areas if applied during the early spring.

Do not apply Tee Time Sprayable Herbicide to golf course putting greens, dichondra, newly sprigged areas of bermudagrass, St. Augustinegrass or centipedegrass.

APPLICATION DIRECTIONS

Rates, Frequency and timing of Application.

Apply Tee Time Sprayable Herbicide one to two weeks prior to the germination of annual weed grasses.

Optimum weed control performance will be obtained if treated areas are irrigated soon after application.

Any cultural practices that disturb the soil such as aerification or verticutting, should be completed prior to application.

BEST AVAILABLE COPY

(BACK PANEL)

Cool Season Grasses

4.5-9.0 lbs/acre  
(1.6-3.2 oz/1000 sq.ft)

Warm Season Grasses

6-12 lbs/acre  
(2.2-4.4 oz/1000 sq.ft)

Within the listed rate ranges, use the lowest rate in areas with a short growing season or if only 6 to 8 weeks of control is desired. In areas with a long growing season or where season long control is desired, use rates at the upper end to the maximum rate in the range.

Do not reseed treated areas with desirable perennial grasses for a minimum of 42 days following treatment. Areas treated at the maximum rates should not be reseeded for a minimum of 90 days.

APPLICATION EQUIPMENT AND DIRECTION

Tee Time Sprayable Herbicide should be mixed with water and applied as a spray. Apply in a minimum of 100 gallons of water per acre using any properly calibrated spray unit.

Vigorous, continuous agitation is required to keep Tee Time Sprayable in suspension. Sparger pipe agitation generally provides the best fluid recirculation (bypass) agitation; mechanical agitation systems are generally adequate.

When mixing Tee Time Sprayable Herbicide with water, start by filling the spray tank 3/4 full of clean water. Start agitation and increase pump speed to operating pressure. Add the correct quantity of Tee Time Sprayable Herbicide, continue agitation and finish filling the tank with water.

TANK-MIXING INSTRUCTIONS

Tee Time Sprayable Herbicide is compatible with most commercially available turfgrass pesticides and sprayable plant nutrients. Compatibility between specific products should be determined by mixing a small quantity of each additive in an appropriate quantity of water. Any changes in color, an abnormal precipitate, or rapid setting may indicate incompatibility.

When tank mixing several products always add to the spray tank in the following order:

Dry Flowables--Wettable/Dispersible Powders--Aqueous Suspensions--Flowables--Liquids--Solutions--Emulsifiable or Liquid Concentrates.

Always add materials to the spray tank while the agitation is operating and ensure that all products are completely dispersed in water.

**BEST AVAILABLE COPY**

(BACK PANEL)

Do not allow spray mixture to stand overnight. If agitation must be stopped for any period of time, be certain that all materials in the bottom of the tank is resuspended prior to resuming spray operations.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of applications, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By: The Andersons  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

Date Printed: 01/24/94  
Date Approved:  
Supersedes:  
Label Change:

BEST AVAILABLE COPY