

9198-79

2/3/2011

#15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Debbie Ziehr
The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

FEB -3-2011

Subject: Notification per PR Notice 98-10 (alternate brand name)
The Andersons Tee Time Fertilizer with 1.15% Team
EPA Reg. No. 9198-79
Application Dated November 30, 2010

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The alternate brand name "**The Andersons Premium Crabgrass Preventer Plus Lawn Food 26-0-6**" has been added for this product. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)

2/5



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-789	2. EPA Product Manager Montague	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Tee Time Fertilizer with 1.15% Team	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. P.O. Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of Alternate Brand Name per PR Notice 98-10: The Andersons Premium Crabgrass Preventer Plus Lawn Food 26-0-6
 This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container
18 lbs. - 50 lbs.

5. Location of Label Directions
 On Label

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-891-6671
----------------------	-----------------------------------	---

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

8. Date Application Received (Stamped)

2. Signature <i>Debbie Ziehr</i>	3. Title Regulatory Administrator
4. Typed Name Debbie Ziehr	5. Date 11/30/10

More For Your Home™



Premium

The Andersons

Crabgrass Preventer plus Lawn Food

26-0-6

A selective preemergence herbicide and fertilizer product for the control of crabgrass and most other annual weed grasses on lawns in established Bluegrass (perennial), Ryegrass (perennial), Fescue, Bahiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass and Zoysiagrass.

For Thick, Green Lawns

COVERS 5,000 SQUARE FEET



Net Wt. **18** Lbs. (8.16 kg)

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See back panel for Additional Precautions

EPA Reg. No. 6199-73
EPA Est. No. 6199-CH-1E, 6199-CH-2E, 6199-AL-001A
(Unidentified letters used in first letter of run code on end of bag.)

ACTIVE INGREDIENTS:	
Imazaquin CAS NO. 1009-04-4	0.7%
Triethylamine CAS NO. 1029-08-4	0.8%
OTHER INGREDIENTS	98.5%
TOTAL	100.0%

The Andersons

The Andersons



Crabgrass Preventer

plus Lawn Food



PRECAUTIONARY STATEMENTS

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told by a poison control center or doctor.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 15 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Warning: Causes substantial but temporary eye irritation. Harmful if swallowed or absorbed through skin, or inhaled. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash clothing before reuse.

• Personal Protective Equipment (PPE): Wear goggles or face shield.

Wear Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticides gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose streams, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

GUARANTEED ANALYSIS

Total Nitrogen (N)	26.00%
26.00% Urea Nitrogen*	
Soluble Potash (K ₂ O)	6.00%
Plant nutrients derived from urea, potassium chloride, polymer coated sulfur coated urea.	
*3.90% Slowly Available Nitrogen from Polymer Coated Sulfur Coated Urea	
F483	

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product will supplement your regular fertilizer program by providing 0.83 pounds of nitrogen at the 3.6 lb. per 1,000 sq. ft. application rate. Please consult with your local extension office for questions regarding a regular fertilizer program.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Storage & Disposal

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.
DISPOSAL: If empty: Nonrefillable Container. Do not reuse or refill this container. Offer for recycling, if available.
 If partly full: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION

This product has a preemergence herbicide which is applied to established turfgrasses for the control of annual bluegrass (Poa annua), smooth and hairy crabgrass, goosegrass, silver crabgrass or crowfoot, bermudagrass (watergrass), and green and yellow foxtail. This product controls these annual weeds by killing their seeds as they germinate. Apply before these annual weeds begin to germinate since it does not control established weeds. When applied as directed, the following established turfgrasses are tolerant: Kentucky Bluegrass, Fescue, St. Augustinegrass, Centipedegrass, Perennial Ryegrass, Zoysia, Bahiagrass, Bermudagrass.

RESEEDING

Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings. Reseeding should be delayed for at least 6 weeks after applying. When reseeding, it is essential that proper cultural practices such as soil cultivation, irrigation and fertilization be followed. For satisfactory reseeding results after using this product, the amount of seed used should be increased and equipment designed to place seed in contact with the soil (such as the Rogers Aero Seeder) should be employed. When using this product at the highest recommended rate, reseeding should be delayed 12 to 16 weeks after application.

APPLICATION EQUIPMENT

Apply evenly over the turfgrass area without skips or misses. A more uniform application can be made with broadcast (rotary) type spreaders by spreading half the required amount over the area and then applying the remaining half at right angles. Both drop type and rotary type spreaders may be used. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrate applicators prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly.

Suggested Spreader Settings

NOTE: It is important to follow the directions on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. **DO NOT HAND SPREAD.**

BROADCAST SPREADER SETTINGS

For best results, apply in a circular path starting on the outside and working toward the center (see Broadcast Spreader Path diagram at left). A little overlap of product will ensure complete coverage.

	3.00 Rate
The Andersons 4300	5
The Andersons 4500	5 1/2
Precision 4300	5
Precision 4500	5 1/2
Republic EZ540/76450	2 1/2 - 3
Scotts Baste, Scotts Standard	4 1/2 - 5
Scotts Lawn Pro, Scotts Deluxe	4 1/2 - 5
Scotts SpeedyGreen	4 1/2 - 5
Scotts EasyGreen	26 - 27
Scotts EdgeGuard	5

DROP SPREADER SETTINGS

First apply 2 border strips along the edge of each end of the lawn (see Drop Spreader Path diagram at left). Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

	3.00 Rate
Precision DS4500	2 3/4
Republic EZ630/76350	6 - 8 1/2
Scotts PF-3	5 - 5 1/2
Scotts AccuGreen	4 1/2

GENERAL PRECAUTIONS AND RESTRICTIONS

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Apply to the turf prior to the germination of weed grasses since this product will not control established weeds. This product may kill established annual bluegrass (Poa annua) turfs and the-leaved leucostachya at rates above 1.72 lb. per 1,000 sq. ft. This product should not be applied in the spring to turfgrasses planted the previous fall. In bermudagrass areas that have been overseeded with winter grasses, a spring application may thin the overseeded grasses. Because of varying cultural practices, this product should not be used on putting greens. Do not use on dichondra. This product should not be applied to newly sprigged areas of bermudagrass, St. Augustinegrass or Centipedegrass until these turfs are well established.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

APPLICATION DIRECTIONS

Rate, Frequency and Timing of Application: Successful preemergence control of the annual grass weeds listed on this label requires proper timing of application. Apply approximately 1 to 2 weeks prior to the germination of annual grass weeds. All summer annual grasses do not germinate at the same time. If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label, weed control results may be erratic or poor. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. Any cultural practices that disturb the soil, such as aerification or verticuring, should be done prior to application.

Spring germinating summer annual grasses - crabgrass, foxtails and bermudagrass.
Northern (cool season) turfgrasses: For preemergence control, apply 3.6 lbs. per 1,000 sq. ft. in the spring 1 to 2 weeks prior to the onset of conditions favorable for annual grass seed germination. In areas of the United States where germination of the annual weed grass species continue for extended periods of time, a second application of this product from one half to the full recommended rate may be made 8 to 10 weeks after initial treatment for continued control.

Late spring, early summer germinating annual grasses - crabgrass, foxtails and bermudagrass and other summer annual grass species. Applications should, therefore, be timed accordingly.
Northern (cool season) turfgrasses: For preemergence control, apply 4 lbs. per 1,000 sq. ft. in the late spring or early summer 1 to 2 weeks prior to the expected germination of annual grasses.

Northern and Southern turfgrasses: In areas of the United States where preemergence control of both early germinating annual grasses (crabgrass, foxtails and bermudagrass) and the later germinating goosegrass is desired, two applications from one half to the full recommended rate spaced 8 to 10 weeks apart may be made to provide full season control of these annual grass species.

Poa annua (annual bluegrass): In areas of heavy infestation of annual bluegrass, its elimination will temporarily result in thin turfgrass areas. Irrigation and soil incorporated reseeding will encourage existing desirable turfgrasses and newly planted seeding turfgrasses to fill in these thin areas previously occupied by annual bluegrass.
Northern (cool season) turfgrasses: For preemergence control, apply 4 lbs. per 1,000 sq. ft. in late summer or early fall and again in late winter or spring 1 to 2 weeks prior to the expected germination of annual bluegrass.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THE LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION.

Visit our web site at:
www.andersonsstore.com



AND263T18
AND263T18B
 2010©

Manufactured by:
 The Andersons Lawn Fertilizer Division, Inc.
 P.O. Box 119, Maumee, OH 43557