



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460**

APR 13 1994

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Daniel Paradiso, Jr.  
THE ANDERSONS LAWN FERTILIZER DIVISION  
dba/FREE FLOW FERTILIZER  
P. O. Box 119  
Maumee, OH 43537

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7  
EPA Reg. No.: SEE ATTACHED *9198-80*

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Enclosures

**BEST COPY AVAILABLE**



Recycled/Recyclable  
Printed with Soy/Candela Ink on paper that  
contains at least 50% recycled fiber

THE ANDERSONS LAWN FERTILIZER DIVISION  
9198 11/22/93

Original Submissions

WEED N' FEED 10-6-4 - 9198-8  
FRANK S GARDEN KING WEED AND FEED - 9198-16  
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND  
INSECTICIDE - 9198-26  
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92%  
DURSBAN BRAND INSECTICIDE - 9198-30  
TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31  
TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32  
TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37  
TURF-CARE DURSBAN 2.5G - 9198-39  
TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43  
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44  
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9  
- 9198-45  
ANDERSONS WEED AND FEED - 9198-46  
ANDERSONS WEED KILLER - 9198-47  
ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48  
ANDERSONS WEED AND FEED XX-XX-XX - 9198-49  
ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER  
- 9198-50  
ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER  
16-4-8 - 9198-51  
ANDERSONS CRABGRASS PREVENTER - 9198-52  
ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53  
ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54  
ANDERSON'S WEED AND FEED 20-6-10 - 9198-55  
PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56  
PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57  
PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58  
PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59  
EASY WEEDEE FLOWER AND GARDEN WEED PREVENTER - 9198-60  
TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61  
TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62  
LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64  
LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65  
LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66  
K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67  
THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68  
GREEN THUMB WEED AND FEED 12-3-5 - 9198-70  
CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72  
CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73  
TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75  
TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76  
TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77  
TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78  
TEE TIME 25-3-8 PLUS TEAM - 9198-79  
TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80  
TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81  
TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

BEST COPY AVAILABLE

- TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
- TEE TIME 30-3-5 WITH 0.65% DURS BAN - 9198-84
- TEE TIME FERTILIZER WITH 0.7% DURS BAN 30-3-5 - 9198-85
- ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
- ANDERSON'S TEE TIME WITH 1.5% OCTANOL - 9198-88
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
- TEE TIME 25-3-8 PLUS TEAM - 9198-91
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS  
- 9198-92
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS  
- 9198-93
- TEE TIME 20-4-10 PLUS TEAM - 9198-94
- TEE TIME 25-3-8 WITH TEAM/DURS BAN - 9198-98
- TEE TIME 19-5-9 WITH TEAM/DURS BAN - 9198-99
- TEE TIME INSECTICIDE WITH DYLOX - 9198-100
- TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION  
9198 11/22/93  
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

(FRONT PANEL)

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
9198-80

TEE TIME  
FERTILIZER  
WITH 1.04 BALANR  
20-4-10

GUARANTEED ANALYSIS

Total Nitrogen (N)	20%
1.1% Ammoniacal Nitrogen	
17.9% Urea Nitrogen	
6.0% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P2O5)	4%
Soluble Potash (K2O)	10%
Sulfur (S)	4.5%

Primary Plant Foods Derived From Ammoniated Phosphates, Urea, Muriate of Potash and Sulfur Coated Urea. Sulfur Derived From Sulfur Coated Urea.

Potential Acidity 653 pounds Calcium Carbonate Equivalent per ton.

ACTIVE INGREDIENT:

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine ..... 1.04%

INERT INGREDIENTS: ..... 98.96%

TOTAL 100.00%

the professional's partner™

THE ANDERSONS

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 50 LBS. (22.75 kg)

TREATS UP TO 15,100 SQ. FT.

(BACK PANEL)

NET WEIGHT 50 LBS. (22.75 kg)

TREATS UP TO 15,100 SQ.FT.

TEE TIME

FERTILIZER

WITH 1.04 BALANR

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly after handling. If inhaled: If breathing discomfort occurs, move to fresh air. Get medical attention if breathing difficulty continues.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

IF IN EYES: Flush eyes with plenty of water and get prompt medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate any body of water by direct application. cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE AND DISPOSAL

Store in original container only. In case of spill, contain material and dispose of waste. Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Tee Time Fertilizer with 1.04 Balan is a selective pre-emergence herbicide for the control of crabgrass and most other annual weed grasses on lawns, golf courses and ornamental turfs in established:

Bluegrass (perennial)	Fescue	Bermudagrass	St. Augustine
Ryegrass (perennial)	Bahiagrass	Centipedegrass	Zoysiagrass

This product controls the listed annual weeds by killing their seeds as they germinate. Apply Tee Time Fertilizer with 1.04 Balan before these weeds germinate since it does not control established weeds. Successful pre-emergence control of the annual weeds listed requires proper timing of application. All annual grasses do not germinate at the same time. Time of germination may also vary from year to year because of soil temperature and rainfall.

FOR OPTIMUM RESULTS

1. Any cultural practices which disturb the soil such as aerification or verticutting should be performed prior to application of this product.
2. Apply Tee Time Fertilizer with 1.04 Balan, one to two weeks prior to the anticipated germination of the targeted weed species based on growing conditions for the particular year.
3. In those locations where both spring germinating annual grasses (crabgrasses, foxtails, barnyardgrasses) and summer germinating annual grass (primarily goosegrass) are anticipated, when the normal period of germination is extended because of favorable climatic conditions. In southern turfgrass areas with longer growing seasons, or when cultural practices require application of Tee Time Fertilizer with 1.04 Balan well in advance of weed seed germination dates, two applications at the recommended rate, spaced 8 to 10 weeks apart may be required for season long control.
4. Apply with equipment designed for application of granular pesticides. Calibrate the applicator prior to use according to manufacturer's instructions. Check frequently to be sure equipment is working properly and distributing granules uniformly.

5. Uniform application is essential for satisfactory weed control. A more uniform application can be made by spreading half the required amount over the area and then application, water thoroughly. This assure more even distribution of the herbicide and avoids gaps in coverage.

6. A well maintained turf with low weed infestations will require less herbicide for effective control then will a thin turf with low fertility, minimum maintenance and heavy traffic. Tee Time Fertilize with 1.04% Balan should be part of an overall turf maintenance program.

APPLICATION RATES

Northern (cool season) Turf Grasses	Lbs/A	Lbs/M	Lbs AI/A	Anticipated Days of Control	
Spring germinating grassy weeds	144	3.33	1.5	60	90
(crabgrass, foxtails, barnyardgrass)	192	4.42	2.0	60	120
Early summer germinating grassy weeds (goosegrass)	192	4.42	2.0	60	100
Spring and summer germinating germinating grassy weeds	192	4.42	2.0	followed by up to 120 150	
	192	4.42	2.0	in a 2nd application 8 to 10 weeks after 1st application	

Southern (warm season) Turf Grasses	Lbs/A	Lbs/M	Lbs AI/A	Anticipated Days of Control	
Spring germinating grassy weeds	192 to 288.5	4.42 to 6.6	2 to 3	60	120
Early summer germinating grassy weeds	288.5	6.6	3	60	100
Spring and summer germinating grassy weeds	129 to 288.5	4.42 to 6.6	2 - 3	followed by up to 120 160	
	288.5	6.6	3	in a second application 8 to 10 weeks after 1st application	



Special Instructions for annual bluegrass (Poa Annua) control:

	Lbs/A	Lbs/M	Lbs AI/A
Northern Turf:	192	4.42	2.0 in early fall followed by
Apply	192	4.42	2.0 applied early spring
Southern Turf:	288.5	6.6	3.0 in late summer followed by
Apply	288.5	6.6	3.0 10 to 12 weeks later

RESEEDING/SPRIGGING

Reseeding should be delayed for at least 6 weeks after applying Tee Time Fertilizer with 1.04 Balan. When using at the highest rates, reseeding should be delayed such as irrigation and fertilization should be followed. For best results, the amount of seed used should be increased and care should be taken to insure contact of the seed with the soil.

This product should not be applied in the spring to turf grasses planted the previous fall. Do not apply to newly sprigged areas of Bermudagrass, St. Augustinegrass or Centipede grass until these turfs are well established. In Bermudagrass areas that have been overseeded with winter grasses, a spring application of Tee Time Fertilizer with 1.04 Balan may thin the overseeded grasses.

USE PRECAUTIONS

This product may thin established annual bluegrass (Poa Annua) turf and fine-leaved fescues at rates above 1.5 pounds of active ingredient per acre. Do not apply to putting greens or Dichondra.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions For Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRENTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

MANUFACTURED BY:

The Andersons  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

Date Printed: 11/25/93  
Date Approved:  
Supersedes:  
Label Change: