Best copy available



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

12/18/2000 racket capy

December 18, 2000

Dawn L. Walters
Regulatory Administrator
The Andersons, Inc.
P.O. Box 119
Maumee, Ohio 43537

Subject: Chlorpyrifos 0.52% EUP

The Andersons Tee Time Fertilizer With 0.71% Dursban Brand Insecticide

EPA Reg. No. 9198-85 Submission date: 8/24/00

Dear Ms. Walters:

The label referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided you incorporate the Agency's conditions as enumerated in this letter below and submit one copy of your final printed label prior to releasing the product for shipment.

- 1) The added note found on page 1 and 2 of the label, "(note: weight will vary per end use product, but will not be less than 25 lbs.)", must be removed from the label. All container sizes must be specified on the EPA Form 8570-1 (Section III, Box #4). The Agency notes that this product will be marketed in container sizes no smaller than 25 lbs. Should this product be sold in containers smaller than 25 lbs it would need to be classified as a Restricted Use Pesticide
- 2) There is a typo on page 3 of the label, under "Surface Insect Control", change "June bettles" to "June beetles".
- 3) Under the "Suggested Spreader Settings" the registrant must include on the revised product label the list or table of suggested spreader settings.

Submit one copy of the revised final printed label before releasing the product for shipment. If the conditions enumerated above are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e).

If you have questions regarding this label review, please contact Marianne Lewis at (703) 308-8043 or electronically at Lewis.Marianne@EPA.gov.

Sincerely,

Dennis McNeilly, Chemist

Insecticide-Rodenticide Branch

Registration Division (7505C)

(Front Panel)

THE ANDERSONS TEE TIME FERTILIZER With 0.71% DURSBAN Brand Insecticide

FOR USE ON TURF
On Golf Courses, Road Medians, Industrial Plant Sites Only

ACTIVE INGREDIENT:		
Chlorpyrifos [O,O-Diethyl O-(3,5,6-trichloro-2-pyridinylyl)phosphorothioate]		0.71%
INERT INGREDIENTS		. 99.29%
	TOTAL	100 00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

(note: weight will vary	NET WEIGHT LBS. r per end use product, but will not be les	s than 25 lbs.)
	TREATSSQ.FT.	
	ACCEPTED with COMMENTS In EPA Letter Dated:	
EPA Reg. No. 9198-85	Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.	EPA Est. No. 9198-OH-1

(Back Panel)

NET WEIGHT __ LBS. (note: weight will vary per end use product, but will not be less than 25 lbs.)

TREATS _____ SQ.FT.

THE ANDERSONS TEE TIME FERTILIZER With 0.71% DURSBAN Brand Insecticide

GUARANTEED ANALYSIS

Total Nitrogen (N)	30%
Available Phosphate(P2O5)	3%
Soluble Potash (K2O)	. 5%

Primary Plant Foods Derived From: Urea, Muriate of Potash, Ammonium Phosphates, Sulfur Coated Urea.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. If in eyes, flush with plenty of water. Get prompt medical attention if irritation persists. Do not take internally. Wash thoroughly after using. Wash contaminated clothing before reuse. Do not treat vegetable gardens or other plants used for food purposes.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

IF IN EYES: Flush eyes with plenty of water and get prompt medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.



9198-85 Page 3 of 4

(Back Panel)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

SURFACE INSECT CONTROL

Apply at the rate of 2.4 - 3.2 lbs. per 1000 square feet, or the equivalent of 0.74 - 1.0 lbs. actual active ingredient per acre. At this rate, the product will control chinch bugs, sod webworms (lawn moths), ants, billbugs, brown dog ticks, crickets, cutworms, earwigs, grasshoppers, armyworms, centipedes, clover mites, fiery skipper, fleas, greenbugs, June bettles, leafhoppers, millipedes, mites, mosquitoes, sowbugs and ticks.

Treat when insects first appear, re-treat as necessary. For best results, product should be watered in after application.

GRUB CONTROL

Apply at the rate of 2.4 - 3.2 lbs. per 1000 square feet, or the equivalent of 0.74 - 1.0 lbs. actual active ingredient per acre. At this rate, the product will control certain white grubs (larvae of European chaffer and Japanese beetle).

Treat when grubs are young and actively feeding near the soil surface. Consult your local agricultural extension service for proper time to treat in your area. For best results, product should be thoroughly watered in to wash the insecticide into the zone of insect infestation.

To control Hyperodes (turfgrass) weevils, uniformly apply 3.2 pounds of granules per 1,000 sq. ft. as directed above. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialists for best time to treat in your area.

Maximum application rate is 1 lb. ai per acre (3.2 pounds of product per 1,000 square feet).

SUGGESTED SPREADER SETTINGS

(Available at final printing)

Important: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application. Do not hand spread.

9198-85 Page 4 of 4

(Back Panel)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

MANUFACTURERS STATEMENT

This product conforms to the ingredient statement on the label. Manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product.

THIS PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND. (AP022086/RVmoa082200)

Manufactured by: The Andersons Lawn Fertilizer Division P.O. Box 119 Maumee, OH 43537

Data Printed	8 22 00
Elate Approved	
Sucersedes	10 09 97
Lace-Orlange	MOA, specify uses for golf courses,road medians, industrial sites max application rate 1 lb aliastermin wg:
Frenance	9198-85
	(AF022086-RV/moa082200)