



PM 14 Reg. NO.
9198-88

yellow

1/7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

AUG 31 1992

5417116 300
18

The Andersons Lawn Fertilizer Division
d/b/a Free Flow Fertilizer
Maumee, OH 43537

Gentlemen:

Subject: Anderson's Tee Time With 1.5% Oftanol
EPA Registration No. 9198-88
Your Labeling Submitted April 8, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the revised labeling:
 - a. As stated in our letter of February 8, 1991, the conflict between the label statements, "For Commercial Use Only" and "For Homeowner Use Only" must be resolved. Since your label bears storage and disposal statements for both the homeowner and the commercial user, it appears that it is your intention that the product be used around the home as well as on commercial sites by the professional or commercial user. If such is the case, delete the front panel statement "For Commercial Use Only".

If it is your intention that the product be used only on commercial sites by the commercial user, your front panel statement, "Commercial Use Only" must be qualified to indicate that it is your recommendation and not an EPA-imposed restriction.
 - b. Refer to the enclosed copy of PR Notice 83-3 and revise your professional/commercial use pesticide disposal instructions to agree with the Notice. Note that the subject pesticide is not included on the "RCRA F List" in the enclosed Notice. Therefore, the label statement specified in the fifth paragraph on page four of the Notice would be appropriate for your product.
 - c. Revise your instructions to water the treated area within 24 hours of application to state that the treated area is to be watered immediately after application. We regret that this label revision was

not brought to your attention in our previous review.

- d. Reinstate the 15-day minimum interval between applications for the 1.5 lb rate which appears on your label accepted February 8, 1991.
- 2. Submit five(5) copies of your final printed label before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours

Robert A. Forrest
 Product Manager (14)
 Insecticide-Rodenticide Branch
 Registration Division (H7504C)

3/7

(FRONT PANEL)

THE ANDERSONS

TEE TIME with

1.5% OFTANOL®

ACTIVE INGREDIENTS:

1-Methylethyl 2-((ethoxy((1-methylethyl) amino)phosphionthioyl)oxy)benzoate 1.5%

INERT INGREDIENTS 98.5%

TOTAL 100.0%

OFTANOL® is a Reg. TM of the Patent Company of Farbenfabriken Bayer GmbH, Leverkusen

U.S. Patent No. 3.621.082
Canadian Patent No. 825.198

FOR COMMERCIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR STATEMENT OF PRACTICAL TREATMENT AND OTHER PRECAUTIONARY STATEMENTS

NET WEIGHT ___ LBS.

TREATS _____ SQ. FT.

ACCEPTED
with COMMENTS
in EPA Letter Dated

EPA REG. NO. 9198-88

EPA EST. NO. 9198-OH-1

AUG 3 1 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

9198-88

BEST AVAILABLE COPY

(BACK PANEL)

NET WEIGHT ___ LBS.

TREATS _____ SQ. FT.

THE ANDERSONS

TEE TIME WITH

1.5% OFTANOL

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Give a glass or two of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Wash with soap and hot water.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, and wildlife. Do not apply directly to water wetlands. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

BEST AVAILABLE COPY

5/7

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

This product is recommended for use on lawns and other ornamental and recreational turf grass areas.

RECOMMENDED APPLICATIONS ON LAWNS

Apply this product at the rate of 3 lbs. per 1,000 sq.ft. for the following insects: Whitegrub larvae (such as Japanese Beetle, Black Turfgrass Ataenius, Chafer, Phyllophaga spp., Green June Beetle, Oriental Beetle, Asiatic Garden Beetle) and Mole Crickets, Larval stage of Billbug and Hyperodes Weevil.

White Grub and Billbug Larvae Control: For best results water turf area thoroughly within 24 hours of application, using sufficient water to wet soil 1 to 1 1/2 inches deep.

Hyperodes Weevil Control: Apply between full bloom periods of forsythia and flowering dogwood, usually April 15 to May 15 and water in as for preventative White Grub control.

Mole Cricket Control: For best results water after application using 1/2 to 1 inch water.

Consult your local turf, state Agricultural Experiment Station, or Extension Service Specialists for more specific information regarding timing of application.

FOR FIRE ANTS:

Area Fire Ant Control: Apply 3 lbs./1,000 sq.ft. uniformly over area to be treated for residual control. Water immediately after application using 1/2 to 1 inch of water. If established fire ant mounds are present, use the mound drench treatment prior to area application. If a mound drench treatment is made only one area treatment may be made.

Established Fire Ant Mounds - Drench Treatments: Wet Conditions: Distribute 0.5 oz. evenly over 9 sq.ft. and immediately sprinkle gently with 3 gallons of water. **Dry Conditions:** Treat as noted for wet conditions, however, to insure penetration apply an additional 3 gallons of water to the treated mound area after treatment. Make only one Mound Drench Treatment.

BEST AVAILABLE COPY

6/7

SURFACE INSECTS:

For CHINCH BUGS and Sod Webworm Larvae: Make application at the rate of 1 ½ or 3 lbs. per 1,000 sq.ft. For best results apply ½ to 1 inches of water within 24 hours after treatment. Reapply as necessary for pest reinfestation.

Consult your local turf, state Agricultural Experiment Station, or Extension Service Specialists for more specific information regarding timing of application.

SUGGESTED SPREADER SETTINGS

(Available at final printing)

The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of terrain. Calculate the size of the area to be treated and do not over or under apply. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting, if necessary, in order to assure correct rate of application. Close spreader when filling, stopping or turning. Do not hand spread.

RESTRICTIONS

Do not mow treated turf area before rainfall or irrigation has been applied as per RECOMMENDED APPLICATIONS. Do not graze treated areas or use clippings from treated areas for food or forage. Keep children and pets off treated area until dry.

Do not apply more than 6 lbs. of this product per 1,000 sq.ft. per year or an equivalent amount of 1.45 oz. active ingredient per 1,000 sq.ft. regardless of formulation used. Minimum interval between applications must be 30 days for the 3 lbs. rate.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage or disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

BEST AVAILABLE COPY

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

MANUFACTURED BY:

**THE ANDERSONS
LAWN FERTILIZER DIVISION
P.O. BOX 119
MAUMEE, OH 43537**

**Date Printed: 04/07/92
Date Approved:
Supersedes: 02/08/91**

BEST AVAILABLE COPY