

pm 14

4198-58

1 of 7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FEB 22 1995

546 5828

306  
17

**BEST AVAILABLE COPY**

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

The Andersons Lawn Fertilizer Division  
dba Free Flow Fertilizer  
P.O. Box 119  
Maumee, OH 43537

Dear Mr. Paradiso:

Subject: Homeowner Use Only Labeling  
Andersons Tee Time With 1.5% Oftanol  
EPA Registration No. 9198-88  
Your Application of March 25, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided that you:

1. Submit your completed EPA Form 8570-1, Application for Pesticide Amendment verifying that the size(s) containers (item 4 on the form) are less than 50 pounds before you release the product for shipment. To qualify as a "Homeowner Use Only" product, it must be determined that the product qualifies as one primarily intended for use by the homeowner. Generally, the qualifying factors include use directions and container size(s) that are deemed appropriate for homeowner use. For a solid product such as the subject product, container sizes less than 50 pounds are normally considered appropriate for homeowner use.

2. Submit two(2) copies of your final printed labeling incorporating the following correction before you release the product for shipment.

o Qualify the claim "\_\_\_ for use on lawns and other ornamental and recreational turf grass areas" to specify "home lawns and other ornamental and recreational turf grass areas around the home."

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

2 9 7  
Your subject application also included a proposed labeling for the subject product with the restriction, "Commercial Use Only". This "Commercial Use Only" label is not acceptable under the subject registration number for the following reason.

Your proposed "Commercial Use Only" label implies use of the product on commercial use sites and, as such, conflicts with the statement, "Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes." What is your intend regarding the areas/sites on which the "Commercial Use Only" product may be used?

Please note that product labeling bearing uses within the scope of the Worker Protection Standard (WPS) would be subject to the more restrictive WPS labeling and, as such, may not be accepted under the same registration number as that bearing uses out-of-scope of the WPS.

Sincerely yours,

Robert A. Forrest  
Product Manager (14)  
Insecticide-Rodenticide Branch  
Registration Division (7504C)

**BEST AVAILABLE COPY**

(FRONT PANEL)

HOMEOWNER USE ONLY

THE ANDERSONS

TEE TIME with

1.5% OPTANOL

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
.....  
FEB 22 1995  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
9198-88

ACTIVE INGREDIENTS:

1-Methylethyl 2-((ethoxy((1-methylethyl)amino)phosphionthioyl)	oxy)benzoate .....	1.5%
INERT INGREDIENTS .....		98.5%
	TOTAL	100.0%


KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_\_\_ LBS.

TREATS \_\_\_\_\_ SQ.FT.



4 9 7

(BACK PANEL)

HOMEOWNER USE ONLY

NET WEIGHT \_\_\_\_ LBS.

TREATS \_\_\_\_\_ SQ.FT.

THE ANDERSONS

TEE TIME WITH

1.5% OFTANOL

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Give a glass or two of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.


IF IN EYES: Flush with plenty of water.

IF ON SKIN: Wash with soap and hot water.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, and wildlife. Do not apply to water. Do not contaminate water by cleaning of equipment or disposal of wastes



(BACK PANEL)

HOMEOWNER USE ONLY

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is recommended for use on lawns and other ornamental and recreational turf grass areas.

RECOMMENDED APPLICATIONS ON LAWNS

Apply this product at the rate of 3 lbs. per 1,000 sq.ft. for the following insects: Whitegrub larvae (such as Japanese Beetle, Black Turfgrass Ataenius, Chafers, Phyllophaga spp., Green June Beetle, Oriental Beetle, Asiatic Garden Beetle) and Mole Crickets, Larval stage of Billbug and Hyperodes Weevil.

White Grub and Billbug Larvae Control: For best results water turf area immediately after application, using sufficient water to wet soil 1 to 1 1/2 inches deep.

Hyperodes Weevil Control: Apply between full bloom periods of forsythia and flowering dogwood, usually April 15 to May 15 and water in as for preventative White Grub control.

Mole Cricket Control: For best results water immediately after application using 1/2 to 1 inch water.

Consult your local turf, state Agricultural Experiment Station, or Extension Service Specialists for more specific information regarding timing of application.

FOR FIRE ANTS:

Area Fire Ant Control: Apply 3 lbs./1,000 sq.ft. uniformly over area to be treated for residual control. Water immediately after application using 1/2 to 1 inch of water. If established fire ant mounds are present, use the mound drench treatment prior to area application. If a mound drench treatment is made only one area treatment may be made.

(BACK PANEL)

HOMEOWNER USE ONLY

Established Fire Ant Mounds - Drench Treatments: Wet Conditions: Distribute 0.5 oz. evenly over 9 sq.ft. and immediately sprinkle gently with 3 gallons of water. Dry Conditions: Treat as noted for wet conditions, however, to insure penetration apply an additional 3 gallons of water to the treated mound area after treatment. Make only one Mound Drench Treatment.

SURFACE INSECTS:

For Chinch Bugs and Sod Webworm Larvae: Make application at the rate of 1 1/2 or 3 lbs. per 1,000 sq.ft. For best results apply 1/2 to 1 inches of water immediately after application. Reapply as necessary for pest reinfestation. Minimum interval between applications is 15 days for 1.5 lb. rate and 30 days for the 3 lbs. rate.

Consult your local turf, state Agricultural Experiment Station, or Extension Service Specialists for more specific information regarding timing of application.

SUGGESTED SPREADER SETTINGS

(Available at final printing)

NOTE: The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of terrain. Calculate the size of the area to be treated and do not over or under apply. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting, if necessary, in order to assure correct rate of application. Close spreader when filling, stopping or turning. Do not hand spread.

RESTRICTIONS

Do not mow treated turf area before rainfall or irrigation has been applied as per RECOMMENDED APPLICATIONS. Do not graze treated areas or use clippings from treated areas for food or forage. Keep children and pets off treated area until dry.

Do not apply more than 6 lbs. of this product per 1,000 sq.ft. per year or an equivalent amount of 1.45 oz. active ingredient per 1,000 sq.ft. regardless of formulation used. Minimum interval between applications must be 30 days for the 3 lbs. rate.

BEST AVAILABLE COPY

(BACK PANEL)

HOMEOWNER USE ONLY

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

Date Printed: 01/24/94  
Date Approved: 08/31/92  
Supersedes: 02/08/91  
Label Change:

