

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR | 3 1994

Daniel Paradiso, Jr. THE ANDERSONS LAWN FERTILIZER DIVISION dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF PREVENTION, PESTICIDES AND TOXIC BUISSTANCES

SUBJECT: '

Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7

EPA Reg. No.: SEE ATTACHED 2/18-91

## Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.


Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

**Enclosures** 



## THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93

Original Submissions

```
WEED N' FEED 10-6-4 - 9198-8
FRANK S GARDEN KING WEED AND FEED - 9198-16
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.24 DURSBAN BRAND
  INSECTICIDE - 9198-26
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92%
  DURSBAN BRAND INSECTICIDE - 9198-30
TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
TURF-CARE DURSBAN 2.5G - 9198-39
TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9
  - 9198-45
ANDERSONS WEED AND FEED - 9198-46
ANDERSONS WEED KILLER - 9198-47
ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER
  - 9198-50
ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER
  16-4-8 - 9198-51
ANDERSONS CRABGRASS PREVENTER - 9198-52
ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
ANDERSON'S WEED AND FEED. 20-6-10 - 9198-55
PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
TURF-CARE LAWN INSECTICIDE 24 DIAZINON .-, 9198-61
TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
GREEN THUMB-WEED AND FEED 12-3-5 - 9198-70
CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
TEE TIME 25-3-8 PLUS TEAM - 9198-79
TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
TER TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82
```

## **BEST COPY AVAILABLE**

TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83 TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84 TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85 ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WILL BALAN - 9198-86 ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88 TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89 TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90 TEE TIME 25-3-8 PLUS TEAM - 9198-91 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS - 9198-92 GREEMSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS - 9198-93 TEE TIME 20-4-10 PLUS TEAM - 9198-94 TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98 TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99 TEE TIME INSECTICIDE WITH DYLOX - 9198-100 TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

BEST COPY AVAILABLE

9198-91 Page 1 of 7

ACCEPTED
with COMMENTS
In EPA Latter Duted

(FRONT PANEL)

Under the Federal Inscettable, Fundicide, and Redesticide Act as strended, for the postulde registered under EPA May. No.

TEE TIME

**FERTILIZER** 

25-3-8

PLUS TEAMR

## the professional's partner

## THE ANDERSONS

A selective preemergence herbicide and fertilizer product for the control of crabgrass and most other annual weed grasses on lawns and golf courses in established Bluegrass (perennial), Ryegrass (perennial), Fescue, Bahiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass and Zoysiagrass.

## ACTIVE INGREDIENTS:

N-butyl-N-ethyl-alpha,alpha,alpha-trifluoro-2.6-dinitro-p- toluidine	0.38%
Trifluralin: alpha,alpha,alpha-trifluoro-2.6-dinitro-N, N-dipropyl-p-toluidine	0.19%
INERT INGREDIENTS	99.43%
TEAMR the trademark for Elanco Products benefin plus triflura	lin.

KEEP OUT OF THE REACH OF CHILDREN

## WARNING

See Back Panel for Additional Precautions

NET WEIGHT 50 LBS. (22.7 kg)

Treats up to 12,500 Sq.Ft.

EPA Reg. No. 9198-91

EPA Est. 9198-OH-1

9198-91 Page 2 of 7

## (BACK PANEL)

NET WEIGHT 50 LBS. (22.7 kg)

Treats up to 12,500 Sq.Ft.

TEE TIME

**FERTILIZER** 

25-3-8

### PLUS TEAM

## **GUARANTEED ANALYSIS**

Total Nitrogen (N)	25%
1.2% Ammoniacal Nitrogen	
17.3% Urea Nitrogen	
6.5% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P205)	3%
Soluble Potash (K20)	81
Sulfur (S) 4	. 8%

Primary Plant Foods Derived from: Ammoniated Phosphates, Urea, Muriate of Potash and Sulfur Coated Urea. Potential Acidity 350 lbs. Calcium Carbonate Equivalent per ton.

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## KEEP OUT OF REACH OF CHILDREN

## WARNING

Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

9198-91 Page 3 of 7

#### STATEMENT OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Call a physician.

If swallowed: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If inhaled: If breathing difficulty occurs, move individual to fresh air and get medical attention.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, or marshes). Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by cleaning of equipment or disposal of waste.

#### DIRECTIONS FOR USE

Read all directions carefully before applying:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Tee Time Plus Team has been specially formulated to provide a second kill during the growing season. This additional one pound of active ingredient per acre should be used as a second application following Tee Time Plus Team formulation providing two pounds of active ingredient per acre. Tee Time Plus Team will control of annual bluegrass (Poa annua), smooth and hairy crabgrass, goosegrass, silver crabgrass or crowfoot, barnyardgrass (watergrass), and green and yellow foxtail. Tee Time Plus Team controls these annual weeds by killing their seeds as they germinate. When Tee Time Plus Team is applied as directed, the following established turfgrasses are tolerant:

Kentucky bluegrass Centipedegrass Zoysiagrass St. Augustinegrass Perennial ryegrass Fescu Bermudagrass Bahiagrass

This product will not harm most nearby established ornamental trees and shrubs.

100

#### APPLICATION DIRECTIONS

Rates, Frequency of Timing of Application

Successful preemergence control of the annual grass weeds listed on this label requires proper timing of application.

All summer annual grasses do not germinate at the same time. If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label, weed control results may be erratic or poor. Optimum weed control performance will be obtained if treated areas are irrigated soon after application.

Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of Tee Time Plus Team.

- 1. Spring germinating summer annual grasses crabgrass, foxtails and barnyardgrass
  - A. Northern (cool season) turfgrasses
    For preemergence control, apply 4 pounds per thousand
    square feet of Tee Time Plus Team (1 pound active ingredient per
    acre) eight to ten weeks after early spring application of Tee
    Time Plus Team (2 pounds active ingredient per acre).
  - B. Southern (warm season) turfgrasses
    For preemergence control, apply 4 pounds per thousand
    square feet of Tee Time Plus Team (1 pound active ingredient per
    acre) eight to ten weeks after the late winter or early spring
    application of Tee Time Plus Team (3 pounds active ingredient per
    acre).
- Late spring, early summer germinating annual grasses goosegrass
   Although classified as a summer annual grass, goosegrass normally
   germinates 4 to 6 weeks later than crabgrass, foxtails and other summer
   annual grass species. Applications of Tee Time Plus Team should,
   therefore, be timed accordingly.
  - A. Northern (cool season) turfgrass

    For preemergence control, apply 4 pounds per thousand square feet
    of Tee Time Plus Team (1 pound active ingredient per acre) eight
    to ten weeks after the late spring or early summer application of
    Tee Time Plus Team (2 pounds active ingredient per acre).
  - B. Southern (warm season) turfgrasses
    For preemergence control, apply 4 pounds per thousand square
    feet of Tee Time Plus Team (1 pound active ingredient per acre)
    eight to ten weeks after the late spring or early summer application of Tee Time Plus Team (3 pounds active ingredient per acre).

9198-91 Page 5 of 7

- 3. Northern and southern turfgrasses
  In areas of the United States where preemergence control of both early
  germinating annual grasses (crabgrass, foxtails and barnyardgrass) and
  the late: germinating goosegrass is desired, two applications of
  Tee Time Plus Team spaced eight to ten weeks apart may be made to
  provide full season control of these annual grass species.
- 4. Poa annua (annual bluegrass)
  In areas of heavy infestation or annual bluegrass, its elimination will temporarily result in thin turfgrass areas. Irrigation and soil incorporated reseeding will encourage existing desirable turfgrasses and newly planted seeding turfgrasses to fill in these thin areas previously occupied by annual bluegrass.
  - A. Northern (cool season) turfgrasses
    For preemergence control, apply 4 pounds per thousand square feet
    of Tee Time Plus Team (1 pound active ingredient per acre) eight
    to ten weeks after the late summer or early fall applications of
    Tee Time Plus Team (2 pounds active ingredient per acre).
  - B. Southern (warm season) turfgrasses
    For preemergence control, apply 4 pounds per thousand square feet
    of Tee Time Plus Team (1 pound active ingredient per acre) eight to
    ten weeks after the late summer or early fall applications of Tee
    Time Plus Team (3 pounds active ingredient per acre).

## RESEEDING

Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedings. Reseeding should be delayed for at least 6 weeks after applying. When reseeding, it is essential that proper cultural practices such as soil cultivation, irrigation and fertilization can be followed. For satisfactory reseeding results after using Tee Time Plus Team, the amount of seed used should be increased and equipment designed to place seed in contact with the soil (such as the Rogers Aero Seeder) should be employed. When using this product at the highest recommended rate, reseeding should be delayed 12 to 16 weeks after application.

## APPLICATION EQUIPMENT

Apply Tee Time Plus Team evenly over the turfgrass area without skips or misses. A more uniform application can be made with broadcast (rotary) type spreaders by spreading half the required amount over the area then applying the remaining half at right angles. Both drop type and rotary type spreaders may be used. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrate applicators prior to use according to the manufacturer's directions. Check frequency to be sure equipment is working properly and distributing uniformly.

SUGGESTED SPREADER SETTINGS

(Available at final printing)

9198-91 Page 6 of 7

### **USE PRECAUTIONS**

Apply Tee Time Plus Team to the turf prior to the germination of weed grasses since Tee Time Plus Team will not control established weeds. Tee Time Plus Team should not be applied in the spring to turfgrass planted the previous fall. In bermudagrass areas that have been overseeded with winter grasses, a spring application of Tee Time Plus Team should not be used on putting greens. Tee Time Plus Team should not be used on dichondra. Tee Time Plus Team should not be applied to newly sprigged areas of bermudagrass, St. Augustinegrass or Centipedegrass until these turfs are well established.

#### STORAGE AND DISPOSAL

Storage: Store in original container only. In case of leak or spill, contain material and dispose of waste.

Pesticide Disposal: Do not contaminate water, food, or feed by storage and disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

9198-91 Page 7 of 7

### WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of applications, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

the professional's partner The Andersons Lawn Fertilizer Division P.O. Box 119 Maumee, OH 3537

Date Printed: 11/22/93

Date Approved: Supersedes: Label Change: