PM 23 418-12 Togo 19 6 Mr. Daniel Paradiso, Jr. The Andersons Lawn Pertilizer Division FEB 1 1835 DBA Free Flow Fertilizer P.O. Box 119 Maumee, Oh 43537 Dear Mr. Paraciso: Subject: Greensweep Spray+On Liquid 15-0-0 weed a feed for Southern Lawns EPA Registration No. 9198-92 Application bated march 25, 1994, Request To Amend Laceling by Adding GPS Exclusionary Statement, Label Format Revision and Miner Label Changes the projected labeling submitted with your adulication Later March 25, 1994 has been reviewed unn found acceptable under the beoblar Insecticide, rundicide and Roughticide Act (FIRMA) as shended, provided that:

- 1. sevise the Statement under "Mazerde to domain and accessic Animal." to correctly reflect the resurrer statement, for this product, which was stated in the January 14, 1993 certified mailed letter on the subject of required labeling for 2,4-5 pesticide products, such as this products.
- 2. The maximum number of applications statement rust me placed under the "Use Procaution" section.
- Submit one (1) copy of the final printed lavel before releasing the product for chipment under the subject labeling.

It these conditions are not complied with, the registration will be subject to cancellation in accordance with FIRA, Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copies of the labeling are enclosed for your records.

Sincerely yours,

BEST AVAILABLE COPY

Jeanne I. Hiller Product Manager (23) Fungicide-Herbicide Branch Redistration Division (75050)

Unclosure

(FRONT PANEL)

R
GREENSWEEP SPRAY-ON LIQUID 15-0-0 WEED & FEED
FOR SOUTHERN LAWNS

R
Contains TRIMEC Turf Herbicide

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)	
propionic acid	3.85%
**Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	1.11%
***Dimethylamine Salt of Dicamba	
(3.6 dichloro-o-anisic acid)	∪.47%
INERT INGREDIENTS	94.57%

Total

This product contains:

*0.293 lb. 2-(2-methyl-4-chlorophenoxy)propionic acid per gal. or 3.18%

**0.085 lb. 2,4-Dichlorophenoxyacetic acid per gal. or 0.92% 0.92%

***0.036 lb. Dicamba (3,6-dichloro-o-anisic acid) per gal. or 0.39%

Covers 5,000 Sq.Ft.

ACCEPTED
with COMMENTS
in EUA Latter Details

l is .

FEB

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

Fineral of the series of Act as an electrical of the perturbation of the perturbation of the perturbation of the Act as an electrical of the EVA Region No.

NET CONTENTS: ONE QUART (32 FL.OZ.) NET WT. 2 LBS. 5 OZ.

EPA REG. NO. 9198-92

R GREENSWEEP SPRAY-ON LIQUID 15-0-0 WEED & FEED FOR SOUTHERN LAWNS

Guaranteed Analysis

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: wash skin with plenty of soap and water.

IF IN EYES: Flush with water for 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

KILLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge, Poison Ivy, Ragweed, Thistle, Poison Oak, Sheepsorrel, etc. and many other broadleaf weeds.

For best results, spraying should be done when weeds are young and tender. Older weeds are hard to kill and may require a retreatment in 30 days to achieve complete control. USE ON: GREENSWEEP is low in 2,4-Dichlorophenoxyacetic acid for maximum safety, and can be used on sensitive grasses such as St. Augustine, Bent, Bahia, Bermuda and Centipede grasses. Can also be applied to non-sensitive grasses, such as bluegrass, fescue, rye and zoysia.

Under conditions of high temperature and moisture, this product may be injurious to St. Augustine, Bent and Centipede grasses. Under these conditions, or in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage may occur.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

USE PRECAUTIONS

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Seed can be safely sown 3-4 weeks after application. Do not use on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages, be particularly careful within dripline of trees.

WHEN TO USE

1. Spray at any time during the growing season when weeds are actively growing. Spray works faster when temperature exceeds 70 degrees. 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. 3. Poor weed control may result if spray is applied during droughts of just before rain. 4. For best results, mow 1 to 2 days before treating. 5. Do not water lawn within 24 hours after treatment. 6. GREENSWEEP Weed & Feed should be supplemented by GREENSWEEP Lawn food every three weeks from March through September. Please consult your local extension office for questions regarding additional fertilizer needs in your area.

HOW TO APPLY

Shake well before applying-Connect spray nozzle to hose-Remove bottle cap and screw bottle onto nozzle-Turn the on/off switch on top of the nozzle right or left to OFF-Turn on the water at the tap-When ready to treat, turn the on/off switch to its center ON position. The water mixes automatically with the GREENSWEEP at the proper ratio-Walk and spray at a steady pace. Marks on side of bottle indicate square feet covered in 1000's. The maximum number of broadcast applications per treatment site is 2 per year.

One-Quart Ready-To-Use Container

This product can reach groundwater as a result of improper use. When cleaning equipment, do not pour the washwater on the ground. Triple rinse empty containers and spray or drain over a large area away from wells and other water sources. When applying this product, wear chemical resistant gloves.

Half-Gallon Refill Container

This product can reach groundwater as a result of a spill during refilling. When refilling quart containers, be careful not to spill material. If spill occurs, contain spill by using an absorbent material (e.g. sand or earth). Dispose of contaminated material by placing in a plastic bag and follow disposal instructions on label.

When cleaning equipment, do not pour the washwater on the ground. Triple rinse empty containers and pour the rinsate in the one-quart container. Spray or drain over a large area away from wells and other water sources. When pouring or applying this product, wear chemical resistant gloves.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Direction for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Distributed by: The Andersons

Lawn Fertilizer Division

P.O. Box 119

Maumee, OH 43537

Date Printed: 01/25/94

Date Approved: Supersedes: Label Change:

٠.