

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SUBJECT:

Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7

EPA Reg. No.: SEE ATTACHED 9/98-93

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to repin the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Enclosures



THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93

Original Submissions

```
WEED N' FEED 10-6-4 - 9198-8.
FRANK S GARDEN KING WEED AND FEED - 9198-16
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND
INSECTICIDE - 9198-26
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92%
 DURSBAN BRAND INSECTICIDE - 9198-30
TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37.
TURF-CARE DURSBAN 2.5G - 9198-39
TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9
  - 9198-45
ANDERSONS WEED AND FEED - 9198-46
ANDERSONS WEED KILLER - 9198-47
ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER
  - 9198-50
ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER
  16-4-8 - 9198-51
ANDERSONS CRABGRASS PREVENTER - 9198-52
ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
BASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
TURF-CARE LAWN INSECTICIDE 21 DIAZINON - 9198-61
TURF-CARE LAWN AND GARDEN INSECTICIDE 51 DIASINON - 9198-62
LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
GREEN THUMB-WEED AND FEED 12-3-5 - 9198-70 /
CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
TEE TIME 25-3-8 PLUS TEAM - 9198-79
TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82
```

BEST COPY AVAILABLE

TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83 TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84 TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85 ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86 ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88 TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89 TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90 TEE TIME 25-3-8 PLUS TEAM - 9198-91 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS ·- 9198-92 GREEMSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS TEE TIME 20-4-10 PLUS TEAM - 9198-94 TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98 TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99 TEE TIME INSECTICIDE WITH DYLOX - 9198-100 TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION 9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

BEST COPY AVAILABLE

ACCEPTED with COMMENTS In EPA Letter Dated

July 1 way

9198-93 Page 1 of 4

Under the Federal Insecticide, Fundicide, and Redouticide Act as amended, for the posticide registered under EPA Reg. No.

(FRONT PANEL)

R
GREENSWEEP SPRAY-ON LIQUID 15-0-0 WEED & FEED FOR NORTHERN LAWNS

R		
Contains TRIMEC Turf	Herbicide	
ACTIVE INGREDIENTS:		
	of 2,4-Dichlorophenoxyacetic acid	5.670%
**Dimethylamine Sali	t of 2-(2-methyl-4-chlorophenoxy)	
		2.736%
***Dimethylamine Sal	lt of Dicamba	
	-anisic acid)	0.619%
INERT INGREDIENTS		90.975%
	Total	100.000%

This product contains:

*0.44 lb. 2,4-Dichlorophenoxyacetic acid per gal. or 4.711%

**0.211 lb. 2-(2-methyl-4-chlorophenoxy)propionic acid per gal. or 2.261%

***0.048 lb. Dicamba (3,6-dichloro-o-anisic acid) per gal. or 0.514%

Covers 5,000 Sq.Ft.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water: for eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

NET CONTENTS: ONE QUART (32 FL.OZ.) NET WT. 2 LBS. 5 OZ.

<

۾ کو و

(BACK PANEL)

R

GREENSWEEP SPRAY-ON LIQUID WEED & FEED 15-0-0 FOR NORTHERN LAWNS

Guaranteed Analysis

EPA REG. NO. 9198-93

EPA EST. 47427-OH-2 (A), 13891-IN-1 (B), 9591-OH-2 (C),

Circled letter used is first letter of run code on bottom of bottle or label. Any EPA Est. printed at bottom of label overrides preprinted EPA Est.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

KILLS: Pandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spruge, Poison Ivy, Ragweed, Thistle, etc. and many other broadleaf weeds. USE ON Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

USE PRECAUTIONS

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy or where grass is newly seeded. Do not spray when the temperature exceeds 85oF. Allow 24 hours until dry before letting pets and children on the lawn. Seed can be safely sown 3-4 weeks after applications. Do not use on carpetgrass, dichondra, St. Augustine, Centipede, closely-mowed bentgrass nor where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species.

WHEN TO USE

1. Spray at any time during the growing season when weeds are actively growing. Spray works faster when temperature exceeds 70 degrees. 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. 3. In areas where drought persists, water the lawn thoroughly, and wait 24 hours to apply GREENSWEEP Weed & Feed. After an additional 24 hours, water again. 4. For best results, mow 1 to 2 days before treating. 5. GREENSWEEP Weed & Feed should be supplemented by GREENSWEEP Lawn Food every three weeks from March through September. Please consult your local extension office for questions regarding additional fertilizer needs in your area.

HOW TO APPLY

Shake well before applying -Connect spray nozzle to hose-Remove bottle cap and screw bottle onto nozzle-Turn the on/off switch on top of the nozzle right or left to OFF-Turn on the water at the tap-When ready to treat, turn the on/off switch to its center ON position. The water mixes automatically with the GREENSWEEP at the proper ratio-Walk and spray at a steady pace. Marks on side of bottle indicate square feet covered in 1000's. The maximum number of broadcast applications per treatment site is 2 per year.

One-Quart Ready-To-Use Container

This product can reach groundwater as a result of improper use. When cleaning equipment, do not pour the washwater on the ground. Triple rinse empty containers and spray or drain over a large rea away from wells and other water sources. When applying this product, wear chemical resistant gloves.

Half-Gallon Refill Container

This product can reach groundwater as a result of a spill during refilling. When refilling quart containers, be careful not to spill material. If spill occurs, contain spill by using an absorbent material (e.g. sand or earth). Dispose of contaminated material by placing in a plastic bag and following disposal instructions on label.

9198-93 Page 4 of 4

When cleaning equipment, do not pour the washwater on the ground. Triple rinse empty containers and pour the rinsate in the one-quart container. Spray or drain over a large area away from wells and other water sources. When pouring or applying this product, wear chemical resistant gloves.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, insecticides, fungicides or seeds.

PRODUCT DISPOSAL: Securely wrap original container with unused product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container for any other product or use. Rinse thoroughly before discarding in trash.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and furf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Distributed by:

THE ANDERSONS
LAWN FERTILIZER DIVISION
P.O. Box 119
Maumee, OH 43537

Date Printed: 11/22/93

Date Approved: Supersedes: Label Change: