

FEB 1 1995

Mr. Daniel Paradiso, Jr.  
The Andersons Lawn Fertilizer Division  
DBA Free Flow Fertilizer  
P.O. Box 119  
Maumee, OH 43537

Dear Mr. Paradiso:

Subject: Greensweep Spray-On Liquid 15-0-0 Weed & Feed for  
Northern Lawns  
EPA Registration No. 9196-93  
Application Dated March 25, 1994, Request To  
Amend Labeling by Adding WPS Exclusionary Statement,  
Label Format Revision and Minor Label Changes

The proposed labeling, submitted with your application dated March 25, 1994 has been reviewed and found acceptable under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, provided that:

1. Revise the statement under "Hazardous to Humans and Domestic Animals" to correctly reflect the required statement, for this product, which was stated in the January 14, 1993 certified mailed letter on the subject of required labeling for 2,4-D pesticide products, such as this product.
2. The maximum number of applications statement must be placed under the "Use Precaution" section.
3. Submit one (1) copy of the final printed label before releasing the product for shipment under the subject labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copies of the labeling are enclosed for your records.

Sincerely yours,

**BEST AVAILABLE COPY**

Joanne L. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (75050)

inclosure

(FRONT PANEL)

**R**  
**GREENSWEEP SPRAY-ON LIQUID 15-0-0 WEED & FEED FOR NORTHERN LAWNS**

**R**  
Contains TRIMEC Turf Herbicide

**ACTIVE INGREDIENTS:**

- \*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid..... 5.670%
- \*\*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid ..... 2.736%
- \*\*\*Dimethylamine Salt of Dicamba (3,6 dichloro-o-anisic acid) ..... 0.619%

**INERT INGREDIENTS**..... 90.975%

Total 100.000%

This product contains:

- \*0.44 lb. 2,4-Dichlorophenoxyacetic acid per gal. or 4.711%
- \*\*0.211 lb. 2-(2-methyl-4-chlorophenoxy)propionic acid per gal. or 2.261%
- \*\*\*0.048 lb. Dicamba (3,6-dichloro-o-anisic acid) per gal. or 0.514%

ACCEPTED  
with COMMENTS  
in EPA Letter 11/1/93

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET CONTENTS: ONE QUART (32 FL.OZ.) NET WT. 2 LBS. 5 OZ.

Covers 5,000 Sq.Ft.

FEB 1 1993  
EPA REGISTRATION DIVISION  
WASHINGTON, DC 20460  
9198-93

(BACK PANEL)

R  
GREENSWEEP SPRAY-ON LIQUID WEED & FEED 15-0-0 FOR NORTHERN LAWNS

**GUARANTEED ANALYSIS**

Total Nitrogen (N)..... 15.00%  
15% Urea Nitrogen

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**STATEMENT OF PRACTICAL TREATMENT**

IF ON SKIN: Wash skin with plenty of soap and water.

IF IN EYES: Flush with water for 15 minutes and get medical attention.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

KILLS: Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge, Poison Ivy, Ragweed, Thistle, etc. and many other broadleaf weeds. USE ON Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns.

(BACK PANEL)

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### USE PRECAUTIONS

Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not spray where grass is emerging from dormancy or where grass is newly seeded. Do not spray when the temperature exceeds 85°F. Allow 24 hours until dry before letting pets and children on the lawn. Seed can be safely sown 3-4 weeks after applications. Do not use on carpetgrass, dichondra, St. Augustine, Centipede, closely-mowed bentgrass nor where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species.

#### WHEN TO USE

1. Spray at any time during the growing season when weeds are actively growing. Spray works faster when temperature exceeds 70 degrees. 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. 3. In areas where drought persists, water the lawn thoroughly, and wait 24 hours to apply GREENSWEEP Weed & Feed. After an additional 24 hours, water again. 4. For best results, mow 1 to 2 days before treating. 5. GREENSWEEP Weed & Feed should be supplemented by GREENSWEEP Lawn Food every three weeks from March through September. Please consult your local extension office for questions regarding additional fertilizer needs in your area.

#### HOW TO APPLY

Shake well before applying -Connect spray nozzle to hose-Remove bottle cap and screw bottle onto nozzle-Turn the on/off switch on top of the nozzle right or left to OFF-Turn on the water at the tap-When ready to treat, turn the on/off switch to its center ON position. The water mixes automatically with the GREENSWEEP at the proper ratio-Walk and spray at a steady pace. Marks on side of bottle indicate square feet covered in 1000's. The maximum number of broadcast applications per treatment site is 2 per year.

**BEST AVAILABLE COPY**

(BACK PANEL)

One-Quart Ready-To-Use Container

This product can reach groundwater as a result of improper use. When cleaning equipment, do not pour the washwater on the ground. Triple rinse empty containers and spray or drain over a large area away from wells and other water sources. When applying this product, wear chemical resistant gloves.

Half-Gallon Refill Container

This product can reach groundwater as a result of a spill during refilling. When refilling quart containers, be careful not to spill material. If spill occurs, contain spill by using an absorbent material (e.g. sand or earth). Dispose of contaminated material by placing in a plastic bag and following disposal instructions on label.

When cleaning equipment, do not pour the washwater on the ground. Triple rinse empty containers and pour the rinseate in the one-quart container. Spray or drain over a large area away from wells and other water sources. When pouring or applying this product, wear chemical resistant gloves.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

(BACK PANEL)

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Distributed by: THE ANDERSONS  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

Date Printed: 01/25/94  
Date Approved:  
Supersedes:  
Label Change: