



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.  
THE ANDERSONS LAWN FERTILIZER DIVISION  
dba/FREE FLOW FERTILIZER  
P. O. Box 119  
Maumee, OH 43537

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7  
EPA Reg. No.: SEE ATTACHED 9198-98

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Enclosures

**BEST COPY AVAILABLE**



Recycled/Recyclable  
Printed with Soy/Canola Ink on paper that  
contains at least 50% recycled fiber

THE ANDERSONS LAWN FERTILIZER DIVISION  
9198 11/22/93

Original Submissions

- WEED N' FEED 10-6-4 - 9198-8
- FRANK S GAFJEN KING WEED AND FEED - 9198-16
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26
- TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30
- TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
- TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
- TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
- TURF-CARE DURSBAN 2.5G - 9198-39
- TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
- TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45
- ANDERSONS WEED AND FEED - 9198-46
- ANDERSONS WEED KILLER - 9198-47
- ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
- ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
- ANDERSON'S PRZ-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50
- ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51
- ANDERSONS CRABGRASS PREVENTER - 9198-52
- ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
- ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
- ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
- PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
- PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
- PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
- PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
- EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
- TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
- TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
- LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
- LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
- LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
- K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
- THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
- GREEN THUMB WEED AND FEED 12-3-5 - 9198-70
- CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
- CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
- TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
- TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76
- TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
- TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
- TEE TIME 25-3-8 PLUS TEAM - 9198-79
- TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
- TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
- TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

- TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
- TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84
- TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85
- ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
- ANDERSON'S TEE TIME WITH 1.5% OPTANOL - 9198-88
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
- TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
- TEE TIME 25-3-8 PLUS TEAM - 9198-91
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS  
- 9198-92
- GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS  
- 9198-93
- TEE TIME 20-4-10 PLUS TEAM - 9198-94
- TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98
- TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99
- TEE TIME INSECTICIDE WITH DYLOX - 9198-100
- TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION

9198

11/22/93

Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

July 1 - 1998

9198-98  
Page 1 of 5

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
9198-98

(FRONT PANEL)

TM R R  
THE ANDERSONS TEE TIME 25-3-8 WITH TEAM /DURSBAN

(Logo)

ACTIVE INGREDIENTS:

N-butyl-N-ethyl--,-,--trifluoro-2,6-dinitro-p-toluidine . . . . .	0.77%
Trifluralin: alpha,alpha,alpha-trifluoro-2,6-dinitro- N,N-dipropyl-p-toluidine . . . . .	0.38%
Chlorpyrifos [0,0-diethyl 0-(2,4,6-trichloro- 2-pyridyl)phosphorothioate] . . . . .	0.57%
INERT INGREDIENTS . . . . .	98.28%
Total	100.00%

R  
TEAM - the trademark for Elanco Products benefin plus trifluralin.  
R  
DURSBAN - trademark for Dow Chemical Company.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

Net Weight 50 lbs. (22.7 kg.)

Treats Up to 12,500 Sq. Ft.

EPA Reg. No. 9198-98

EPA Est. 9198-OH-1

(BACK PANEL)

Net Weight 50 lbs. (22.7 kg.)

Treats Up To 12,500 Sq. Ft.

TM R R  
THE ANDERSONS TEE TIME 25-3-8 WITH TEAM /DURSBAN

Guaranteed Analysis

Total Nitrogen (N) .....	25%
1.2% Ammoniacal Nitrogen	
17.8% Urea Nitrogen	
6.0% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P2O5) .....	3%
Soluble Potash (K2O) .....	8%

Plant Nutrients Derived From: Ammoniated Phosphates, Urea, Sulfur Coated Urea, and Muriate of Potash.

Potential Acidity 535 lbs. Calcium Carbonate Equivalent per ton.

Keep Out of Reach of Children

Precautionary Statements

CAUTION

Hazard to Humans and Domestic Animals

CAUTION: Avoid contact with eyes. If in eyes, flush with plenty of water. Harmful if swallowed, inhaled or absorbed through the skin. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not allow children or pets on lawn until 1/2" of water has been applied to lawn and the water had dried (or, if wet conditions persist, until 24 hours have passed).

Statement of Practical Treatment

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.

IF SWALLOWED: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching finger to the back of throat. Never give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Wash with soap and plenty of water. Get medical attention if irritation persists.

IF INHALED: If breathing difficulty occurs, move individual to fresh air and get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote by injection only.

Environmental Hazards

This pesticide is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water when cleaning of equipment washwaters.

Directions For Use

It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

The Andersons Tee Time 25-3-8 With 0.87% Team/0.58% Dursban is a combination of growth promoting fertilizer ingredients, a preemergent herbicide, and a turf insecticide. It is designed to control smooth and hairy crabgrass, goosegrass (silver crabgrass or crowsfoot), barnyard grass (watergrass), green and yellow foxtail, and annual bluegrass (Poa Annua), as well as ants, armyworms, billbugs, brown dog ticks, chinch bugs, crickets, cutworms, earwigs, grasshoppers, and sod webworms.

When applied as directed, the product can be used on the following turfs: Kentucky Bluegrass, perennial ryegrasses, centipedegrass, fescue, zoysiagrass, bermudagrass, St. Augustinegrass, and bahiagrass. The product will not harm nearby established ornamental trees and shrubs.

*- should be turf*

### Application Directions

Apply at the rate of 4 pounds per 1,000 sq.ft. Because Andersons Tee Time 25-3-8 With Team/Dursban is generally applied very early in the insect cycle, it may be necessary to give a second treatment of insecticide late in the season.

### Use Precautions

Apply The Andersons Tee Time With Team/Dursban to the turf prior to the germination of weed grasses since The Andersons Tee Time With Team/Dursban will not control established weeds. The Andersons Tee Time With 0.87% Team/0.58% Dursban should not be applied in the spring to turfgrass planted the previous fall. In bermudagrass areas that have been overseeded with winter grasses, a spring application of The Andersons Tee Time With Team/Dursban should not be used on putting greens. The Andersons Tee Time With Team/Dursban should not be used on dichondra. The Andersons Tee Time With Team/Dursban should not be applied to newly sprigged areas of bermudagrass, St. Augustinegrass or Centipedegrass until these turfs are well established.

### Reseeding

Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings. Reseeding should be delayed for at least 6 weeks after applying The Andersons Tee Time With Team/Dursban. When reseeding, it is essential that proper cultural practices such as soil cultivation, irrigation and fertilization be followed. For satisfactory reseeding results after using The Andersons Tee Time With Team/Dursban the amount of seed used should be increased and equipment designed to place seed in contact with the soil (such as Rogers Aero Seeder) should be employed. When using The Andersons Tee Time With Team/Dursban reseeding should be delayed 12 to 16 weeks after application.

### Application Equipment

Apply The Andersons Tee Time With Team/Dursban evenly over the turfgrass area without skips or misses. A more uniform application can be made with broadcast (rotary) type spreaders by spreading half the required amount over the area and then applying the remaining half at the right angles. Both drop type and rotary type spreaders may be used. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrate applicators prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly.

### Suggested Spreader Settings

(This section will be completed for final labeling)



**Storage and Disposal**

**Storage:** Store in original container only. In case of spill, contain material and dispose as waste. Do not contaminate water, food or feed by storage and disposal.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY**

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured By: THE ANDERSONS  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

Date Printed: 11/22/93  
Date Approved:  
Supersedes:  
Label Change: