

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION
dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SUBJECT:

Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7

EPA Reg. No.: SEE ATTACHED 9/18-100

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.


As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Enclosures

**BEST COPY AVAILABLE** 



149

THE ANDERSONS LAWN FERTILIZER DIVISION 11/22/93

Original Submissions WEED N' FEED 10-6-4 - 9198-8 FRANK S GARDEN KING WEED AND FEED - 9198-16 TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND INSECTICIDE - 9198-26 TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92% DURSBAN BRAND INSECTICIDE - 9198-30 TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31 TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32 TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37 TURF-CARE DURSBAN 2.5G - 9198-39 TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43 TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44 TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9 - 9198-45 ANDERSONS WEED AND FEED - 9198-46 ANDERSONS WEED KILLER - 9198-47. ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48 ANDERSONS WEED AND FEED XX-XX-XX - 9198-49 ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER - 9198-50 ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER 16-4-8 - 9198-51 ANDERSONS CRABGRASS PREVENTER - 9198-52 ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53 ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54 ANDERSON'S WEED AND FEED 20-6-10 - 9198-55 PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56 PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57 PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58 PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59 EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60 TURF-CARE LAWN INSECTICIDE 2% DIAZINON, 39198-61 TURF-CARE LAWN AND GARDEN INSECTICIDE 55 DIASINON - 9198-62 LOFTS LAWN FUNGICIDE CONTAINS DYRENE 19198-64 LOFTS CRABGRASS PREVENTER WITH TUPERSAN 1 9198-65. LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66 K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67 THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68

TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77 TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78 TEE TIME 25-3-8 PLUS TEAM - 9198-79 TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80 TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81 TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

TEE TIME FRRTILIZER 20-4-10 WITH RONSTAR - 9198-75 TEE TIME FERTILIZER 32-3-5 WITH OFTANOL - 9198-76

GREEN THUMB-WEED AND FEED 12-3-5 - 9198-70 CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72 CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73

**BEST COPY AVAILABLE** 

TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83 TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84 TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85 ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86 ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88 TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89 TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90 TEE TIME 25-3-8 PLUS TEAM - 9198-91 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS - 9198-92 GREEMSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS - 9198-93 TEE TIME 20-4-10 PLUS TEAM - 9198-94 TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98 TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99 TEE TIME INSECTICIDE WITH DYLOX - 9198-100 TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

3.59

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for use on turf being grown for sale....."

**BEST COPY AVAILABLE** 

4

( 8

(FRONT PANEL)

THE ANDERSONS

TEE TIME

INSECTICIDE

with Dylox

# ACTIVE INGREDIENT:

\*Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate ...... 5.0% INERT INGREDIENTS..... 95.0% TOTAL 100.00%

RDylox is a Reg TM of Bayer AG, Leverkusen.

READ THIS LABEL BEFORE USE STOP

KEEP OUT OF THE REACH OF CHILDREN

## CAUTION

See Back Panel for Statement of Practical Treatment and Other Precautionary Statements

Net Wt. 30 lbs. (13.6 Kg)

Treats Up to 12,000 Sq. Ft.

EPA Reg. No. 9198-100

EPA Est. 9198-OH-1

9198-100 Page 2 of 5

(BACK PANEL)

THE ANDERSONS

TEE TIME

INSECTICIDE

with Dylox

# PRECAUTIONARY STATEMENTS

#### CAUTION

Hazards to Humans and Domestic Animals.

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes or skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

# STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by touching finger to back of throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have patient lie down and keep quiet. Professional medical assistance should be secured immediately. If on skin, remove clothing and wash skin immediately with soap and warm water. If in eyes, flush with flowing water for at least 15 minutes.

Do not contaminate feed or food. Keep out of reach of children. Should poisoning occur, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

To Physician: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

#### **ENVIRONMENTAL HAZARDS**

## PROTECT WILDLIFE

This pesticide is toxic to fish and wildlife and is extremely toxic to aquatic invertebrates. Apply in strict accordance with label directions. Do not apply when weather conditions favor drift from areas treated. Do not apply to water or wetlands. Do not apply where runoff is likely to occur. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. In cleaning of equipment or disposal of wastes, do not contaminate water.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

IMPORTANT: Read entire Directions for Use before using Tee Time Insecticide with DYLOX.

#### STORAGE AND DISPOSAL

Storage: Do not contaminate water food or feed by storage and disposal. Store in cool, dry place. Prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container out of reach of children, preferably in a locked storage area.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

Pesticide Disposal (Except household): Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

Container Disposal (Except household): Do not use container in connection with food, feed or drinking water. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. For decontamination procedures or any other assistance that may be necessary, contact Chemtrec at 800-424-9300.

9198-100 Page 4 of 5

## RESTRICTIONS

Do not use on crops used for food or forage. Use only according to label directions.

## RECOMMENDED APPLICATIONS ON LAWNS AND ORNAMENTAL TURFS

WHITE GRUBS: Apply Tee Time Insecticide with Dylox uniformly at the rate of 3 3/4 lbs. per 1000 sq. ft. with an accurately calibrated lawn spreader. For best results, mow lawn and rake dead grass from damaged spots before applying. After applying uniformly, water lawn using 15-30 gallons per 1000 sq. ft. Do not water again for at least three days. Reapply as necessary at one to three week intervals. In most areas, the first application should be May or June. Consult your State Agricultural Experiment Station or State Extension Service Specialists for more specific information regarding timing of applications.

SOD WEBWORMS (LAWN MOTHS): Apply Tee Time Insecticide with Dylox at the rate of 2 1/2 lbs. per 1000 sq. ft. using the above application techniques and recommendations.

#### SUGGESTED SPREADER SETTINGS

| SPREADER | MODEL | SETTING |
|----------|-------|---------|
| Cyclone  | B1-84 | 4       |
| Lely     | ¥     | 5 1/2   |
| Lesco    |       | 5 1/2   |
| Scotts   | R8    | H 1/2   |
| Vicon    | 402   | 33      |

NOTE: The above spreader setting are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area to be treated. Measure area to be treated. Do not over or under apply. Close spreader when filling, turning or stopping. DO NOT HAND SPREAD.

1

## WARRANTY

MANUFACTURER Warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons

Lawn Fertilizer Division

P.O. Box 119 Maumee, OH 43537

Date Printed: 11/22/93

Date Approved: Supersedes: Label Change: