



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

Daniel Paradiso, Jr.
THE ANDERSONS LAWN FERTILIZER DIVISION
dba/FREE FLOW FERTILIZER
P. O. Box 119
Maumee, OH 43537

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submissions of 11/22/93 in Response to PR Notice 93-7
EPA Reg. No.: SEE ATTACHED 9198-101


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures

BEST COPY AVAILABLE



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

1910

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93

Original Submissions

WEED N' FEED 10-6-4 - 9198-8
FRANK S GARDEN KING WEED AND FEED - 9198-16
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE W/1.2% DURSBAN BRAND
INSECTICIDE - 9198-26
TURF-CARE FOR PROFESSIONAL LAWN MAINTENANCE 20-4-10 W/0.92%
DURSBAN BRAND INSECTICIDE - 9198-30
TURF-CARE FERTILIZER 18-3-5 WITH DURSBAN - 9198-31
TURF-CARE FOR LAWN MAINTENANCE 38-0-0 WITH DURSBAN - 9198-32
TEE TIME FERTILIZER 20-4-10 WITH BENEFIN/DURSBAN - 9198-37
TURF-CARE DURSBAN 2.5G - 9198-39
TURF-CARE FOR SOUTHERN LAWNS 0.47% CHLOROPYRIFOS - 9198-43
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD - 9198-44
TURF-CARE GRANULAR LAWN INSECT CONTROL PLUS LAWN FOOD 28-3-9
- 9198-45
ANDERSONS WEED AND FEED - 9198-46
ANDERSONS WEED KILLER - 9198-47
ANDERSONS WEED KILLER 0.63% 2,4-D AND 0.60% MCPP - 9198-48
ANDERSONS WEED AND FEED XX-XX-XX - 9198-49
ANDERSON'S PRE-EMERGENT CRABGRASS KILLER PLUS FERTILIZER
- 9198-50
ANDERSONS "TWO IN ONE" LAWN FOOD PLUS CRABGRASS PREVENTER
16-4-8 - 9198-51
ANDERSONS CRABGRASS PREVENTER - 9198-52
ANDERSON'S WEED AND FEED III 28-3-9 - 9198-53
ANDERSON'S WEED AND FEED II 28-3-9 - 9198-54
ANDERSON'S WEED AND FEED 20-6-10 - 9198-55
PEL-TECH BENEFIN CONCENTRATE 10 - 9198-56
PEL-TECH BENEFIN CONCENTRATE 15 - 9198-57
PEL-TECH BENEFIN CONCENTRATE 20 - 9198-58
PEL-TECH BENEFIN CONCENTRATE 25 - 9198-59
EASY WEEDER FLOWER AND GARDEN WEED PREVENTER - 9198-60
TURF-CARE LAWN INSECTICIDE 2% DIAZINON - 9198-61
TURF-CARE LAWN AND GARDEN INSECTICIDE 5% DIASINON - 9198-62
LOFTS LAWN FUNGICIDE CONTAINS DYRENE - 9198-64
LOFTS CRABGRASS PREVENTER WITH TUPERSAN - 9198-65
LOFTS CRABGRASS PREVENTER PLUS LAWN FOOD 25-3-3 - 9198-66
K-MART CRABGRASS PREVENTER 25-3-3 WITH BENEFIN - 9198-67
THE ANDERSONS 1% DURSBAN BRAND INSECTICIDE - 9198-68
GREEN THUMB WEED AND FEED 12-3-5 - 9198-70
CUSTOM MIX 20-4-10 WITH BETASAN - 9198-72
CUSTOM MIX 25-6-10 WITH BETASAN - 9198-73
TEE TIME FERTILIZER 20-4-10 WITH RONSTAR - 9198-75
TEE TIME FERTILIZER 32-3-5 WITH OPTANOL - 9198-76
TEE TIME SPRAYABLE HERBICIDE WITH TEAM - 9198-77
TEE TIME SPRAYABLE HERBICIDE II WITH TEAM - 9198-78
TEE TIME 25-3-8 PLUS TEAM - 9198-79
TEE TIME 20-4-10 WITH 1.04 BALAN - 9198-80
TEE TIME FERTILIZER 20-4-10 WITH 1.15 BALAN - 9198-81
TEE TIME FERTILIZER WITH 0.52% DURSBAN 30-3-5 - 9198-82

BEST COPY AVAILABLE

TEE TIME 2.5 BALAN CRABGRASS PREVENTER - 9198-83
 TEE TIME 30-3-5 WITH 0.65% DURSBAN - 9198-84
 TEE TIME FERTILIZER WITH 0.7% DURSBAN 30-3-5 - 9198-85
 ANDERSON PRE-EMERGENCE CRABGRASS PREVENTER WITH BALAN - 9198-86
 ANDERSON'S TEE TIME WITH 1.5% OFTANOL - 9198-88
 TEE TIME 5-10-30 WITH BALAN AND SURFALAN - 9198-89
 TEE TIME 5-10-30 WITH BALAN AND SURFALAN FORMULA I - 9198-90
 TEE TIME 25-3-8 PLUS TEAM - 9198-91
 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR SOUTHERN LAWNS
 - 9198-92
 GREENSWEEP SPRAY-ON LIQUID WEED & FEED FOR NORTHERN LAWNS
 - 9198-93
 TEE TIME 20-4-10 PLUS TEAM - 9198-94
 TEE TIME 25-3-8 WITH TEAM/DURSBAN - 9198-98
 TEE TIME 19-5-9 WITH TEAM/DURSBAN - 9198-99
 TEE TIME INSECTICIDE WITH DYLOX - 9198-100
 TEE TIME 25-3-8 PLUS 0.87% TEAM - 9198-101

THE ANDERSONS LAWN FERTILIZER DIVISION
9198 11/22/93
Original Submissions

Exclusionary Statement should be corrected to read: "Not for
use on turf being grown for sale....."

BEST COPY AVAILABLE

4

50510

ACCEPTED
with COMMENTS
In EPA Letter Dated

9198-101
Page 1 of 6

(FRONT LABEL)

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9198-101 The Andersons Tee Time 25-3-8 Plus 0.87% Team

R

(LOGO)

A selective preemergence herbicide and fertilizer product for the control of
crabgrass and most other annual weed grasses on lawns and golf courses in
established: Bluegrass (perennial), Ryegrass (perennial), Fescue, Bahiagrass,
Bermudagrass, Centipedegrass, St. Augustinegrass, and Zoysiagrass.

Active Ingredients:

N-butyl-N-ethyl--,-,--trifluoro-2,6-dinitro-p-toluidine59%
trifluralin:--,-,--trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine. .	.28%
Inert Ingredients	99.13%
Total	100.00%

R
TEAM --- the trademark for Elanco Products benefin plus trifluralin

Keep Out of Reach of Children

Warning

See Back Panel For Additional Precautionary Statements

Net Weight 50 lbs.

Treats Up To 12,500 Sq.Ft.

EPA REG. NO. 9198-101

EPA Est. 9198-OH-1

5

(BACK PANEL)

Net Weight 50 lbs.

Treats up to 12,500 Sq.Ft.

The Andersons Tee Time 25-3-8 Plus 0.87% Team R

Guaranteed Analysis

Total Nitrogen (N)	25%
1.2% Ammoniacal Nitrogen	
17.3% Urea Nitrogen	
6.5% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P2O5)	3%
Soluble Potash (K2O)	8%
Sulfur	4.8%

Plant Nutrients Derived From: Ammoniated Phosphates, Urea, Muriate of Potash and Sulfur Coated Urea.

Keep Out Of Reach Of Children

Precautionary Statements

Warning

Hazards To Humans And Domestic Animals

Warning: AVOID CONTACT WITH EYES. CAUSES EYE IRRITATION. If in eyes, flush with plenty of water. Harmful if swallowed, inhaled or absorbed through the skin. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement Of Practical Treatment

- IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.
- IF SWALLOWED: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching finger to back of throat. Never give anything by mouth to an unconscious or convulsing person.
- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF INHALED: If breathing difficulty occurs, move individual to fresh air and get medical attention.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, or marshes). Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water when disposing of equipment washwaters.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. *should be "turf"*

This product will control annual bluegrass (*Poa annua*), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfoot), barnyardgrass (watergrass), and green and yellow foxtail. This product controls these annual weeds by killing their seeds as they germinate.

When this product is applied as directed, the following established turfgrasses are tolerant:

Kentucky bluegrass	Fescue	St. Augustinegrass
Perennial ryegrass	Zoysiagrass	Bahiagrass
Centipedegrass	Bermudagrass	

This product will not harm most nearby established ornamental trees and shrubs.

Application Directions

Rates, Frequency and Timing of Application

Successful preemergence control of the annual grass weeds listed on this label requires proper timing of application.

All summer annual grasses do not germinate at the same time. If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label, weed control results may be erratic or poor. Optimum weed control performance will be obtained if treated areas are irrigated soon after application.

Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of this product.

1. Spring germinating summer annual grasses - crabgrass, foxtails and barnyardgrass.

Northern (cool season) turfgrasses

For preemergence control, apply 4 pounds per thousand square feet of this product (1.5 pounds active ingredient per acre) in the spring one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

2. Late spring, early summer germinating annual grasses - goosegrass.

Although classified as a summer annual grass, goosegrass normally germinates 4 to 6 weeks later than crabgrass, foxtails and other summer annual grass species. Applications of this product should, therefore, be timed accordingly.

Northern (cool season) turfgrass

For preemergence control, apply 4 pounds per thousand square feet of this product (1.5 pounds active ingredient per acre) in the late spring or early summer one to two weeks prior to the expected germination of goosegrass.

3. Northern and Southern turfgrasses

In areas of the United States where preemergence control of both early germinating annual grasses (crabgrass, foxtails and barnyardgrass) and the later germinating goosegrass is desired, two applications of this product spaced eight to ten weeks apart should be made to provide full season control of these annual grass species.

4. Poa annua (annual bluegrass)

In areas of heavy infestation of annual bluegrass, its elimination will temporarily result in thin turfgrass areas. Irrigation and soil incorporated reseeding will encourage existing desirable turfgrasses and newly planted seedling turfgrasses to fill in these thin areas previously occupied by annual bluegrass.

Northern (cool season) turfgrasses

For preemergence control, apply 4 pounds per thousand square feet of this product (1.5 pounds active ingredient per acre) in the late summer or early fall and again in late winter or spring one to two weeks prior to the expected germination of annual bluegrass.

Reseeding

Chemicals that effectively control annual weed seeds may also affect new desirable turfgrass seedlings. Reseeding should be delayed for at least 6 weeks after applying this product. When reseeding, it is essential that proper cultural practices such as soil cultivation, irrigation and fertilization be followed. For satisfactory reseeding results after using this product the amount of seed used should be increased and equipment designed to place seed in contact with the soil (such as Rogers Aero Seeder) should be employed. When using this product reseeding should be delayed 12 to 16 weeks after application.

Application Equipment

Apply this product evenly over the turfgrass area without skips or misses. A more uniform application can be made with broadcast (rotary) type spreaders by spreading half the required amount over the area and then applying the remaining half at right angles. Both drop type and rotary type spreaders may be used. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrate applicators prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly.

Suggested Spreader Settings

(This section will be completed for final labeling)

Use Precautions

Apply this product to the turf prior to the germination of weed grasses since this product will not control established weeds. This product should not be applied in the spring to turfgrass planted the previous fall. In bermudagrass areas that have been overseeded with winter grasses, a spring application of this product should not be used on putting greens. This product should not be used on dichondra. This product should not be applied to newly sprigged areas of bermudagrass, St. Augustine-grass or Centipedegrass until these turfs are well established.

Storage and Disposal

Storage: Storage in original container only. In case of spill, contain material and dispose as waste.

Pesticide Disposal: Do not contaminate water, food, or feed by storage and disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonable fit for the purposes set forth in the Directions For Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and turf conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.

Manufactured By:

The Andersons
Lawn Fertilizer Division
P.O. Box 119
Maumee, OH 43537

Date Printed: 11/25/93
Date Approved:
Supersedes:
Label Change: