

Reg # 9198 - 106

PM-19

175

(Front Panel)

THE ANDERSONS TEE TIME
FERTILIZER WITH SEVIN (R)

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 5.2%

INERT INGREDIENTS 93.8%
Total 100.00%

SEVIN (R) is a registered trademark of Rhone-Poulenc Nederland BV for carbaryl insecticides.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS


Net Weight _____ lbs.

EPA Reg. No. 9198-106

EPA Est. 9198-OH-1

Made in U.S.A.

ACCEPTED
JUN 5 1991
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 9198-106



(Back Panel)

THE ANDERSONS TEE TIME
FERTILIZER WITH SEVIN (R)
PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Change to clean clothing daily. Bathe and wash hair after each work day. Do not eat, drink, or use tobacco while working with this product. Wash hands and face before eating, drinking or using tobacco. Keep out of reach of children and domestic animals.

ANTIDOTE STATEMENT

ATROPHINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. If poisoning is suspected in animals, contact a veterinarian.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

NOTE TO PHYSICIAN: Consultation on diagnosis, therapy and analysis can be obtained at all hours by calling the emergency number 1-800-334-7577.

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWNS, RECREATIONAL, AND ORNAMENTAL TURF AREAS: For control of turfgrass pests, apply granules uniformly to the turfgrass. For optimum control, follow specific directions for proper watering or irrigation after application.

INSECT	POUNDS OF TEE TIME FERTILIZER WITH SEVIN (R) PER 1000 SQ. FT.	SPECIFIC DIRECTIONS
Ants, Armyworms, Centipedes, Chiggers, Chinch Bugs, Crickets, Cutworms, Darkling Ground Beetles, Earwigs, Essex Skipper, Fall Armyworms, Fiery Skipper, Fleas, Grasshoppers, June Beetles, Lawn Moths (Sod Webworm), Leafhoppers, Lucerne Moth Larvae, Millipedes, Sowbugs, Spittlebugs, Springtails, Ticks, Yellowstriped Armyworms	2.2 to 3.0	For general insect control apply granules uniformly when grass is dry. For most effective control, lawn should be watered lightly after application. Repeat applications may be made as needed for control of new infestations.

810

POUNDS OF TEE TIME
FERTILIZER WITH
SEVIN (R) PER
1000 SQ. FT.

INSECT

SPECIFIC DIRECTIONS

<u>White Grubs</u> (such as Japanese Beetle, Chafer Beetles, <u>Phyllophaga</u> spp., and Green June beetle grubs), Bluegrass billbugs, European crane fly larvae	2.2 to 3.0	For white grub control, applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. For most effective control the material should be watered in by the applicator, or, the applicator shall instruct the owner of the property to water-in the material sufficiently to wash the insecticide into the zone of insect infestation. Repeat applications may be made as needed for control of new infestations.
---	------------	---

SUGGESTED SPREADER SETTINGS

<u>Spreader</u>	Setting <u>3.0 lbs/1000 sq. ft.</u>
Cyclone	5 1/2
Scotts	6
Lely	5

IMPORTANT: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

STORAGE AND DISPOSAL

HOMEOWNER USE ONLY

STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100 degrees F.

5 8 5

PESTICIDE DISPOSAL

Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL Do not reuse bag. Discard bag in trash.

PROFESSIONAL USE ONLY

STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100 degrees F. If container is damaged, before cleaning up, put on long-sleeved shirt, full length trousers, head covering, and protective glasses.

PESTICIDE DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state or local authorities, by burning. If burned, stay out of smoke.

WARRANTY

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop condition, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By: The Andersons
Laun Fertilizer Division
P.O. Box 119
Maumee, OH 43537

:9198-106
05/15/90

BEST AVAILABLE