

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 29 1992

5417607  $\frac{300}{17}$

Ms. Michelle Trout  
The Andersons Lawn Fertilizer Division  
P. O. Box 119  
Maumee, OH 43537

Dear Ms. Trout:

Subject: The Andersons Tee Time Insecticide with 6.2 Dylox®  
EPA Registration No. 9198-110  
Your Application for Pesticide Amendment  
Dated April 8, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment:
  - a. The Environmental Hazards statement, "Do not apply directly to water or wetlands." must be changed to read:  
  
"Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Robert A. Forrest  
Product Manager (14)  
Insecticide-Rodenticide Branch  
Registration Division (H7504C)

CONCURRENCES

SYMBOL	enclosure						
SURNAME							
DATE							

Cromwell (BAM) Disk A-1 7/29/92

(FRONT PANEL)

THE ANDERSONS

TEE TIME

INSECTICIDE

with 6.2 Dylox®

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUL 29 1992

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
9198-110

ACTIVE INGREDIENT:

Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate ..... 6.2%

INERT INGREDIENTS..... 93.8%

TOTAL 100.00%

Dylox® is a Reg. TM of Bayer AG, Leverkusen.

STOP READ THIS LABEL BEFORE USE

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Back Panel for Statement of Practical  
Treatment and Other Precautionary Statements

Net Wt. \_\_\_ lbs.

Treats Up to \_\_\_\_\_ Sq. Ft.

(BACK PANEL)

NET WEIGHT \_\_\_\_ LBS.

TREATS \_\_\_\_\_ SQ. FT.

THE ANDERSONS

TEE TIME

INSECTICIDE

with 6.2 Dylox®

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes or skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

STATEMENTS OF PRACTICAL TREATMENT

**SWALLOWED:** Vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by touching finger to back of throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have patient lie down and keep quiet. Professional medical assistance should be secured immediately.

**IF ON SKIN:** Remove clothing and wash skin immediately with soap and warm water.

**IF IN EYES:** Flush with flowing water for at least 15 minutes.

**NOTE TO PHYSICIAN:** Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not contaminate feed or food. Keep out of reach of children. Should poisoning occur, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

**BEST AVAILABLE COPY**

## ENVIRONMENTAL HAZARDS

### PROTECT WILDLIFE

This pesticide is toxic to fish and wildlife and is extremely toxic to aquatic invertebrates. Apply in strict accordance with label directions. Do not apply when weather conditions favor drift from areas treated. Do not apply to water or wetlands. Do not apply where runoff is likely to occur. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. In cleaning of equipment or disposal of wastes, do not contaminate water.

### DIRECTIONS FOR USE

) is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Read entire Directions for Use before using this product.

### RECOMMENDED APPLICATIONS ON LAWNS AND ORNAMENTAL TURFS

**WHITE GRUBS:** Apply this product uniformly at the rate of 3 lbs. per 1000 sq. ft. with an accurately calibrated lawn spreader. For best results, mow lawn and rake dead grass from damaged spots and water lawn using 15-30 gallons per 1000 sq. ft. Do not water again for at least three days. Reapply as necessary at one to three week intervals. In most areas, the first application should be May or June. Consult your State Agricultural Experiment Station or State Extension Service Specialists for more specific information regarding timing of applications.

**SOD WEBWORMS (LAWN MOTHS):** Apply this product at the rate of 2 lbs. per 1000 sq. ft. using the above application techniques and recommendations.

### SUGGESTED SPREADER SETTINGS

*SEE ATTACHED*  
~~(Available at Final Printing)~~

The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of terrain. Calculate the size of the area to be treated and do not over or under apply. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting, if necessary, in order to assure correct rate of application. Close spreader when filling, stopping or turning. Do not hand spread.

### RESTRICTIONS

Do not use on crops used for food or forage. Use only according to label directions.

PRODUCT CODE	APP. RATE	PRODUCT DESCRIPTION	SCOTT'S R-8A	LESKO	PRIZELAWN CB-85	CYCLONE B1-84	SPYKER 64	VICON 402	LEY W
ATTWF4	4.0	20-4-10, 2-4-D & MCPP Weed & Feed	H 1/2	HH 1/2	4 1/2-5	3 3/4-4	4 1/4-4 1/2	48	5 1/2
ATT20WF5	4.0	20-4-10 TRIMEO® Weed & Feed	K 1/2	I 1/2	5 1/2	5 1/2	5	35	4 1/2
ATT12SS	3.3 6.6	12-30-7, 3.5% SIDURON Pre-emerg	J 1/2-K L-N 1/2	I 1/2-J 1/2 K 1/2-M 1/2	5 1/4-5 1/2 7-7 1/2	3 1/2-4 4 1/2-5	4 1/2-4 3/4 5-6	30-38 42-51	4 1/4 5 3/4
ATT32OF5	1.5 3.0	32-3-5, 1.5% OFTANOL	G 1/2-H H 1/2-I	C 1/2-D E 1/2	3 1/2-3 3/4 4-4 1/4	4-4 1/4 4 1/4-4 1/2	3 1/2-3 3/4 4	21-24 31-34	3 1/2 6
ATT30TS65	2.2 3	30-3-3 w/SEVIN®	J J 1/2-K	D E 1/2	4 1/4 4 3/4-5	4 1/2-5 5 1/2	3 3/4-4 4-4 1/2	23-28 28-32	4 5
ATT19TD8	4.0	19-3-3, 4% SCU, 1.15% TEAM® 57% DURSBAN®	H 1/2-I 1/2	E 1/2-F	4 1/2-4 3/4	4 1/2-4 3/4	4-4 1/4	33-37	5 1/2
ATT19TD8	4.0	19-3-3, 4% SCU, 57% TEAM® 57% DURSBAN®	H 1/2-I	E 1/2	4 1/4-4 3/4	4 1/4-4 1/2	3 3/4-4	31-35	5 1/2
ATT30D5	2.8	30-3-5, 2% DURSBAN®	H 1/2-I	E 1/2	4 1/4-4 1/2	4-4 1/4	3 3/4-4	30-33	5
ATT13D5	2.5	18-3-5, 2% DURSBAN®	H	D 1/2	4	4 1/4	3 3/4	27 1/4	4 1/2
ATT25D65	3.5	22-3-7, 5% DURSBAN®	H 1/2	D 1/2-E 1/2	4 1/2-5	4 3/4-5 1/4	3 3/4-4 1/4	32-34	5 5/2
<b>Tea Time® Granular Pesticides</b>									
ATT5DZ2	2.0 2.5 3.0	Diazinon 5%	H H 1/2 I	F 1/2 G G 1/2	4 4 1/4 4 1/2	3 1/4 3 1/2 3 3/4	3 1/2 3 3/4 4	36 40 44	4 4 1/2 5
ATT5DZ2	1.0 2.0 3.0 4.0	DURSBAN® 2.5%	H 1/2 I J K	C 1/2 D 1/2 E 1/2 F 1/2	4 4 1/2 4 3/4 5	3 1/2 4 4 1/4 4 1/2	3 1/2 4 4 1/4 4 1/2	24 38 42 48	2 1/2 4 5 5 1/2
ATTDY63	2.0 3.0	Dylax® 6.2%	H J	H J	4 1/2 5	3 3 1/2	4 4 3/4	N/A N/A	2 1/2 3
ATT15OF2	1.5 3.0	OFTANOL® 1.5%	G 1/2-H H 1/2	E 1/2-F G-H	3 3/4-4 4 1/2-4 3/4	4-4 1/4 4 1/2-4 3/4	3 1/2-3 3/4 4-4 1/4	29-31 41-43	3 4
ATT8S2	1.7 2.25	SEVIN® 8%	H 1/2-I 1/2 J	CD 1/2 C 1/2-E 1/2	3 3/4-4 1/4 4-4 1/2	3 3/4-4 1/2 4-5	3 1/2-3 3/4 3 1/2-4	20.5-24.5 22.5-26.5	2 1/2-3 3 1/2-4
ATTBY13	1.5	Bayleton® 1.0% Fungicide	G-G 1/2	E 1/2	3 1/4-3 3/4	3 1/2-3 3/4	3 1/4-3 1/2	24-26	2-2 1/2
ATTBN13	4.0	Benomy® 1.57% Fungicide	H 1/2-I	G-G 1/2	4 1/2-4 3/4	4 1/2-4 3/4	4-4 1/4	44-46	3 1/4-3 3/4
ATTFDZ2	4.0	Dacon® 5% Fungicide	J 1/2-J	G 1/2-H	4 1/2-5	4 3/4-5	4 1/4-4 1/2	48-50	3 1/2-4
ATTFDY2	2.5 4.0 6.0	Dyrene® 5% Granules	I 1/2 K M	D 1/2 G 1/2 I	4 1/2 5 5 3/4	4 4 1/4 5 1/4	3 3/4 4 1/4 4 3/4	43 54 65	3 3/4 4 1/2 6
<b>Tea Time® Specialty Products</b>									
ATT95	4 8	9-23-14 Starter Fertilizer	JK L-M 1/2	E 1/2-F 3/4 G 1/2-I	4 1/2-5 5 1/4-5 1/4	4 1/4-4 1/2 5 1/4-5 3/4	3 3/4-4 1/4 4 1/2-4 3/4	30-34 46-47	5 1/4-5 3/4 7 3/4
ATT215	3.6 7.2	21-28-7 Seed Starter	K M	F I	4 3/4 5 3/4	4 3/4 5 1/2	4 4 3/4	27-29 40-44	3 7-7 1/4
ATTGSCU5	1.5 3.0	37-0-0 SCU	HH 1/2 H 1/2-I	F 1/2-G G 1/2-H	3 3/4 4-4 1/4	4-4 1/4 4 1/2-4 3/4	3 1/4-3 1/2 3 3/4-4	19-21 30-32	3 1/4 5
ATT4035	1.25 2.5 3.12	40-0-0 Nutralene Chip Fairway Grade	H I J	C D 1/2 E	3 1/2 4 4 1/2	3 1/2 4 4 1/2	3 3 1/2 3 3/4	16-18 24-26 29-30	1 3/4 2 1/2 2 3/4
ATTGFA035	.75 1.0 1.5	40-0-0 Nutralene Chip Greens Grade	G 1/2 G 3/4-H H 1/4	B B 1/2 C 1/2	3 1/4-3 1/2 3 1/2-3 3/4 3 3/4-4	3 1/4 3 1/2 3 3/4-4	2 7/8 3 3 1/8	N/A N/A 18-20	1-1 1/2 2 1/4 2 3/4

9198-110

BEST AVAILABLE COPY

The above spreader settings were established using the following swath width and speed:

SPREADER	SWATH WIDTH (Feet)	SPEED (MPH)
Scotts R-8A	10-12	3
Lesco	10-12	3
Prizelawn CB-85	10-12	3
Cyclone B1-84	10-12	3
Spyker	10-12	3
Vicon 402	35-40	5.6 (9 kph)
Lely W	35-40	4.5

NOTE: Tea Time® spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

### STORAGE AND DISPOSAL

#### FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

#### FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

### WARRANTY

**MANUFACTURER** warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by: The Andersons  
Lawn Fertilizer Division  
P.O. Box 119  
Maumee, OH 43537

Date Printed: 04/07/92  
Date Approved:  
Supersedes: 06/20/89

**BEST AVAILABLE COPY**