

9198-110

12/14/2006

115



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:
9198-110

Date of Issuance:
DEC 14 2006

NOTICE OF PESTICIDE:

Registration
[X] Reregistration
(under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:
The Andersons Tee Time
Insecticide with 6.2% Dylox

Name and Address of Registrant (include ZIP Code):

The Andersons Lawn Fertilizer Division
P.O. Box 119
Maumee, OH 43537

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Decision, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following changes and submit two (2) copies of your final printed labeling before you release the product for shipment:

- 1) Under Application Restrictions revise the fifth bullet to "Do not apply with hand-held or chest mounted spreader"-add hand-held.
2) Under Surface Feeding Insects the directions are: "treat when insects are present" and additional treatments may be required at 30-40 days intervals when insects are present. Therefore "Repeat as needed" should be deleted.
3) The Legal Rights statement should be placed under the Warranty heading and "To the extent consistent with applicable law" added before your disclaimer statements
4) The Application Restriction "Do not apply more than one application in any seven day period" must be changed to "Limit applications to 3 per calendar year with 7 day re-treatment intervals" as specified in the TRED 2001 labeling changes table.

Enclosed a copy of your label stamped "Accepted with comments."

Signature of Approving Official:
Meredith F. Laws
Branch Chief
Insecticides-Rodenticides Branch
Registration Division (7505P)

Date: DEC 14 2006

# THE ANDERSONS TEE TIME INSECTICIDE WITH 6.2% DYLOX®

For control of White Grubs, Mole Crickets, Sod Webworms, Cutworms and Other Pests of Turfgrass

For commercial use only

Controls damaging insects below the soil surface

Provides control of Japanese beetle grubs

Fast Acting

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
DEC 14 2006**

Net Weight XX lbs. (XX kg)

Treats XX,XXX sq. ft. for White Grubs and Mole Crickets

Treats XX,XXX sq. ft. for Sod Webworms

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.**

9198-110

Store in a dry place

### ACTIVE INGREDIENT:

Trichlorfon, Dimethyl (2,2,2-trichloro-1-hydroxy-ethyl)phosphonate) ..... 6.2%

INERT INGREDIENTS ..... 93.8%

Total ..... 100.0%

EPA Reg. No. 9198-110

EPA Est. No.

STOP – Read the label before use.

KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Harmful if swallowed. Causes moderate eye irritation. Do not take internally. Do not breathe dust. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some people.

#### PERSONAL PROTECTIVE EQUIPMENT

Mixers, Loaders, Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### ENGINEERING CONTROL STATEMENT

When handlers use closed systems, enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides[40CFR 170.240(d)(4-6)]. The handler PPE requirements may be reduced or modified as specified in the WPS.

#### User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**First Aid**

Contains an organophosphate that inhibits cholinesterase.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by poison control center or doctor. Do not give anything to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

**Note to Physician:** Prolonged exposure will cause cholinesterase depression. Atropine Sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when turf grass areas are water-logged or the soil is saturated with water (i.e. will not irrigate). Avoid run-off or puddling or irrigation water following application. Use only as directed on this label. Do not use on crops used for food or forage. Golf courses: Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, or estuaries. Post-application watering-in is required (is mandatory) for all uses.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Read these entire Directions for Use before using this product.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

**ENTRY RESTRICTIONS**

Do not allow people or pets to enter treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry. On golf courses, the treated area must not be entered (except those involved in the watering) until the watering-in is complete and the surface is dry.

**GENERAL INFORMATION**

This fast acting product controls white grub larvae (larvae of Asiatic garden beetle, black turfgrass ataenius, European chafer, green June beetle, Japanese beetle, *Aphodius* spp., May or June beetles (*Phyllophaga* spp.), northern and southern masked chafers, and oriental beetle); mole crickets; annual bluegrass weevil; sod webworms and cranberry girdler; cutworms and armyworms. Apply to all types of turf where pests have been seen or found excluding turf where application is not allowed. See note above. This product treats 10,000 sq. ft. for white grubs, annual bluegrass weevil, cranberry girdler and mole crickets and 15,000 sq. ft. for sod webworms, armyworms and cutworms. (30 lbs.) Do not apply with hand-held or chest-mounted spreader. Apply this product using a broadcast or drop type spreader.

**SURFACE FEEDING INSECTS:** Sod webworm, cranberry girdler, cutworm, and armyworm

**Use Rate:** Apply at 2 lbs. per 1,000 sq. ft. of turf. Refer to chart below for spreader settings (Make sure your spreader is calibrated for this product before application.)

**How to Apply:** Turf should be free of troublesome thatch, which encourages insects. Rake or de-thatch the area and remove the debris to expose insect hiding places. Water the turf and cut to proper height. Apply granules with a broadcast or drop type spreader. To release the active

ingredient from the granule, the applicator must water-in after application or notify the property owner that he/she must water-in.

**When to Apply:** Treat when insects are present. Repeat as needed. Sod webworm may have 4 generations of larvae which will require additional treatments at 30 to 40 day intervals during the summer months. Therefore repeat as needed for continued protection.

**ROOT FEEDING INSECTS:** Annual bluegrass weevil (larvae), cranberry girdler, mole crickets, white grub larvae (larvae of Asiatic garden beetle, black turfgrass ataenius, European chafer, green June beetle, Japanese beetle, *Aphodius* spp., May or June beetles (*Phyllophaga* spp.), northern & southern masked chafers, and Oriental beetle)

**Use Rate:** Apply at 3 pounds per 1,000 sq. ft. of turf. Refer to chart for spreader settings (Make sure your spreader is calibrated for this product before application.)

**How to Apply:** Turf should be free of troublesome thatch, which encourages insects. For best results, ensure that there is no more than 1/3 inch of thatch is present at time of application. Under dry conditions, where thatch is present, pre-watering is recommended prior to application for control of white grub and weevil larvae. Water the turf and cut to proper height. Apply granules with a broadcast or drop type spreader. To release the active ingredient from the granule, the applicator must water-in after application or notify the property owner that he/she must water-in.

**When to Apply:** Apply when pests are seen or found. Consult your Agricultural Extension Service for the best time to treat in your area. A second treatment may be needed for mature large sized grubs.

**APPLICATION RESTRICTIONS**

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only the protected handlers may be in the area during application.
- Aerial application is prohibited.
- Post-application watering-in is mandatory.
- Do not apply this product using a "chest-mounted rotary-type spreaders".
- Do not apply more than one application in any 7 day period.
- Do not apply more than 24.5 lbs. ai/a per year for grubs and mole crickets and 16.2 lbs. ai/a per year for surface feeding insects.

**ADDITIONAL RESTRICTIONS FOR GOLF COURSES**

- Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, or estuaries.
- Post-application watering-in is mandatory.
- Broadcast use is limited to tees and greens, use on fairways is limited to spot treatments where pests are seen or found.

<b>Suggested Spreader Settings</b>				
These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.				
XX lbs. treats X,XXX sq. ft. at the 87 lbs. product/acre - LOW RATE (2.0 lbs./1,000 sq. ft. rate)				
XX lbs. treats X,XXX sq. ft. at the 131 lbs. product/acre - MEDIUM RATE (3.0 lbs./1,000 sq. ft. rate)				
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LOW RATE 5.4 lbs. ai/A	MEDIUM RATE 8.1 lbs. ai/A
aa	X mph	XX ft/	X	X
bb	X mph	XX ft	X	X

Note.: This list of spreaders and settings will vary dependent on market availability of spreaders. (this note will not appear on final label)

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in its original container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill.

**IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVred080806)

Manufactured for:  
The Andersons Lawn Fertilizer Division, Inc., d/b/a Free Flow Fertilizer  
PO Box 119  
Maumee, OH 43537  
{website address}

Dylox® is a registered trademark of Bayer

---

Date Printed	8/8/06
Date Approved	
Supersedes	6/20/89
Label Changes	Match Bayer label
Filename	9198-110
Label code	RVred080806