

9198-110

2/8/2012

10 of 7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

FEB 8 2012

Ms. Debbie Ziehr
Regulatory Administrator
The Andersons, Inc.
P.O. Box 119
Maumee, OH 43537

S 911358
360/1135

S 893858
360/1135
S 893857
360/1135
S 872172
360/1135

Dear Ms. Ziehr:

Subject: The Andersons Tee Time Insecticide with 6.2% Dylox®
EPA Registration Number 9198-110
Submissions dated March 15, 2010, March, 25, 2011, April 8, 2011, and May 24, 2011

The proposed amended labels submitted on March 15, 2010, March 25, 2011, and April 8, 2011, were superseded by the label submitted on May 24, 2011, and are not accepted.

The label submitted on May 24, 2011, to add required risk mitigation text is accepted under the provisions of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended.


In the last bulleted item pertaining to "IF IN EYES" in the "FIRST AID" box, "advise" should be changed to "advice" when the label is printed.

Guidance regarding minimum type sizes for the signal word and the "KEEP OUT OF REACH OF CHILDREN" statement is enclosed with this letter.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this letter or the next printing of your label, whichever occurs first, must bear the new revised label.

If you have any questions regarding this letter, contact Dr. William W. Jacobs by phone at 703-305-6406, by FAX at 703-308-0029, or via e-mail at jacobs.bill@epa.gov.

Sincerely yours,



Venus Eagle
Product Manager 01
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosures

3067

THE ANDERSONS TEE TIME INSECTICIDE WITH 6.2% DYLOX®

- For control of White Grubs, Mole Crickets, Sod Webworms, Cutworms and Other Pests of Turfgrass as listed on this label.
- For commercial use only
- Controls damaging insects below the soil surface
- Provides control of Japanese beetle grubs

ACCEPTED

FEB 8 2012

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

Net Weight XX lbs. (XX kg)

Store in a dry place

EPA. Reg. No: 9198-110

ACTIVE INGREDIENT:

Trichlorfon, Dimethyl (2,2,2-trichloro-1-hydroxy-ethyl)phosphonate) 6.2%

INERT INGREDIENTS 93.8%

Total 100.0%

EPA Reg. No. 9198-110
EPA Est. No.

**STOP – Read the label before use.
KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution: Harmful if swallowed. Causes moderate eye irritation. Do not take internally. Do not breathe dust. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some people.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, Loaders, Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENT

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-5)], PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

- Users should Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

rec'd
5/24/11

4007

FIRST AID	
This product contains an organophosphate compound that inhibits cholinesterase.	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have the person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advise.
Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. You also may contact 1-800-757-8951 for emergency medical treatment information.	
NOTE TO PHYSICIAN: Prolonged exposure will cause cholinesterase depression. Atropine Sulfate is antidotal. 2-PAM also is antidotal and may be administered in conjunction with Atropine.	

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **IMPORTANT:** Read these entire Directions for Use before using this product.

Do not use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application

ENTRY RESTRICTIONS

Do not enter or allow others (except those involved in the incorporation) to enter the treated area until the incorporation is complete. Incorporation must be accomplished by watering-in. Do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

APPLICATION RESTRICTIONS

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only the protected handlers may be in the area during application.
- Aerial application is prohibited.
- Use this product only on the turf sites permitted on this label.
- Post-application watering-in is mandatory.
- Do not apply with hand-held or chest mounted spreader.
- Limit the number of applications to turf to 3 per calendar year, with minimum retreatment intervals of 7 days.
- Broadcast on turf is limited to tees and greens; use on fairways is limited to spot treatment.
- Limit the total of all applications to 24.5 lbs. of active ingredient (395 lbs. of product) per acre per year for controlling mole crickets and grubs and to 16.2 lbs. of active ingredient (261 lbs. of product) per acre per year for controlling surface-feeding insects.

ADDITIONAL RESTRICTIONS FOR GOLF COURSES

- Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, or estuaries.
- Post-application watering-in is mandatory.
- Broadcast use is limited to tees and greens. Use on fairways is limited to spot treatments where pests claimed on this label are seen or found.

PESTS CONTROLLED AND APPLICATION METHODS

This product controls white grub larvae (larvae of Asiatic garden beetle, black turfgrass atenius, European chafer, green June beetle, Japanese beetle, *Aphodius* spp., May or June beetles [*Phyllophaga* spp.], northern and southern masked chafers, and oriental beetle); mole crickets; annual bluegrass weevil; sod webworms and cranberry girdler; cutworms and armyworms. Apply to all types of turf where pests have been seen or found excluding turf where application is not allowed. See statements above. This product treats 10,000 sq. ft. for white grubs, annual bluegrass weevil, cranberry girdler and mole crickets and 15,000 sq. ft. for sod webworms, armyworms and cutworms. (30 lbs.) Apply this product using a broadcast or drop type spreader.

SURFACE FEEDING INSECTS: Sod webworm, cranberry girdler, cutworm, and armyworm

Use Rate: Apply at 2 lbs. per 1,000 sq. ft. of turf. Refer to chart below for spreader settings (Make sure your spreader is calibrated for this product before application.)

How to Apply: Turf should be free of thatch, which attracts and protects some types of insects. Rake or de-thatch the area and remove the debris to expose insect hiding places. Water the turf and cut to proper height. Apply granules with a broadcast or drop type spreader. To release the active ingredient from the granule, the applicator must water-in after application or notify the property owner that he/she must water-in.

When to Apply: Treat when insects listed above are present. Sod webworms may have 4 generations of larvae which will require additional treatments at 30- to 40-day intervals during the summer months. Repeat as needed for continued protection, but do not exceed 3 applications per calendar year.

ROOT FEEDING INSECTS: Annual bluegrass weevil (larvae), cranberry girdler, mole crickets, white grub larvae (larvae of Asiatic garden beetle, black turfgrass atenius, European chafer, green June beetle, Japanese beetle, [*Aphodius* spp.], May or June beetles [*Phyllophaga* spp.], northern & southern masked chafers, and Oriental beetle)

Use Rate: Apply at 3 pounds per 1,000 sq. ft. of turf. Refer to the chart (below) for spreader settings. Make sure that your spreader is calibrated for this product before you apply it.

How to Apply: Turf should be free of thatch, which attracts and protects some types of insects. Ensure that there is no more than 1/3 inch of thatch is present at time of application. Under dry conditions, where thatch is present, water prior to application for control of white grub and weevil larvae. Water the turf and cut to proper height. Apply granules with a broadcast or drop type spreader. To release the active ingredient from the granule, the applicator must water-in after application or notify the property owner that he/she must water-in.

When to Apply: Apply when the pests listed above are seen or found. Consult your Agricultural Extension Service for the best time to treat in your area. A second treatment may be needed for mature large sized grubs.

0097

Spreader Settings				
The settings shown below are based upon our knowledge of the specified equipment but are not intended to replace calibration of each spreader that is to be used.				
Calibrate your spreader before applying product.				
30 lbs. treats 15,000 sq. ft. at the 87 lbs. product/acre - LOW RATE (2.0 lbs./1,000 sq. ft. rate)				
30 lbs. treats 10,000 sq. ft. at the 131 lbs. product/acre - MEDIUM RATE (3.0 lbs./1,000 sq. ft. rate)				
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LOW RATE 5.4 lbs. ai/A	MEDIUM RATE 8.1 lbs. ai/A
AccuPro/SR-2000 (cone 6)	3 mph	8 ft	K 1/2	L 1/2
Scotts Rotaries R-8, R-8A (cone 6)	3 mph	8 ft	J 1/2	K 1/2
Lely Models (Pattern II-C) WTR, HR, 1250 (PTO at 450 rpm)	4.5 mph	22 ft	4 1/2	5 1/2
Vicon (03 Series)	4.5 mph	10 ft	16	20

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in its original container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not refill or reuse this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

To the extent consistent with applicable law, Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent allowed by state law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent allowed by state law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

7087

Manufactured for:
The Andersons Lawn Fertilizer Division, Inc., d/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537
{website address}

Dylox® is a registered trademark of Bayer

Date Printed	5/24/11
Date Approved	12/14/06
Supersedes	6/20/89
Label Changes	EPA email 5/17/11
Filename	9198-110
Label code	RV052411