| 28 A | 2 | 1 | 1/8 |
|------|---|---|-----|
| | | | • |

| Please read instructions on re | verse before comple | ting form. | | Form Approv | ed. OMB No. | 2070-006 | O. Approvel expi | res 2-28-95 |
|--|--|-------------------------------------|---|---|---|------------------------------------|---|---|
| \$EPA | Environmental | nited States Protectiongton, DC 204 | | V | Registra Amenda | ation | OPP Identifier I | |
| , | | Applicatio | n for Pestici | de - Sectio | n I | | <u> </u> | |
| 1. Company/Product Number 9198-111 | | | - 2. EPA | Product Manage Parker | | | posed Classifica | |
| 4. Company/Product (Name) The Andersons 1.0% Ba | yleton Fungicide | * | PM# 22 | | | | None F | Restricted |
| 5. Name and Address of Appl The Andersons Lawn PO Box 119 Maumee, OH 43537 | | | ert. (b)(i), r to: EPA I | ny product is s Reg. No. | imilar or iden | tical in co | FIFRA Section mposition and I | abeling |
| | | | Section - | ict Name | | | | |
| Amendment - Explain Resubmission in responsion - Explain to Notification - Explain to Explanation: Use additional Notification of Minor Label Chara' Statement of Practical Treatment of Practical Treatment of Institution is consistent with confidentioal statement of formula in the Notification is consistent with confidentioal statement of formula in the Notification is consistent with confidentioal statement of formula in the Notification is consistent with confidentioal statement of formula in the Notification is consistent with the Notification with the Notification with the Notification with the N | rinse to Agency letter relow. If page(s) if necessar ge per PR Notice 98-10 nt* header to "First Aid". | y. (For section: brand name cha | I and Section II.) Inge, revised Warranty dersons establishment | Final printed la Agency letter of "Me Too" App Other - Explain statement, replace numbers to front particular to 152.46 and no of | below. "Inert" with "Other and. All change her changes have | MA in illingredie s are in bold | and highlighed in yel to the labeling or the | e llow. |
| notification is not consistent with penalties under sections 12 and | the terms of PR Notice 98 | | | nay be in violation of | | | | |
| 1. Material This Product Will | Be Packaged In: | | | | | | | |
| Child-Resistant Packaging Yes No Sertification must Submitted | Unit Packaging Yes No H "Yes" Unit Packaging wgt. | No. per container | Water Soluble F Yes No If "Yes" Package wgt | Packaging No. per container | 2. Type of | Metal Plastic Glass Paper Other (S | specify) | |
| 3. Location of Net Contents in | nformation entainer | 4. Size(s) Ret | ail Container | 5. | Location of Lab | | ens | |
| 6. Manner in Which Lebel is / | Affixed to Product | Lithog Paper Stenci | raph glued led | Other _ | | | | |
| | | | Section - I | V | | | | |
| 1. Contact Point (Complete) | tems directly below i | or identificatio | n of individual to b | e contacted, if n | ecessary, to pi | ocess this | application.) | |
| Name Dawn L. Walters | | | Title Regulatory Admi | nistrator | | Telephone 334-262-2 | e No. (Include Are 2766 | ea Code) |
| ! certify that the staten ! acknowledge that eny both under applicable !: | knowlinglly false or | | all attachments th | | | | 6. Dete Applicat Received (Stampe | |
| 2. Signature Dawn Y Walturi |) | | 3. Title Regulatory Admini | strator | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 1 2 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| 4. Typed Name Dawn L. Walters | | | 5. Date 5/15 | /00 | | | 1 1 1 | |

9198-111C Page 1 of 7

(FRONT PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)

THE ANDERSONS 1.0% BAYLETON(R) FUNGICIDE

FOR CONTROL OF CERTAIN DISEASES ON TURF

| ACTIVE INGREDIENT: | |
|---|---------------|
| 1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-y1)-2-butanone | 1.0% |
| OTHER INGREDIENTS | <u>99.0</u> % |
| | TOTAL100.0% |
| Bayleton(R) is a Registered Trademark of Bayer AG, Leverkusen. | |
| KEEP OUT OF REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS | |
| NET WTLBS. TREATS UP TO SQ. FT. | |

EPA Reg. No. 9198-111 EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag

9198-111C Page 2 of 7

(BACK PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)

THE ANDERSONS 1.0% BAYLETON(R) FUNGICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with skin, eyes or clothing. Do not contaminate feed or food. Keep out of reach of children. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

FIRST AID

IF SWALLOWED: Administer water fr

Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

IF ON SKIN:

Wash skin immediately with soap and warm water. If irritation occurs, get medical

attention.

IF IN EYES:

Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED:

Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to

mouth. Get medical attention.

NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.


ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sales or other commercial use as sod, or for commercial seed production, or for research purposes.



9198-111C Page 3 of 7

(BACK PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)


APPLICATION

BAYLETON® fungicide is absorbed rapidly and works systematically from within the plant. Rainfall or sprinkler irrigation soon after application will assure rapid systemic uptake. Control will be less effective on turf suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices.

Apply when the turf is fully established and actively growing. Application should be applied at recommended intervals to maintain disease control.

RECOMMENDED APPLICATIONS TURF GRASS DISEASE CONTROL:

| DISEASE | Lbs. of Tee Time With Fungicide Per | | REMARKS |
|---------------|--|----------|--|
| | PREVENTIVE | CURATIVE | |
| Dollar Spot | 1.5 | - | PREVENTIVE RATE: Apply recommended rate on 30-day intervals. Protective activity of Bayleton fungicide may extend for as long as 60 days dependent upon environmental conditions. |
| - | .75 | - | PREVENTIVE RATE: Apply recommended rate on 14-day intervals. Protective activity of Bayleton fungicide may extend for as long as 30 days dependent on environmental conditions. |
| | - | 3 | CURATIVE RATE: To control existing infections, apply the curative rate. Re-application should be no closer than 14 days. When infections have been controlled, refer to the preventive rate schedule for rates and timing. |




9198-111C Page 4 of 7

(BACK PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)

| Copper Spot Powdery Mildew Red Thread (Laetisara fuciformis) Rusts | 1.5 | - | PREVENTIVE RATE: Apply at 15 to 30 day intervals. When environmental conditions favor light-to-moderate disease development, use a longer interval. Protective activity of Bayleton fungicide can be greater than 30 days depending on |
|--|----------|---|---|
| Brown Patch (Rhizoctonia solani) (Suppression) | - | 3 | environmental conditions. CURATIVE RATE: To control existing infections, apply the curative rate. Reapplications should be no closer than 14 days. When infections have been controlled, refer to the preventive rate schedule for rates and timing. |
| Anthracnose Poa Annua Decline | 3 | - | PREVENTIVE RATE: Apply at 30-day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 45 days. |
| | 1.5 | - | PREVENTIVE RATE: Apply at 21-day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 30 days. |
| | <u>-</u> | 3 | CURATIVE RATE: To control existing infections, apply the curative rate. Re-applications should be no closer than 14 days. When infections have been controlled, refer to the preventive rate schedule for rates and timing. |



9198-111C Page 5 of 7

(BACK PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)

| | PREVENTIVE RATES ONLY | | |
|--|-----------------------|--|-------|
| Stripe Smut | 3 | Make a single application in spring as g growth begins. | rass |
| Fusarium Blight (Fusarium culmorum) (Fusarium poae) Summer Patch (Phialophora graminicola) (Except California) | 3 | Apply first application in mid- June or 30 days prior to time this blight normally becomes evident. Applications should be made at 30-day intervals. | |
| Fusarium Blight (Fusarium culmorum) (Fusarium poae) Summer Patch (Phialophora graminicola) (California Only) | 3 to 6 | Apply first application in mid- June or 30 days prior to time this blight normally becomes evident. Applications should be made at the 6 lb. rate on 15- day intervals. | |
| Gray Snow Moid (Typhula incarnata) (Except California) | 6 | Apply in fall 30 days prior to turf dormancy. If turf breaks dormancy during winter months a second application should be made. Dapply over snow cover, or when turf is dormant. | o not |
| Pink Snow Mold Fusarium Patch (Fusarium nivale) Southern Blight (Sclerotium rolfsii) (Except California) | 3 to 6 | Apply before conditions favorable for infection occur. Reapplication should be made as needed at a 60 to 90-day interval. Do not apply over snow cover, or when turf is dormant. Use higher rate in areas with a history of severe disease damage. | |
| Gray Snow Mold (Typhula incarnata) | Single Application | Apply in late fall before first snow cover. Do not apply over | , , , |

9198-111C Page 6 of 7

(BACK PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)

Pink Snow Mold (Fusarium nivale)

7.5 to 12

snow cover. Use the high rate in areas with a history of severe snow mold damage.

(California Only)

NOTE*: Apply the specified amount of The Andersons Tee Time With 1.0% Bayleton(R) Fungicide with a standard granular applicator accurately calibrated to uniformly apply recommended amount of product per 1,000 sq. ft.

Make application when turf is dry and following the mowing operation. Do not mow until a minimum of 0.25 inch of water has been applied to treated area. Do not use clippings for animal feed.

SUGGESTED SPREADER SETTINGS


| SPREADER | MODEL | SETTING |
|----------|-------|---------|
| Cyclone | B1-84 | 4 |
| Lely | W | 5 1/2 |
| Lesco | | 5 1/2 |
| Scotts | R8 | H 1/2 |
| Vicon | 402 | 33 |

NOTE: The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area to be treated. Measure area to be treated. Do not over or under apply. Close spreader when filling, turning or stopping. DO NOT HAND SPREAD.

STORAGE AND DISPOSAL

}

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.



9198-111C Page 7 of 7

(BACK PANEL) COMMERCIAL USE ONLY

(The above is for internal use only and will not appear on the final label copy)

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted. (AP21993/RVnot51500)

Manufactured By: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

| Date Printed: | 5/15/00 |
|----------------|---|
| Date Approved: | 12/23/97 |
| Supersedes: | 2/19/93 |
| Label change: | Notificatoin: name change/other ingredient/add est #/warranty statement |
| Filename: | 9198-111 |
| Label code: | AP21993/RVnot51500 |

