Please read instructions on	, , ,		61412		proved	OMB No.	2070-00	60. Approval expires 2-28-95	
<b>\$EPA</b>	United States			п Адепсу		Registration Amendment Other		OPP Identifier Number	
		Application	on for Pestic	de - Sec	tion	l l			
1. Company/Product Number 9198-111			2. EPA Product Manager Giles-Parker			3. Proposed Classification			
Company/Product (Name)     The Andersons 1.0% Bayleton Fungicide			PM# 22					None Restricted	
5. Name and Address of Ap The Andersons Lawn Fert. PO Box 119 Maumee, OH 43537	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.  Product Name								
			Section -	il					
<b>(</b>	benegation of the policy letter benegation with the policy letter benefit be	dated		Final printed Agency lett "Me Too" / Other - Exp	ter dat Applica	ation.	• to		
Notification of Alternate Bran This notification is consistent labeling or the confidential st	nd Name per PR Notice t with the provisions of P tatement of formula of th	98-10 : Ande PR Notice 98-11 is product. I us not consisten	rsons Golf Products  O and EPA regulation  nderstand that it is a  t with the terms of P	ns at 40 CFR violation of 1 R Notice 98-1	152.46 8 U.S. 0 and	5 and no othe C. Sec. 1001	r change: to willfull	y make any false statement	
			Section -	11					
1. Material This Product Wil	l Be Packaged In:								
Child-Resistant Packaging Yes No Certification must	Unit Packaging Yes No If "Yes"	No. per	Water Soluble if "Yes"	No. per		2. Type of	Metal Plastic Glass Paper		
be submitted	Unit Packaging wgt.	container	Package wgt	containe	r	<u> </u>	_ Other	(Specify)	
3. Location of Net Contents Information 4. Size(s) Re			tail Container 5. Location of Lab 25 lbs. On Labe						
6. Manner in Which Label is	Affixed to Product	Lithog Peper Stence	raph glued iled	<b>b</b> Other	r Po	ocket			
			Section - I	V					
1. Contact Point (Complete	items directly below fo	or identificatio	n of individual to b	e contacted,	if nec	essary, to pr	ocess th	is app(içation.)	
Name Dawn L. Walters			Title Regulatory Admi	nistrator			<b>Telepho</b> 334-262	ne No. (Ificlude Area Code) 1-2766	
	ments I have made on ly knowlinglly false or i law.		all attachments th					6. Date Application Received (Stamped)	
was Luplars			3. Title Regulatory Administrator						
4. Typed Name Dawn L. Walters			5. Date	4/04				52%	
EPA Form 8570-1 (Rev. 3-94	) Previous editions are	obsolete.	<u> </u>	Whi	ite - El	PA File Copy	(origina	الكالساني كالمستهز يرسنهان	



The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

May 4, 2004

**Document Processing Desk (NOTIF)** Office of Pesticide Programs - (7504C) U. S. Environment Protection Agency **Ariel Rios Building** 1200 Pennsylvania Ave., NW Washington, D.C. 20460-001

Subject:

**NOTIFICATION - Additional Brand Name** 

RE:

The Andersons 1.0% Bayleton Fungicide

EPA Reg. No 9198-111

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market an additional product under the subject basic registration. The additional brand name is:

## **Andersons Golf Products 1% Bayleton Fungicide**

One copy of the final printed label is enclosed.

Enclosed is a self-addressed card indicating the acceptance or rejection of this notification. Please complete the card and return via mail.

If there are any questions, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Dawn Ruhlters

Dawn L. Walters

Regulatory Administrator


Phone 334-262-2766

Fax

334-265-5703

Email dawn walters@andersonsinc.com

enclosure



## Andersons No Ducts

## Bayleton° Fungicide

For control of certain diseases on turf

riedimeton* ITHER INGREDIENTS: Total	
	. 1
	35
The second secon	100

Bayleton is a registered trademark of Bayer CropScience, L. P.

Reg. No. 3198-111 V.No. 3198-DH-1M, 9198-DH-2B, 9198-AL-001A, 9198-PA-001P aid letter is first letter used in run code on bag.

KEEP OUT OF REACH OF CHILDREN

CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
Harmful if swellowed, inheled or absorbed through the size. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with size, eyes or dodfring. Do not contaminate feed or food.

Keep out of reach of children.

Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hol water before reuse.

FIRST AID

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to awaltow. Do not induce vorniting unless fold to by a poison control center or doctor. Do not give anything by mouth to an unconactoperson.

lf on skin

lold eye open and rinse slowly and gently with water for 15-20 minutes. Remov ordacts, if present, after the first 5 minutes, then continue innsing. Call a poison pritrol center or doctor for inventment advice. lf in eyes

Move person to fresh sir. If person is not breathing, call 911 or an ambulance then give artificial respiration, prelarably mouth-to-mouth if possible. Call is procedure center or doctor for issalment advice. ff inhaled

NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.

ENVIRONMENTAL HAZARDS

not apply directly to water, or to areas where surface water is present or to intertidal areas below mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

unicounts are use in contract of the contract

APPLICATION: Bayleton fungicide is absorbed rapidly and works systemically from within the plant. Rainfall or sprinkler irrigiation soon after application will assure rapid systemic uplate. Control will be letes effective on birt suffering from drought stress. Therefore, no rote to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices.

Apply when the turl is fully established and actively growing. Application should be applied at recommended intervals to maintain disease control.

RECOMMENDED APPLICATIONS TURFGRASS DISEASE CONTROL:

reventuritive Rata 1.5 Lbs./1,000 Sq. Ft. -sply recommended rata on 30 day intervals. Protective activity of Bayleton fungicide may e ras long as 60 days dependent on environmental conditions.

Preventative Rate 0.75 Lbs\_t1,000 Sq. FL -Apply recommended rate on 14 day intervals. Protective activity of Beytelon fundicate may extend for as long as 30 days dependent on environmental conditions.

To control existing infections, apply the curative rate. Seapplication should be no closer than 14 days. When infections have been controlled, refer to the preventative rate schedule for rates and liming.

opper Spot, Powdery Mildew, Red Thread (Laetaans Auctformis), Rusts, Brown Patch Oktootronia solami (Suppression):
Preventative Rate 1.5 Lbs./1,000 Sq. Pt. Apply at 15 to 30 day intervals. When environmental conditions favor light to moderale disease development, use a longer interval. Protective activity of Bayleton fungicide can be greater than 30 davis depending on environmental conditions.

Curative Rets 3.0 Lbs./1,060 Sq. FL -To conford existing infections, apply the curretive rate. Re-application should be not closer than 14 days. When infections have been controlled, refer to the preventative rate schedule for rates and

nthracnose, *Pos annus* Decline: Preventative Rate 3.0 (b.s./1,000 Sq. FL -Apply #3 03 Ger intervies and repoet as necessary for seasonal control. Dependent upon en mental conditions, residual control may be extended to 45 days.

Preventative Rate 1.5 Lbs./1,000 Sq. FL -Apply at 21 day intervals and repeat as necessary for seasonal conditions, residual confrol may be extended to 30 days.

Curative Rate 3.0 Lbs./1,000 Sq. Ft. To control existing infections, apply the curative rate. Re-applications should be no closer than 14 days. When infections have been controlled, rater to the preventative rate schedule for rates and timing.

Preventative Rate Only 3.0 Lbs./1,000 Sq. Ft. -Make a single application in spring as grass growth begins.

usarium Blight (Fusarium culmorum) (Fusarium pose), Summer Patch Halophora graminicola) (Except California); Preventative Rato Only 3.0. Lb. 1,308 Sq. Ft. -Apply first application in mid-June or 30 days prior to time this blight normally becomes evident. Applications in Model be made of 30 days intervals.

usarium Blight (Fusarium culmorum) (Fusarium pose), Summer Patch histophora graminicola) (California only): Preventative Rate Only 3 to 8 Lbs./1,000 Sq. Pt. Apply first application in indi-Lime o 30 days prior to lime this blight normally becom Applications should be made at the 6 lb. rate on 15 day intervals.

ay Snow Mold (Typhula Incarnata) (Except California): Preventative Ratis Only 50 Lbs.// 000 Sq. Ft. -Apply in fall 30 days prior to burf domancy. If buf breaks domancy during winter months, a second application should be made. Do not apply over snow cover or when buff is domant.

Pink Bnow Mold, Fusarium Patch (Microdochium nivale), Southern Bilght (Scierotium roftsii): Preventative Rate Only 3.0 to 8.0 Lbs.1,000 Sq., Ft. — Apply betre conditions feverable for infection cocur. Respection should be made as needed at 50 to 90 day interval. Do not apply over snow cover or when but is domant. Use higher rate in areas with a history of severa disease damage.

Gray Snow Mold (Typhula Incarnata), Pink Snow Mold (Microdechium nivale) (California Only): Preventative Rate Only, Single Application 7.5 to 12 Lbs/1,000 Sq. Ft. -Apply in late file blorier first row cover. Do not apply over annow cover. Use the high rate in areas

with a history of severe snow mold damage.

NOTE: Apply the specified amount of this product with a standard granular applicator accurately cal-brated to uniformly apply recommended amount of product per 1,000 sp. ft. Make application when turf is dry and following the moving operation. On our move until a minimum of 0.25 inch of water has been applied to treated area. On not use clippings for animal feed.

	SUGGESTED SPF Ground Spend	READER SETTING Width of Coversor	\$ 1.5d per 1.000 Sq. Ft.	10 l per 1,000 So. F	
Andersons AccuPro 1000	3 mesh	6 feet		11/2	
AccuPro 2000, SR-2000 (come 6)	3 mph	6 feet	,	11/2	
Andersons SS-2 Drop	3 mon	overlap wheels	3 1M	4	
Scotts R-8A (cone 6)	3 mph	6 feet	н	K 1/2	
Laty Model W	4.5 mph	15 feet	3 1/2 U-C	4 #-C	
Vicon (03 Series)	4.5 mph	10 feet	16	20	

NOTE: The above spreader settings are approximate. Differences may occur due to condition spreader, speed at which applied and coghress of area to be treated. Measure area to be tro Do not over or under apply. College preader when filling, turning or stopping. DO NOT HAND SPREAD.

STORAGE AND DISPOSAL.

Do not contaminate water, food or feed by storage and disposal. Keep container closed and every from food, feedbaffs, and domestic water supplies.

PESTICIDE DISPOSAL: Prestictide westers are tools. Improper disposal of excess pesticide, spray mixture, or insulate, is a violation of Federal Lew and may contaminate groundwater. If these wester cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Contrib Agency, or the Hazardous Water propresentaive at the nearwest EPA Regional Office for guidance. CORTAINER DISPOSAL: Completely empty beg into application accionment. Then dispose de empty beg in a senting shardful or by inclumation, or, if allowed by State or local authorities, by burning. If burned, stay out of sincks.

authorities, by burning. If flurned, stay out of sinches.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for these and flae Warranty Olsclaimer and Limitation of Liebility before using this product, if terms are not acceptable, return the unopened product container at core. By string this product, user or buyer acceptable, return the unopened product container and Limitation of Liebility:
WARRANTY DISCLAIMER and LIMITATION of LIABRLTT Memorical description on the labeller and Limitation of Liability.
WARRANTY DISCLAIMER and LIMITATION of LIABRLTT Memorical description on the labeller and the strength of the disclaims.

Memoricature makes NO OTHER EXPRESS OR IMPLED WARRANTY OR MERCHANTABLITY OR RETURNED FOR A PARTICLAIR PURPOSE. Where we're vie's it is Manufactured intent to LIMIT ANY LIABRLTY FOR SPECIAL CONSECUENTLY LOR NOCIDENTAL ECONOMIC DIMAGES to refund of purchase prior or replacement of product, of the view coincide. Memoricature OSICLAIMS ANY LIABRLTY FOR COMPENSATIONY OR OTHER CHARACES ARISING OUT OF ANY USE CONTRARY TO LIABLE DIRECTIONS. Use contrary to level dyrectors in on permitted.

LEGAL RIGHTS: This limited warranty gives you specific legal rights; you may have other rights that vary from statejurisdiction ig statejurisdiction.

Attention: This product continue at therecal known to the State of California to cause birth defects or other reproductive turn.

Net-Wt. 25 Lbs. (11.34 kg) Covers Up To 16,600 Sq. Ft.

Manufactured by: The Andersons Lawn Pervitati-Division, Inc. P. O. Box 119, Maumee, OH 43537

AGCBY13

E4 - (AGC8LKPBLUB.18)



## . @2001 T.A.

The Andersone Golf Products is a tradement of The Andersone Agriservices, Inc.

AGCBLKPGRNB

\$4-Q