10/18/2002

1/16

Please read instructions of	reverse before comple	iting form.		Form Apr	proved, OMB No.	2070-006	O. Approval expires 2-28-95
SEPA	Environmenta	United States I Protection Ington, DC 204			Registr Amend Other		OPP Identifier Number
		Application	n for Pestici	de - Sect	tion I		
1. Company/Product Numb 9198-120	er		2. EPA Miller	Product Man	ager	3. Pr	oposed Classification
4. Company/Product (Nam The Andersons Dimension			PM# 23	·- ··			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
5. Name and Address of A The Andersons Lawn d/b/a Free Flow Fertili PO Box 119 Maumee OH 43537 Check if th	Fertilizer Division, Ir		(b)(i), r to: EPA I	ny product i Reg. No ict Name _		tical in co	FIFRA Section 3(c)(3) imposition and labeling
			Section -	<u> </u>			
Amendment - Explai	ponse to Agency letter	dated		Final printed Agency lett "Me Too" A Other - Expl	Application.	se to	NOTIFICATION OCT 1 8 2005
Notification of minor label chan This notification is consistent w made to the labeling or the con further understand that if this no violation of FIFRA and I may be	ith the guidance of PR Notice fidential statement of formula statement of formula stification is not consistent w	e 98-10 and the re a of this product. I ith the guidance o	quirements of EPA's r understand that it is a f PR Notice 98-10 and	egulations at 40 violation of 18 t the requiremen	CFR 156.10 and 40 U.S.C. Sec. 1001 to v	villfully make	and no other changes have been any false statement to EPA. I 152.46, this product may be in
· · · · · · · · · · · · · · · · · · ·			Section - I	11			
1. Material This Product W	ill Be Packaged In:						
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wg1.	No. per- container	Yes No If "Yes" Package wgt	No. per container		Metal Plastic Glass Paper Other (S	ipecify)
3. Location of Net Contents	Information	4. Size(s) Reta	il Container		5. Location of La	bel Directio	ns
Label	Container s Affixed to Product	Lithogr Paper (Stencil	aph Hued	Other	On Labe	el	
		Stencii	Section - I'	<i>V</i>	· · · · · · · · · · · · · · · · · · ·		
1. Contact Point (Complet	e itams directly helow f	or identification			if nargeeans to n	nnees this	ennlication I
Name Dawn L. Walters	trans unactly below i		Title Regulatory Admii		i iletussaiy, to pi	ı	n No /Include Area Code)
	ements I have made on ny knowlinglly false or a law.		all attachments the				6. Date Application Received
2. Signature Daton Yillite	tis	[]	. Tide Regulatory Adminis	strator			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
4. Typed Name Dawn L. Walters		. 5	i. Date 9/2	18/15			



OCT 1 8 2005

9198-120H Page 1of 14

(FRONT PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

The Andersons Dimension Herbicide II

Optional marketing claims:

- A Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Omamental Turfgrasses.
- Premium Granular Fertilizer that Feeds Your Lawn Providing The Nutrients Needed for A Beautiful, Green and Vigorous Lawn.
- Contains Dimension® Herbicide A Herbicide for Crabgrass Control!
- Can Be Applied Up to 4 Weeks Later Than Other Crabgrass Preventers and Controls Crabgrass All Season Long.
- Controls Crabgrass & weed grasses listed on this label before & crabgrass after* they germinate
 *see back panel
- Prevents Spurge & Oxalis
- Clean & easy to apply no yellow stains on clothing, walks or driveways
- This product is a herbicide that provides control of listed annual grasses and broadleaf weeds in established lawns and ornamental turfs.
- 100% satisfaction or your money back! Unconditional guarantee {optional for subregistrant}
- When used as directed, this product controls Smooth & Large Crabgrass, Goosegrass, Barnyardgrass, Yellow & Green Foxtail
- · Preemergence and early post-emergence control of crabgrass
- Promotes long-lasting feeding
- Prevents craborass
- PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this quality product, return the bag with proof of purchase for a full refund.
- For thick, green, beautiful tawns
- Formulated for Midwestern lawns
- Controls crabgrass and other listed weeds for up to 4 months*
 *when used as directed
- Extended greening from controlled-release nitrogen

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A Underlined letter is first letter used in run code on bag

Contains iron for extra greening

ACTIVE INGREDIENTS:

EPA Reg. No. 9198-120

*Dithiopyr, 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl) -6-(trifluoromethyl)-S,S- dimethyl ester	. 0.103%
INERT INGREDIENTS	99.897%
* Dimension is a registered trademark of Dow AgroSciences LLC	
KEEP OUT OF REACH OF CHILDREN CAUTION	
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS	•
NET WEIGHT LBS. Covers {over} X,XXX square feet	* 1

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

ı	MET	WEIGHT	LDC
ı	NE I	WEIGHT	LBS.

The Andersons Dimension Herbicide II

GUARANTEED ANALYSIS	
Total Nitrogen (N)	16%
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K₂O)	4%
Primary Plant Food derived from: Urea, Muriate of Potash, Ammoniated Phospha	

Optional fertilizer information:

XX% Nitrogen – Gives your lawn a deep green color. Stimulates plant growth and greens lawns quicker XX% Phosphate – Promotes normal root development. Strong, vigorous roots are essential for absorbing water and plant nutrients

XX% Potash – Potash helps improve your lawn's hardiness to protect against disease and tolerate drought. Information regarding the contents and levels of metals in this product is available on the internet at http://www.wa.gov/agr/

When applied as directed, this product meets the minimum standards for non-nutritive metals established by the Association of American Plant Food Control Officials.

For information on this product or other premium quality (brand name) product, please call us at 1-800-231-4595.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

New York Use Restrictions: Do not apply more than 5.6 pounds of this product per 1,000 square feet of turfgrass area per year. Do not make more than one application per year.

Use only according to label instructions.

GENERAL INFORMATION

This product is a combination product that provides both crabgrass control and the required nutrients for optimum turfgrass growth all in a single product.

This product contains Dimension, a crabgrass preventer that can be applied up to 4 weeks later than other crabgrass preventers and provide up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. This product should be applied to lawns and ornamental turfgrasses that are well established (See "Use Precautions" section below for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label directions.

USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

The Andersons Dimension Herbicide

can be applied to the following turfgrasses when applied as directed:

Cool-Season Turfgrasses

- · Creeping Bentgrass
- Fine Fescues
- Kentucky Bluegrass
- Perennial Ryegrass
- Tall Fescues

Warm-Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Buffalograss
- Carpetgrass
- Centipedegrass
- St. Augustinegrass
- Zoysiagrass

This product should be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrasses.

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

This product can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control of crabgrass. Dimension herbicide provides preemergence control of crabgrass and other weeds when applied prior to their germination, and it also provides postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preemergent treatment. Only crabgrass can be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowings after the application of this product until the lawn or omamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

Reseeding, Overseeding, or Sprigging of turfgrasses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseeding, overseeding, or sprigging upto 16 weeks after application may prevent the establishment of the newly reseeded, overseeded or sprigged turfgrasses.

- •DO NOT apply more than 11 pounds of this product per 1,000 square feet of turfgrass area during the year (1,000 square feet area = 100 feet x 10 feet).
- •DO NOT apply to flowers, vegetables, or fruit trees.
- •DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.
- •Keep people and pets off treated areas until dust has settled.

APPLICATION DIRECTIONS

The Andersons Dimension Herbicide II will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to weed seed germination in established lawns and ornamental turfgrasses.

Weeds Controlled and/or Suppressed by The Andersons Dimension Herbicide

Grass Weeds:
Annual Bluegrass
Annual Ryegrass
Barnyardgrass
Crabgrass
Crowfootgrass

Gooesegrass

Green Foxtail Kikuyugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail

Broadleaf Weeds:

Bittercress Creeping Oxalis
Buttercup Oxalis Henbit
Carolina Geranium Parsley-piert
Chickweed Pineappleweed
Common Lespedeza Spotted Spurge
Common Purslane Yellow Woodsorrel
Corn Speedwell

Application Timings:

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.



Length of Control:

This product will provide up to 4 months of weed control if applied according to label directions.

The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied.

Please check the map below to determine which "Region" of the U.S. that applies to your particular use area.

Use "Regions" within the United States:



Recommended Use Rates:

	Recommended Use Rates	
	for The Andersons Dimension Herbid	cide
(Pounds o	f this product to apply per 1,000 square	feet of turfgrass)
	Length of V	Veed Control
Region of U.S.	Length of V	Veed Control ————————————————————————————————————
Region of U.S. North		

SUGGESTED SPREADER SETTINGS

(Available at Final Printing)

Broadcast Spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's



(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place

unused product down any indoor or outdoor drain.

GENERAL INFORMATION - LANDSCAPE ORNAMENTALS

This product provides preemergence control of listed annual grass and broadleaf weeds in landscape ornamentals. It may be applied to soil surfaces where ornamental plants are grown for aesthetic purposes in ornamental gardens, and residential properties.

Ornamental plants on this label have shown tolerance to this product when applied as directed. It is impossible, however, to evaluate tolerance for all ornamental plant species or varieties or under all possible growing conditions. Under your growing conditions, a limited area involving only a few plants should be treated for tolerance evaluation prior to large-scale applications.

USE RATES

Apply this product with a properly calibrated spreader which will assure accurate, even particle distribution. This product may be applied as a single application or as a split application. Refer to the following table for product recommendations when treating a small area.

DO NOT apply more than 16 pounds per 1,000 square feet per year. Do not apply in Nassau and Suffolk Counties of New York.

Pounds of Product per 1,000 square feet

Ounces of Product per 100 Square Feet

17.6

APPLICATION TIMING AND RECOMMENDATIONS

This product is a preemergence herbicide that will not control established weeds. Make applications prior to weed seed germination or to bare ground. The best weed control is obtained when applied to soil that is free of clods, weeds and debris such as leaves. Prior to making an application, control existing vegetation by hand weeding, cultivation or with a posternergence herbicide. Once an application of this product has been made, do not disturb the soil surface as the herbicide barrier will be broken

PRECAUTIONS

- Only apply this product to established ornamentals.
- Do not apply this product directly to bare root of ornamental plants as injury may result.
- Do not incorporate this product into soil. Dilution of active ingredient and possible injury to plant roots may occur.
- Do not apply to soil around ornamental plants that are under stress due to drought, flooding, excessive
 fertilizer or soil salts, wind injury, hail, frost damage, winter injury, injury from previously applied pesticides
 or injury due to insects, nematodes or disease.
- To avoid foliar damage to ornamentals, irrigate immediately after application to remove herbicide particles from the foliage.



(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

- Do not apply under conditions that would affect product distribution. Wind could affect distribution and move product onto sensitive species. Uneven product distribution will result in uneven weed control.
- · Do not apply this product on grasses grown for seed.
- Do not graze livestock or feed forage cut from areas treated with this product.

TOLERANT ORNAMENTALS

When applied as directed under the conditions described on this label, ornamentals listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing condition. Follow directions given above to determine plant tolerance under your growing conditions prior to large scale use.

COMMON NAME	BOTANICAL NAME	TOLERANT CULTIVARS
Abelia, Dwarf	Abelia X Grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajunga genevensis	Bronze Beauty
Almond, Flowering	Prunus gladulosa	
Apple*	Malus pumila	
Arbovitae	Thuja occidentalis	Nigra Pyramidalis Smaragh Techny Woodwardii
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash, Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus acucparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brillant Buccaneer Carror Chimes (Belgian) Exbury Fashion Hardijzer Beauty Hershey Red Higasa Hinocrimson Holland (Hybrid) Marion Lee Northern Lights Orange Cup Orchid Lights Snow Southern Charm
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thumbergii	Aurea Dwarf Pigmy Green Kobold Pygmy Red Rose Glow

Barberry, Purple		Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursti	Massasschusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecorp Blue Jay Jersey North Blue Northland
Bottlebrush	Callistemon citrinum	TO CALL THE
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus sempervirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Carex, Variegated	Carex	
Camellia	Camellia japonica Camellia sasangua	Debutante Mathotiana Supreme Chansonette
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	- Too Now pio
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotonester apiculatus	
Cycads	Cycads revoluta	
Coyotebrush	Baccharis pelularis	
Cyrpress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Leyland	Cupressocyparis leylandii	Claucu
Cypress, Japanese False	Chamaecyparis obtusa	Gracilis
Daffodil	Narcissus spp.	King Alfred
Daylilly	Hemerocallis spp.	Aztec Gold Bright Yellow (Hybrid) Single Gold (Evergreen) Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	
Euonymus	Euonymus fotunei	Argenteo-variegata Auereo-marginata Colorata Emerald Gaiety Emerald 'N Gold Gold Edge Gold Princess Silver King Tricolor Vegetus
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	



Fetterbush	Leucothoe fontiana	Rainbox
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia Spring Glory	Arnold Dwarf Bronxensis Dwarf Lynwood Gold Meadowlark Weeping
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataequs spp.	Cockspur White Crimson Cloud Enchantress Jack Evans Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibscus spp.	Brilliant Hula Girl Blue Bird
Hemlock, Canada	Tsuga canadensis	
Holly, Chinese	llex x meserveae llex X attenuata llex comuta	Blue Boy Blue Girl Burfodii China Girl Ciompacta Forsteri Hellerie Japanese Northern Beauty Needlepoint Nellie R. Stevens Savanah
Holly, Japanese	llex crenata	
Holly, Yaupon	Ilex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf Halliana Tatarian Canadian White Zebelli Red Hosta
Hosta	Hosta spp. Hosta lancifolia	Algo Marginata
Ice Plant	Carpobrotus edulis	
Impatiens	Impatiens wallerana	
Iris .	Iris spp.	Wedgewood Dwarf blue
Ivy, English	Hedera helix	Bulgaria Thomdale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia Armstrong Bar Harbor

	Luninania harizantalia	Blue Chip
,	Juniperus horizontalis	Blue Chip Blue Pacific
1		
	A section of A section was at a	Blue Rug
	Juniperus horizontalis	Blue Star
		Broadmoor Buffalo
		· ·
		Calgary Carpet
		Emerald Sea
		Emerald Spreader
·	į .	Endora Compacta
		Fuitlandi
		Green
		Gold Tip
		Hetzi
		Hughes
		Manhatten Blue
		Parsoni
		Pfitzeriana
		Plumosa Prince of Wales
•		Prince of Wales Procumbens Dwarf
	\	San Jose
		L .
	<u> </u>	Sargent Blude
•		Sargent Green
	1	Scandia
)	Scopulorum Moonglow
•		Scopulorum Skyrocket
		Spartan
	Juniperus chinesis	Tamariscifolia
	Juniperus sabina	Weberi
		Youngstown
		Yukon Belle
King Palm	Archontophoenix	
	cunninghamiana	
Laurel, Australian	Pittosporum tobira	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	
Lily, Africian	Agapanthus africanus	Albus
		Peter Pan
Lily, African Blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant
· .		Lilac Beauty
		Majestic
	}	Monroe White
		Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
	Acer rubrum	
Maple, Red	<u> </u>	
Maple, Sivler	Acer saccharinum	
Maple, Sugar	Acer saccharum	<u> </u>
Marigold	Tagetes patula	Honeycomb



		Wheeler's Dwarf
		Variegata
Mock Orange*	Philadelphus spp	Golden Snowflake Double White
Mopndo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei Langer Muskogee Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta Nana
Oleander	Nerium oleander	Hardy Red Petite Pink Sister Agnes
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oteospermum	Osteospermum fruitcosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Lobiolly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus eliottii	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentiall fruticosa	Abbotswood
Privet	Ligustrum japanıcum	Golden Vicary Regal Texanum Yellow Tipped Wax
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	
Queen Pam	Arecastrum rammanzoffianum	

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

Quince, Japanese*		
Rhododendron	Rododendron spp	Album Cunningham White Fashion
		Hardy PJM
		Purple Gem Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	Onvoly Fina
Rododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinum officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedumm spurium	Dragon Blood Red
Sedum	Journal Spatiality	Red Carpet
	{	Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red
: :	Орнова врр.	Dolchica
	•	Froebeli Pink
		Goldenflame Red
		Snowmound White
		Van Houttee White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Hlue	Picea pungens	
Spruce, Norway	Picea abies	
Spruce, White	Picea glauca	
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassyy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Platanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, Evening	Gelsemiun sempervirens	
Tulip	Tulip, spp	Apeldoorn
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Vibumum spp.	American Cranberry Bush Arrowood
		Common Snowball
	1	European Cranberry Bush
		Linden
		Mohican
		Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	llex vomitoria	Dwarf
Yew	Taxus cuspidatra	Denisiformis
	Taxus X media	

^{*}Ornamental species only: DO NOT USE ON FOOD PRODUCING TREES AND ORNAMENTALS

MIL

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

WEEDS CONTROLLED

When used as directed, this product will control or suppress the following annual grass and broadleaf weeds when applied prior to their emergence. This product will not control established grasses except for crabgrass in early stages of development, and broadleaf weeds, therefore, the area to be treated should be free of weeds prior to application.

GRASSES

barley (Hordeum spp.) barnyardgrass (Echinochloa crus-galli) bluegrass, annual (Poa annua) brome (Bromus spp.) crabgrass, large (Digitaria sanguinalis) crabgrass, smooth (Digitaria ischaemum) crabgrass, Southern (Digitaria ciliaris) crowfootgrass (Dactyloctenium aegyptium) dallisgrass (seedling) (Paspalum dilatatum) goosegrass (Eleusine indica) foxtail, green (Setaria verdi) fotxtail, yellow (Setaria faberi) kikuyugrass (Pennisetum clandestinum) oats, wild (Avena fatua) ryegrass (annual & pernnial) (Lolium spp.) smutgrass (Sporobolus poireti)

BROADLEAF WEEDS

bittercress (Cardamine spp.) carpetweed (Mollugo verticillata) chickweed (Stellaria spp.) geranium, Carolina (Geranium carolinianum) henbit (Lamium spp.) knotweed, prostrate (Polygonum saviculare) lespedeza common (Lespedeza striata) marestail (Hippuris vulgaris) medic, black (Medicago lupulina) mustard (Brassica spp.) oxalis, buttercup (Oxalis pes-caprae) pineappleweed (Matricaria matricarioides) pigweed, redroot (Amaranthus retroflexus) parsley-piert (Alchemilla avrensis) purslane, common (Portulaça oleracea) rocker, London (Sisymbrium irio) shepherdspurse (Capsella bursa-pastoris) speedwell, corn (Veronica arvensis) spurge, garden (Euphorbia hirta) spurge, prostrate (Euphorbia humistrata) spurge, spotted (Euphorbia maculata) woodsorrel, creeping (Oxalis corniculata) woodsorrel, yellow (Oxalis stricta)

9198-120H Page 14 of 14



(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. RVnot092705

Manufactured by:

The Andersons, Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer P.O. Box 119

Maumee, OH 43537

Optional marketing information for subregistrant:

(brand name) Premium 4-step Program

- 1 {brand name Crabgrass Preventer}
 - March Early May
 - Prevents Crabgrass, Foxtail, Goosegrass, Poa annua and other Annual Weed Grasses.
 - Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening
- 2 {brand name Weed & Feed}
 - May June
 - · Kills Dandelions, Clover, Plantains, and over 200 other weeds
 - Nutralene feeds your turfgrass for up to 2 months with long-tasting deep greening
- 3 {brand name Lawn Food}
 - June August
 - Nourishes your lawn throughout the summer months with extended feeding of Nitrogen
 - Nutralene feeds your turfgrass for up to 2 months with long-tasting deep greening
- 4 {brand name Winterizer & Weed Control}
 - Late August Mid October
 - · Kills Dandelions, Clover, Plantains, and over 200 other weeds
 - Maximizes root building and winter hardiness
 - Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening

OR

(brand name Winterizer)

- Late August November
- Maximizes root building and prepares your lawn for winter dormancy
- Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening

Date Printed	9/27/05
Date Approved	5/8/03
Supersedes	5/26/98
Label Changes	Notification – optional front label claims
Filename	9198-120h
Label Code	RVnot092705



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

September 28, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505C)
US Environmental Protection Agency
Room 266A, Crystal Mall 2
1801 Bell Street
Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

The Andersons Dimension Herbicide II

EPA Reg. No. 9198-120

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with the additions underlined and marked in blue and the deletions marked in red strikeout.

We have made changes as follows:

- 1. Added optional marketing claims:
- 2.
- For thick, green, beautiful lawns.
- Formulated for Midwestern lawns
- Controls crabgrass and other listed weeds for up to 4 months*
 *When used as directed.
- Extended greening from controlled-release nitrogen
- Contains iron for extra greening

Please enclosed complete the card indicating the acceptance or rejection of this notification and return via mail. If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Delin Flitte.

Dawn L. Walters

Regulatory Administrator Phone: 334-262-2766

Fax: 334-265-5703

Email: dawn_walters@andersonsinc.com

enclosures