

9198-120

1-28-2008

44



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JAN 28 2008

Ms. Dawn Walters
Product Registration
The Andersons Lawn Fert. Div., Inc
PO Box 119
Maumee, OH 43537

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "Intermountain Farmers Association Crabgrass &
Spurge Preventer with Fertilizer"
EPA Reg. No. 9198-120
Application Dated January 8, 2008

Dear Ms Walters:

The Agency is in receipt of your 01/08/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Shirley D. Galt
for Linda Arrington

Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-120	2. EPA Product Manager Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Dimension Herbicide II	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10 : Intermountain Farmers Association Crabgrass & Spurge Preventer with Fertilizer

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	
* Certification must be submitted				<input type="checkbox"/> Plastic	
If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container		<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Dawn L. Walters		Title Regulatory Administrator	
		Telephone No. (Include Area Code) 419-897-6760	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature Dawn L. Walters		3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters		5. Date 1/8/08	

9/4

INTERMOUNTAIN FARMERS ASSOCIATION

Crabgrass & Spurge Preventer

WITH FERTILIZER

INTERMOUNTAIN FARMERS ASSOCIATION
Crabgrass & Spurge Preventer
WITH FERTILIZER

INTERMOUNTAIN FARMERS ASSOCIATION
Crabgrass & Spurge Preventer
WITH FERTILIZER

IFA
COUNTRY STORES
SINCE 1929

PREVENTS CRABGRASS
BEFORE
GERMINATION

in established lawns &
ornamental turfgrasses.

Treats up to
17,800 sq. ft.

Contains 0.103% Dimension®

A herbicide plus fertilizer combination product that provides control of
crabgrass & other weeds in established lawns & ornamental turfgrasses.

23-3-8

NET WT. 50 lbs. (22.68 kg)

FPO: UPC:
0-31865-
30946-5

Product No. IFA23DW50

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional
precautionary statements.

ACTIVE INGREDIENTS:
Diminor 3,5-pyridinedicarboxic acid, 2-(fluoromethyl)-4-
(2-methoxyphenyl)-5-chlorobenzoic acid 0.103%
INERT INGREDIENTS: 99.897%
Total: 100.000%

EPA Reg. No. 9189-120
EPA Est. No. 6155-CH-111 6155-CH-22 0106 AL-0116
Excluded from FIFRA use in California

Dimension® is a trademark of Dow AgroSciences

WWW.IFACOUNTRYSTORE.COM

INTERMOUNTAIN FARMERS ASSOCIATION
Crabgrass & Spurge Preventer
WITH FERTILIZER

INTERMOUNTAIN FARMERS ASSOCIATION

Crabgrass & Spurge Preventer

WITH FERTILIZER

GUARANTEED ANALYSIS

Total Nitrogen (N)	23.00%
1.18% Ammoniacal Nitrogen	
21.82% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	3.00%
Soluble Potash (K ₂ O)	8.00%
Plant nutrients derived from ammonium phosphate, urea and potassium chloride.	
Chlorine (Cl) Max	2.54%
	F292

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
Keep Out of Reach of Children

CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

New York Use Restrictions: Do not apply more than 5.6 pounds of this product per 1,000 square feet of turfgrass area per year. Do not make more than one application per year.

Use only according to label instructions.

GENERAL INFORMATION

This product is a combination product that provides both crabgrass control and the required nutrients for optimum turfgrass growth all in a single product.

This product contains Dimension[®], a crabgrass preventer that can be applied up to 4 weeks later than other crabgrass preventers and provides up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. This product should be applied to lawns and ornamental turfgrasses that are well established (See "Use Precautions" section below for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label directions.

USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

This product can be applied to the following turfgrasses when applied as directed:

Cool-Season Turfgrasses	Warm-Season Turfgrasses
Creeping Bentgrass	Bahia grass
Fine Fescue	Bermudagrass
Kentucky Bluegrass	Buffalograss
Perennial Ryegrass	Carpetgrass
Tall Fescue	Centipedegrass
	St. Augustinegrass
	Zoysiagrass

This product should be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrasses.

This product can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control of crabgrass. Dimension[®] herbicide provides preemergence control of crabgrass and other weeds when applied prior to their germination, and it also provides postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of crabgrass and broadleaf weeds, this product must be applied as a preemergent treatment. Or, crabgrass can be controlled with delayed applications after germination.

Tip for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowing until the application of this product until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

Reseeding, Overseeding or Stripping of turfgrasses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseeding, overseeding, or stripping up to 16 weeks after application may prevent the establishment of newly reseeded, overseeded or stripped turfgrasses.

• DO NOT apply more than 11 pounds of this product per 1,000 square feet of turfgrass area during the year (1,000 square feet area = 100 feet x 10 feet).

• DO NOT apply to flowers, vegetables, or fruit trees.

• DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.

• Keep people and pets off treated areas until dust has settled.

APPLICATION DIRECTIONS

This product will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to weed seed germination in established lawns and ornamental turfgrasses.

Weeds Controlled and/or Suppressed by this product

Grass Weeds:
Annual Bluegrass
Annual Ryegrass
Barryardgrass
Crabgrass
Crowfootgrass
Goosegrass
Green Foxtail
Kikuygrass (seeding)
Perennial Ryegrass
Smutgrass (seeding)
Yellow Foxtail

Broadleaf Weeds:
Bittercress
Buttercup Oxalis
Carolina Geranium
Chickweed
Common Laspada
Common Purslane
Corn Speedwell
Creeping Oxalis
Henbit
Parsley-plant
Pineappleweed
Spotted Spurge
Yellow Woodsorrel

Application Timings:

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.

Length of Control:

This product will provide up to 4 months of weed control if applied according to label directions.

The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied.

Please check the map below to determine which "Region" of the U. S. that applies to your particular use area.

Use "Regions" within the United States:



Recommended Use Rates:

Recommended Use Rates for This Product (Pounds of this product to apply per 1,000 square feet of turfgrass)		
Length of Weed Control		
Region of U. S.	2 - 3 Months Control	3 - 4 Months Control
North	2.8	4.0
South	4.3	5.6

Suggested Spreader Settings

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

DROP SPREADER SETTINGS

First apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and angling off the spreader before turning as you reach the edge of the border strip.

	2.8 Lbs. Per 1000 Sq. Ft.	4.3 Lbs. Per 1000 Sq. Ft.	4.0 Lbs. Per 1000 Sq. Ft.	5.6 Lbs. Per 1000 Sq. Ft.
Century 7200	12-13	14-15	14-15	17-18
Proton F102	8-10	11-12	12-13	14-16
Red Devil F102	8-10	11-12	12-13	14-16
Scotts ACCO2000	4-10-5	5-10-5	5-10-5	7-10-8
Scotts A21	8-10	11-12	12-13	14-16
Scotts F10	5-10-5	7-10-8	7-10-8	9-10

BROADCAST SPREADER SETTINGS

For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

	2.8 Lbs. Per 1000 Sq. Ft.	4.3 Lbs. Per 1000 Sq. Ft.	4.0 Lbs. Per 1000 Sq. Ft.	5.6 Lbs. Per 1000 Sq. Ft.
Andros AccPro 2200	K10	L10	L10	M
Barrow 1800200	18-17	18-18	18-18	21-22
LISSCO 2000	6-10	6-10	6-10	7-10
Proton 6350	7-8	8-9	8-10	10-12
Red Devil 6350	7-8	8-9	8-10	10-12
Scotts DayGreen 103	25-17-29-10	26-12-27-10	27-28	29-30
Scotts 25000000	210-4	430-11-10	4-8-10	6-10-7
Scotts 503	510-6	7-10	7-10-7-30	8-10
Scotts F-44	2	200	4	5-10
Scotts F-44	504	434	434	434

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION.

Product of USA
Manufactured by:
Free Flow Fertilizer, P.O. Box 119, Maumee, OH 43537

IFA23DM50
IFA23DM50B

FPO: UPC:
0 - 31865 -
30946 - 5